


EVE8PD - Power Distribution Housing

- Power housing is specified per panel size (e.g. EVE8PD36 is for use in a 36" panel).
- 8 wire, 4 circuits.
- Provides two duplex receptacles per panel side on all panel widths except the 24" wide panel.
- Each power distribution housing supports 15-20 amps.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Power Distribution Housing	EVE8PD24	101			6 ¼
		EVE8PD30	136			11 ½
		EVE8PD36	143			17 ½
		EVE8PD42	146			23 ½
		EVE8PD48	157			29 ½
		EVE8PD54	158			39 ¼
		EVE8PD60	159			41 ½

EVE8CP - Jumper Cable

- The EVE8CP16 electrically connects two powered panels positioned side by side.
- The EVE8CP20 electrically connects two powered panels separated by a post.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Jumper Cable	EVE8CP16	83			16
		EVE8CP20	97			20

EVE8CP - Pass-Through Cable

- Flexible metal conduit is used to distribute electrical power through non-powered panels.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached). To this add 16" (distance from the edge of the panel to the distribution housing x 2).
- Add additional 3" when passing through a corner post. See the Tips at the beginning of the section for more details.
- Pass-Through Extension Cable connects to the end of a Pass-Through Cable to extend power capability beyond 208".

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Pass-Through Cable	EVE8CP46	111			40 ½

EVE8EC - Ceiling Power Entry

- Snaps into the end of a Power Distribution Housing.
- Flexible metal conduit extends into the ceiling through a corner post and post extension.
- Must be hard wired to source power by a licensed electrician.
- 4" junction box included.
- Post extension ordered separately

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Ceiling Power Entry	EVE8EC1	175			132

EVEENY-2 - Hardware Power Entry Box - New York


- A licensed electrician must provide hard wire connection within the junction box.
- Not for use in panels less than 36"W.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Hardware Power Entry Box - New York	EVEENY2	291	3	28	2.5

EVEJBC-1 - Hardware Junction Box - Chicago

- Can be retrofitted in any size of panel at the receptacle location.
- Gives access from one side only at each location.
- Customer to supply conduit, wiring, receptacle, and face plate.
- 2 per panel ,except 24" panel only one

Note: A licensed electrician must provide hardware connection with the junction box.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Hardware Junction Box - Chicago	EVEJBC-1	65			

EVE8RD - Duplex Receptacle

- Up to 3 receptacles per circuit
- EVE8RD1 = Circuit #1 (utility circuit), EVE8RD2 = Circuit #2 (utility circuit), EVE8RDA = Circuit A (dedicated), EVE8RDB = Circuit B (dedicated)

Note:

- EVE8RD1 and EVE8RD2 (#1 and #2 share common ground), EVE8RDA and EVE8RDB (A and B share common ground)

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Duplex Receptacle	EVE8RD1	21			
		EVE8RD2	21			
		EVE8RDA	21			
		EVE8RDB	21			

EVE8FR1 - Reversible Floor Power Entry

- Takes the place of a duplex receptable by snapping into the base power way.
- Includes 72" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Reversible Floor Power Entry	EVE8FR1	228			72


EVET5L - Under Storage Low Wattage Task Light for Environmentally Friendly Benefits

- Task light must be at least 6" shorter than storage component to which it is attached.
- T5 rapid start fluorescent lamps
- Uses low wattage for energy efficient illumination
- Meets Chicago and NY electrical codes
- Electronic ballast
- Miniature rocker switch, positive position rocker
- 7 foot black cord
- Available in black only
- 48" now available with 9 ft. cord

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Under Storage Low Wattage Task Light for Environmentally Friendly Benefits	EVET5L18	126			18


EVECC - Cord Cover

- Attaches to panels vertically between modules to provide enclosures for power or data cords.
- Available in 21" and 36" lengths, 6 per pack.
- Can be field cut to required length.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Cord Cover For use at panel in connection in straight run	EVECC121	20			21
	Cord Cover For use at panel in connection in corner	EVECC221	20			21

EVDPE - Post Extension Data/Comm Lay-in

- Attaches to the top of a post to bring power and/or data cables from the ceiling to the panel run through.
- Post extension can be opened on one side for lay-in or power and/or data cables.
- Made of aluminum and can be field cut.
- Three-sided power pole with snap-on fourth side.
- (60) CAT 5 Cables w/o electric
- (45) CAT 5 Cables w/ electric

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	L
	Post Extension Data/Comm Lay-in	EVDPE84	136	84	2	