


# panel connectors



Slotted posts are included with each Variable-Height Corner Post. The height of each slotted post must be specified when ordering a Variable-Height Corner Post. Slotted post height is determined by the height of the connecting panel run.


**Example**

Step 1 Specify base code listed on pricing page.



**Segmented Panel**


Step 2 Specify slotted post heights.




**Note:** To specify height, use the first number of the connecting panel run height dimension.

**Slotted Post Positions**

As illustrated in the example below, start with position 1 and continue clockwise specifying the height of each slotted post.



**Sample Configuration - EVPVPA466-6654**



**PANEL CONNECTORS BY TYPE**

**Inline Connector .....93-95**  
 Inline Connector  
 Inline Connector for Light Panels  
 Inline Connector for Beltline Powered Panels  
 Inline Connector for Beltline Powered Light Panels  
 Inline Variable - Height Connector  
 Inline Variable - Height Connector for Light Panels  
 Inline Variable - Height Connector for Beltline Powered Panels  
 Inline Variable - Height Connector for Beltline Powered Light Panels

**End-of-Run ..... 96**  
 End-of-Run Post Kit (Wall Mountable) - Aluminum Trim  
 End-of-Run Post Kit for Light Panels (Wall Mountable) - Aluminum Trim

**Two-Way Post .....97-99**  
 Two-Way Post - Aluminum Trim  
 Two-Way Post for Light Panels - Aluminum Trim  
 Two-Way Post for Beltline Powered Panels - Aluminum Trim  
 Two-Way Post for Beltline Powered Light Panels - Aluminum Trim  
 Two-Way Variable - Height Post - Aluminum Trim  
 Two-Way Variable - Height Post for Light Panels - Aluminum Trim  
 Two-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim  
 Two-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim

**Three-Way Post .....100-102**  
 Three-Way Post - Aluminum Trim  
 Three-Way Post for Light Panels - Aluminum Trim  
 Three-Way Post for Beltline Powered Panels - Aluminum Trim  
 Three-Way Post for Beltline Powered Light Panels - Aluminum Trim  
 Three-Way Variable - Height Post - Aluminum Trim  
 Three-Way Variable - Height Post for Light Panels - Aluminum Trim  
 Three-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim  
 Three-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim

**Four-Way Post .....103-105**  
 Four-Way Post  
 Four-Way Post for Light Panels  
 Four-Way Post for Beltline Powered Panels  
 Four-Way Post for Beltline Powered Light Panels  
 Four-Way Variable - Height Post - Aluminum Trim  
 Four-Way Variable - Height Post for Light Panels - Aluminum Trim  
 Four-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim  
 Four-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim

**One-Way Post .....106-107**  
 One-Way Post - Aluminum Trim  
 One-Way Post for Light Panels - Aluminum Trim  
 One-Way Post for Beltline Powered Panels - Aluminum Trim  
 One-Way Post for Beltline Powered Light Panels - Aluminum Trim

**Inline Two-Way Post .....108-109**  
 Inline Two-Way Post - Aluminum Trim  
 Inline Two-Way Post for Light Panels - Aluminum Trim  
 Inline Two-Way Post for Beltline Powered Panels - Aluminum Trim  
 Inline Two-Way Post for Beltline Powered Light Panels - Aluminum Trim

**60 Degree .....110-112**  
 Two-Way 60 Degree Post - Aluminum Trim  
 Two-Way 60 Degree Post for Beltline Powered Panels - Aluminum Trim  
 Two-Way 60 Degree Variable - Height Post - Aluminum Trim  
 Two-Way 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim  
 Three-Way 60 Degree Post  
 Three-Way 60 Degree Post for Beltline Powered Panels  
 Three-Way 60 Degree Variable - Height Post - Aluminum Trim  
 Three-Way 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim

**45 Degree ..... 113**  
 Two-Way 45 Degree Post  
 Two-Way 45 Degree Variable - Height Post

**Upmount End of Run .....113-114**  
 Upmount End-of-Run Post Kit (Wall Mountable) - Aluminum  
 Upmount End-of-Run Post Kit For Light Panels (Wall Mountable) - Aluminum  
 Upmount End-of-Run Trim - Aluminum  
 Upmount End-of-Run Trim for Light Panels - Aluminum


**Extension .....115-118**  
 Inline Extension Connector - Slotted  
 End-of-Run Extension Connector - Slotted - Aluminum  
 Two-Way Post Extension - Slotted - Aluminum  
 Three-Way Post Extension - Slotted - Aluminum  
 Four-Way Post Extension - Slotted - Aluminum  
 One-Way Post Extension - Slotted - Aluminum  
 Inline Two-Way Post Extension - Slotted - Aluminum  
 Two-Way 60 Degree Post Extension - Slotted - Aluminum  
 Three Way 60 Degree Post Extension - Slotted - Aluminum  
 One-Way 60 Degree Post Extension - Slotted - Aluminum  
 Two-Way 45 Degree Post Extension - Slotted - Aluminum  
 One-Way 45 Degree Post Extension - Slotted - Aluminum

**Trims .....119-122**  
 Upmount Extension Trim - Aluminum  
 End-of-Run Trim - Aluminum  
 End-of-Run Trim for Light Panels - Aluminum  
 Panel Trim Variable Height - Aluminum  
 Panel Extension Trim - Aluminum  
 Flat Trim - Aluminum  
 Flat Trim for Light Panels - Aluminum  
 Flat Extension Trim - Aluminum  
 Panel Top Trim - Aluminum  
 Panel Top Single Notched Trim - Aluminum  
 Panel Top Double Notched Trim - Aluminum  
 Slot Cover




**EVPIC - INLINE CONNECTOR**

- Connects two panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Connector	EVPLIC30	50	30	2	
		EVPLIC42	59	42	2	
		EVPLIC48	62	48	2	
		EVPLIC54	64	54	2	
		EVPLIC66	70	60	2	


**EVPLIC - INLINE CONNECTOR FOR LIGHT PANELS**

- Connects two Light panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, decorative sleeve, and connecting hardware.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Connector for Light Panels	EVPLIC30	50	30	2	
		EVPLIC42	59	42	2	
		EVPLIC48	62	48	2	
		EVPLIC54	64	54	2	
		EVPLIC66	70	66	2	


**EVPBIC - INLINE CONNECTOR FOR BELTLINE POWERED PANELS**

- Connects two Beltline Powered panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Connector for Beltline Powered Panels	EVPBIC42	59	42	2	
		EVPBIC54	64	54	2	
		EVPBIC66	70	66	2	


## EVPBLC - INLINE CONNECTOR FOR BELTLINE POWERED LIGHT PANELS

- Connects two Beltline Powered Light panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, decorative sleeve, and connecting hardware.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots as a special at no upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Connector for Beltline Powered Light Panels	EVPBLC42	59	42	2	
		EVPBLC54	64	54	2	
		EVPBLC66	70	66	2	


## EVPVC - INLINE VARIABLE - HEIGHT CONNECTOR

- Connects two panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Variable - Height Connector	EVPVC42	64	42	2	
		EVPVC48	65	48	2	
		EVPVC54	66	54	2	
		EVPVC66	71	66	2	

## EVPLVC - INLINE VARIABLE - HEIGHT CONNECTOR FOR LIGHT PANELS


- Connects two Light panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used on any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPLTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, decorative sleeve, and connecting hardware.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Variable - Height Connector for Light Panels	EVPLVC42	64	42	2	
		EVPLVC48	65	48	2	
		EVPLVC54	66	54	2	
		EVPLVC66	71	66	2	




**EVPBVC - INLINE VARIABLE - HEIGHT CONNECTOR FOR BELTLINE POWERED PANELS**

- Connects two Beltline Powered panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Variable - Height Connector for Beltline Powered Panels	EVPBVC54	66	54	2	
		EVPBVC66	71	66	2	


**EVPBLC - INLINE VARIABLE - HEIGHT CONNECTOR FOR BELTLINE POWERED LIGHT PANELS**

- Connects two Beltline Powered Light panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPLTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, decorative sleeve, and connecting hardware.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Variable - Height Connector for Beltline Powered Light Panels	EVPBLC54	66	54	2	
		EVPBLC66	71	66	2	


**EVPERA - END-OF-RUN POST KIT (WALL MOUNTABLE) - ALUMINUM TRIM**

- Connects at the end of a panel run and can be used to attach a panel to a fixed wall.
- Adds 1" to the width of the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, connecting hardware and trim kit.
- Can be attached to face of another panel to provide off-modular panel connection.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	End-of-Run Post Kit (Wall Mountable) - Aluminum Trim	EVPERA30	62	30	2 7/8	
		EVPERA42	70	42	2 7/8	
		EVPERA48	75	48	2 7/8	
		EVPERA54	85	54	2 7/8	
		EVPERA66	95	66	2 7/8	

**EVPLERA - END-OF-RUN POST KIT FOR LIGHT PANELS (WALL MOUNTABLE) - ALUMINUM TRIM**


- Connects at the end of a Light panel run and can be used to attach a panel to a fixed wall.
- Adds 1" to the width of the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, connecting hardware, decorative sleeve and trim kit.
- Can be attached to face of another panel to provide off-modular panel connection.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	End-of Run Post Kit for Light Panels (Wall Mountable) - Aluminum	EVPLERA30	62		30	2 7/8	
		EVPLERA42	70		42	2 7/8	
		EVPLERA48	75		48	2 7/8	
		EVPLERA54	85		54	2 7/8	
		EVPLERA66	95		66	2 7/8	




**EVPCPA2 - TWO-WAY POST - ALUMINUM TRIM**

- Connects two panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way Post - Aluminum Trim	EVPCPA230	117	30	2 7/8	
		EVPCPA242	146	42	2 7/8	
		EVPCPA248	156	48	2 7/8	
		EVPCPA254	181	54	2 7/8	
		EVPCPA266	214	66	2 7/8	


**EVPLCPA2 - TWO-WAY POST FOR LIGHT PANELS - ALUMINUM TRIM**

- Connects two Light Panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way Post for Light Panels - Aluminum Trim	EVPLCPA230	117	30	2 7/8	
		EVPLCPA242	146	42	2 7/8	
		EVPLCPA248	156	48	2 7/8	
		EVPLCPA254	181	54	2 7/8	
		EVPLCPA266	214	66	2 7/8	


**EVPCPA2 - TWO-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way Post for Beltline Powered Panels - Aluminum Trim	EVPCPA242	146	42	2 7/8	
		EVPCPA254	181	54	2 7/8	
		EVPCPA266	214	66	2 7/8	


**EVPBLCPA2 - TWO-WAY POST FOR BELTLINE POWERED LIGHT PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered Light panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way Post for Beltline	EVPBLCPA242	146	42	2 7/8	
	Powered Light Panels - Aluminum Trim	EVPBLCPA254	181	54	2 7/8	
		EVPBLCPA266	214	66	2 7/8	


**EVPVPA2 - TWO-WAY VARIABLE - HEIGHT POST - ALUMINIM TRIM**

- Connects two panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots as a special at no upcharge. Contact Customer Support
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way Variable - Height Post - Aluminum Trim	EVPVPA242	146	42	2 7/8	
		EVPVPA248	164	48	2 7/8	
		EVPVPA254	181	54	2 7/8	
		EVPVPA266	214	66	2 7/8	

**EVPLVPA2 - TWO-WAY VARIABLE - HEIGHT POST FOR LIGHT PANELS - ALUMINUM TRIM**

- Connects two Light panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way Variable - Height Post for Light Panels - Aluminum	EVPLVPA242	146	42	2 7/8	
		EVPLVPA248	164	48	2 7/8	
		EVPLVPA254	181	54	2 7/8	
		EVPLVPA266	214	66	2 7/8	






**EVPBVPA2 - TWO-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINIM TRIM**

- Connects two Beltline Powered panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPBVPA254	181	54	2 7/8	
		EVPBVPA266	214	66	2 7/8	


**EVPBLVPA2 - TWO-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWER LIGHT PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered Light panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way Variable - Height Corner Post for Beltline Powered Light Panels - Aluminum Trim	EVPBLVPA254	181	54	2 7/8	
		EVPBLVPA266	181	66	2 7/8	


**EVPCPA3 - THREE-WAY POST - ALUMINUM TRIM**

- Connects three panels of equal height in a “T” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three-Way Post - Aluminum Trim	EVPCPA330	145	30	2 7/8	
		EVPCPA342	194	42	2 7/8	
		EVPCPA348	214	48	2 7/8	
		EVPCPA354	235	54	2 7/8	
		EVPCPA366	278	66	2 7/8	


**EVPLCPA3 - THREE-WAY POST FOR LIGHT PANELS - ALUMINUM TRIM**

- Connects three Light panels of equal height in a “T” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three-Way Post for Light Panels - Aluminum	EVPLCPA330	145	30	2 7/8	
		EVPLCPA342	194	42	2 7/8	
		EVPLCPA348	214	48	2 7/8	
		EVPLCPA354	235	54	2 7/8	
		EVPLCPA366	278	66	2 7/8	

**EVPBCPA3 - THREE-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**


- Connects three Beltline Powered panels of equal height in a “T” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three-Way Post for Beltline Powered Panels - Aluminum Trim	EVPBCPA342	194	42	2 7/8	
		EVPBCPA354	235	54	2 7/8	
		EVPBCPA366	278	66	2 7/8	




**EVPLCPA3 - THREE-WAY POST FOR BELTLINE POWERED LIGHT PANELS - ALUMINUM TRIM**

- Connects three Beltline Powered Light panels of equal height in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way Post for Beltline Powered Light Panels - Aluminum Trim	EVPLCPA342	194	42	2 7/8	
	EVPLCPA354	235	54	2 7/8	
	EVPLCPA366	278	66	2 7/8	

**EVVPVA3 - THREE-WAY VARIABLE - HEIGHT POST - ALUMINUM TRIM**

- Connects three panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way Variable - Height Post - Aluminum Trim	EVVPVA342	194	42	2 7/8	
	EVVPVA348	214	48	2 7/8	
	EVVPVA354	235	54	2 7/8	
	EVVPVA366	278	66	2 7/8	


**EVPLVPA3 - THREE-WAY VARIABLE - HEIGHT POST FOR LIGHT PANELS - ALUMINUM TRIM**

- Connects three Light panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way Variable - Height Post for Light Panels - Aluminum Trim	EVPLVPA342	194	42	2 7/8	
	EVPLVPA348	214	48	2 7/8	
	EVPLVPA354	235	54	2 7/8	
	EVPLVPA366	278	66	2 7/8	


**EVPBVPA3 - THREE-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects three Beltline Powered panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPBVPA354	235	54	2 7/8	
		EVPBVPA366	278	66	2 7/8	

**EVPBLVPA3 - THREE-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED LIGHT PANELS - ALUMINUM TRIM**


- Connects three Beltline Powered Light panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three-Way Variable - Height Post for Beltline Powered Light Panels - Aluminum Trim	EVPBLVPA354	235	54	2 7/8	
		EVPBLVPA366	278	66	2 7/8	




**EVPCP4 - FOUR-WAY POST**

- Connects four panels of equal height in a “+” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four-Way Post	EVPCP430	179	30	2 7/8	
		EVPCP442	229	42	2 7/8	
		EVPCP448	253	48	2 7/8	
		EVPCP454	276	54	2 7/8	
		EVPCP466	323	66	2 7/8	


**EVPLCP4 - FOUR-WAY POST FOR LIGHT PANELS**

- Connects four Light panels of equal height in a “+” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, decorative sleeve and connecting hardware.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four-Way Post for Light Panels	EVPLCP430	179	30	2 7/8	
		EVPLCP442	229	42	2 7/8	
		EVPLCP448	253	48	2 7/8	
		EVPLCP454	276	54	2 7/8	
		EVPLCP466	323	66	2 7/8	


**EVBCP4 - FOUR-WAY POST FOR BELTLINE POWERED PANELS**

- Connects four Beltline Powered panels of equal height in a “+” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four-Way Post for Beltline Powered Panels	EVBCP442	229	42	2 7/8	
		EVBCP454	276	54	2 7/8	
		EVBCP466	323	66	2 7/8	


**EVPBLC4 - FOUR-WAY POST FOR BELTLINE POWERED LIGHT PANELS**

- Connects four Beltline Powered Light panels of equal height in a "+" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, decorative sleeve and connecting hardware.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Four-Way Post for Beltline Powered Light Panels	EVPBLC442	229	42	2 7/8	
	EVPBLC454	276	54	2 7/8	
	EVPBLC466	323	66	2 7/8	


**EVPVPA4 - FOUR-WAY VARIABLE - HEIGHT POST - ALUMINUM TRIM**

- Connects four panels of differing heights in a "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Four-Way Variable - Height Corner Post - Aluminum Trim	EVPVPA442	229	42	2 7/8	
	EVPVPA448	253	48	2 7/8	
	EVPVPA454	276	54	2 7/8	
	EVPVPA466	323	66	2 7/8	

**EVPLVPA4 - FOUR-WAY VARIABLE - HEIGHT POST FOR LIGHT PANELS - ALUMINUM TRIM**


- Connects four Light panels of differing heights in a "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Four-Way Variable - Height Post for Light Panels - Aluminum Trim	EVPLVPA442	229	42	2 7/8	
	EVPLVPA448	253	48	2 7/8	
	EVPLVPA454	276	54	2 7/8	
	EVPLVPA466	323	66	2 7/8	




**EVPBVPA4 - FOUR-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects four Beltline Powered panels of differing heights in an a “+” configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPBVPA454	276	54	2 7/8	
		EVPBVPA466	323	66	2 7/8	


**EVPBLVPA4 - FOUR-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED LIGHT PANELS – ALUMINUM TRIM**

- Connects four Beltline Powered Light panels of differing heights in a “+” configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25” to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four-Way Variable - Height Post for Beltline Power Light Panels - Aluminum Trim	EVPBLVPA454	276	54	2 7/8	
		EVPBLVPA466	323	66	2 7/8	


**EVPCPA1 - ONE-WAY POST - ALUMINUM TRIM**

- Connects at the end of a panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	One-Way Post - Aluminum Trim	EVPCPA130	82	30	2 7/8	
		EVPCPA142	95	42	2 7/8	
		EVPCPA148	110	48	2 7/8	
		EVPCPA154	127	54	2 7/8	
		EVPCPA166	156	66	2 7/8	

**EVPLCPA1 - ONE-WAY POST FOR LIGHT PANELS - ALUMINUM TRIM**

- Connects at the end of a Light panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	One-Way Post for Light Panels - Aluminum	EVPLCPA130	82	30	2 7/8	
		EVPLCPA142	95	42	2 7/8	
		EVPLCPA148	110	48	2 7/8	
		EVPLCPA154	127	54	2 7/8	
		EVPLCPA166	156	66	2 7/8	






**EVPBCPA1 - ONE-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects at the end of a Beltline Powered panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	One-Way Post for Beltline Powered Panels -	EVPBCPA142	95	42	2 7/8	
	Aluminum Trim	EVPBCPA154	127	54	2 7/8	
		EVPBCPA166	156	66	2 7/8	


**EVPBLCPA1 - ONE-WAY POST FOR BELTLINE POWERED LIGHT PANELS - ALUMINUM TRIM**

- Connects at the end of a Beltline Powered Light panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	One-Way Post for Beltline Powered	EVPBLCPA142	95	42	2 7/8	
	Light Panels - Aluminum Trim	EVPBLCPA154	127	54	2 7/8	
		EVPBLCPA166	156	66	2 7/8	


**EVPIPA2 - INLINE TWO-WAY POST - ALUMINUM TRIM**

- Connects two panels of equal height in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Two-Way Post - Aluminum Trim	EVPIPA230	114	30	2 7/8	
		EVPIPA242	143	42	2 7/8	
		EVPIPA248	158	48	2 7/8	
		EVPIPA254	171	54	2 7/8	
		EVPIPA266	205	66	2 7/8	

**EVPLIPA2 - INLINE TWO-WAY POST FOR LIGHT PANELS - ALUMINUM TRIM**

- Connects two Light panels of equal height in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the Light panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Two-Way Post for Light Panels - Aluminum	EVPLIPA230	114	30	2 7/8	
		EVPLIPA242	143	42	2 7/8	
		EVPLIPA248	158	48	2 7/8	
		EVPLIPA254	171	54	2 7/8	
		EVPLIPA266	205	66	2 7/8	



**EVPBIPA2 - INLINE TWO-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered panels of equal height in between a post in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Inline Two-Way Post for Beltline Powered Panels - Aluminum Trim	EVPBIPA242	143	42	2 7/8	
	EVPBIPA254	171	54	2 7/8	
	EVPBIPA266	205	66	2 7/8	


**EVPBLIPA2 - INLINE TWO-WAY POST FOR BELTLINE POWERED LIGHT PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered Light panels of equal height in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the Light panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, decorative sleeve, connecting hardware and trim kit.
- Decorative sleeve available in Evolve standard colors only.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Inline Two-Way Post for Beltline Powered Light Panels - Aluminum Trim	EVPBLIPA242	143	42	2 7/8	
	EVPBLIPA254	171	54	2 7/8	
	EVPBLIPA266	205	66	2 7/8	


**EVP6PA2 - TWO-WAY 60 DEGREE POST - ALUMINUM TRIM**

- Connects two panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots as a special at no upcharge. Contact Customer Service.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 60 Degree Post - Aluminum	EVP6PA230	117	30	3.65	
		EVP6PA242	145	42	3.65	
		EVP6PA248	156	48	3.65	
		EVP6PA254	181	54	3.65	
		EVP6PA266	214	66	3.65	


**EVPB6PA2 - TWO-WAY 60 DEGREE POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 60 Degree Post for Beltline Powered Panels - Aluminum Trim	EVPB6PA242	167	42	3.65	
		EVPB6PA254	181	54	3.65	
		EVPB6PA266	214	66	3.65	

**EVP6VPA2 - TWO-WAY 60 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM**

- Connects two panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 60 Degree Variable - Height Post - Aluminum Trim	EVP6VPA242	145	42	3.65	
		EVP6VPA248	164	48	3.65	
		EVP6VPA254	181	54	3.65	
		EVP6VPA266	215	66	3.65	




**EVPB6VPA2 - TWO-WAY 60 DEGREE VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects two Beltline Powered panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPB6VPA242	145	42	3.65	
		EVPB6VPA254	181	54	3.65	
		EVPB6VPA266	215	66	3.65	


**EVP6P3 - THREE-WAY 60 DEGREE POST**

- Connects three panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three-Way 60 Degree Post	EVP6P330	144	30	3.65	
		EVP6P342	193	42	3.65	
		EVP6P348	214	48	3.65	
		EVP6P354	235	54	3.65	
		EVP6P366	278	66	3.65	


**EVPB6P3 - THREE-WAY 60 DEGREE POST FOR BELTLINE POWERED PANELS**

- Connects three Beltline Powered panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Three-Way 60 Degree Post for Beltline Powered Panels	EVPB6P342	No Match!	42	3.65	
		EVPB6P354	No Match!	54	3.65	
		EVPB6P366	No Match!	66	3.65	


**EVP6VPA3 - THREE-WAY 60 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM**

- Connects three panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way 60 Degree Variable - Height Post - Aluminum Trim	EVP6VPA342	193	42	3.65	
	EVP6VPA348	214	48	3.65	
	EVP6VPA354	235	54	3.65	
	EVP6VPA366	278	66	3.65	


**EVPB6VPA3 - THREE-WAY 60 DEGREE VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM**

- Connects three Beltline Powered panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Three-Way for 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPB6VPA342	211	42	3.65	
	EVPB6VPA354	235	54	3.65	
	EVPB6VPA366	278	66	3.65	

**EVP4P2 - TWO-WAY 45 DEGREE POST - ALUMINUM TRIM**


- Connects two panels of equal height in a 135 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 45 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Two-Way 45 Degree Post Aluminum Trim	EVP4P230	117	30	3.65	
	EVP4P242	145	42	3.65	
	EVP4P248	156	48	3.65	
	EVP4P254	181	54	3.65	
	EVP4P266	214	66	3.65	




**EVP4VPA2 - TWO-WAY 45 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM**

- Connects two panels of differing height in a 135 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 45 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 45 Degree Variable - Height Post Aluminum Trim	EVP4VPA242	193	42	3.65	
		EVP4VPA248	214	48	3.65	
		EVP4VPA254	235	54	3.65	
		EVP4VPA266	278	66	3.65	


**EVPUERA - UPMOUNT END-OF-RUN POST KIT - ALUMINUM TRIM**

- Used at the end of Panel run to support Worksurfaces and Upmount Overhead Storage.
- Can attach to a Panel run to fixed wall.
- Adds 1" to the width of Light Panel run.
- 10% upcharge for Tungsten trim/paint.
- Aluminum trim must be specified when using premium color paints. Premium color paints are not available on PVC trim.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Upmount End-of-Run Post Kit - Aluminum Trim.	EVPUERA66	106	66	2 7/8	


**EVPLUERA - UPMOUNT END-OF-RUN POST KIT FOR LIGHT PANELS (WALL MOUNTABLE) - ALUMINUM**

- Used at the end of Panel run to support Worksurfaces and Upmount Overhead Storage.
- Can attach to a Panel run to fixed wall.
- Adds 1" to the width of Light Panel run.
- Includes slotted Connector with leveling glide, connecting hardware, decorative sleeve and trim kit.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Upmount End-of-Run Post Kit - for Light Panels - Wall Mountable - Aluminum	EVPLUERA66	106	66	2 7/8	


**EVPUETA - UPMOUNT END-OF-RUN TRIM - ALUMINUM**

- Replaces existing 66”h End-of-Run Trim Only
- Comes with one Upmount Extension Trim EVPUET12 and one Upmount End-of-Run Trim.
- Must be used in conjunction with slotted connectors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Upmount End-of-Run Trim - Aluminum	EVPUETA66	74		2 7/8	


**EVPLUETA - UPMOUNT END-OF-RUN TRIM FOR LIGHT PANELS - ALUMINUM**

- Includes one Upmount Extension Trim EVPUETA12 and one Upmount End-of-Run Trim.
- Must be used in conjunction with Slotted Connector.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Upmount End-of-Run Trim for Light Panels - Aluminum	EVPLUETA66	74	63	2 7/8	

**EVAFMB01 - FLOOR MOUNT PLATE**

- Attaches to floor.
- Secures panel to floor.
- Attachment screws are not included.
- Care should be taken to use correct fastners for type of floor.
- Available in chrome finish only.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Floor Mount Plate	EVAFMB01	63	0.25	5	2.5





**EVPIECS - INLINE EXTENSION CONNECTOR - SLOTTED**


- Connects two extension modules in a straight run.
- Includes one slotted inline extension connector and connecting hardware.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Inline Extension Connector - Slotted	EVPIECS06	33	6	2 7/8	
	EVPIECS12	33	12	2 7/8	
	EVPIECS18	39	18	2 7/8	
	EVPIECS24	39	24	2 7/8	

**EVPEERSA - END-OF-RUN EXTENSION CONNECTOR - SLOTTED - ALUMINUM TRIM**


- Connects at the end of a run of extension modules, and can be used to attach a panel to a fixed wall.
- Adds 1” to the width of panel run.
- Includes one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
End-of-Run Extension Connector - Slotted - Aluminum Trim	EVPEERSA06	35	6	2 7/8	
	EVPEERSA12	35	12	2 7/8	
	EVPEERSA18	43	18	2 7/8	
	EVPEERSA24	43	24	2 7/8	

**EVPCEPSA2 - TWO-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM**


- Connects two extension modules in a 90 degree configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Two-Way Post Extension - Slotted Aluminum Trim	EVPCEPSA206	64	6	2 7/8	
	EVPCEPSA212	64	12	2 7/8	
	EVPCEPSA218	100	18	2 7/8	
	EVPCEPSA224	100	24	2 7/8	

**EVPCEPSA3 - THREE-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM**


- Connects three extension modules in a “T” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Includes one post, three slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Three-Way Post Extension - Slotted Aluminum Trim	EVPCEPSA306	76	6	2 7/8	
	EVPCEPSA312	76	12	2 7/8	
	EVPCEPSA318	119	18	2 7/8	
	EVPCEPSA324	119	24	2 7/8	


**EVPCEPS4 - FOUR-WAY POST EXTENSION - SLOTTED**

- Connects four extension modules in a “+” configuration.
- Post and connecting hardware adds 3.25” to the panel run.
- Includes one post, four slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Four-Way Post Extension - Slotted	EVPCEPS406	88	6	2 7/8	
		EVPCEPS412	88	12	2 7/8	
		EVPCEPS418	131	18	2 7/8	
		EVPCEPS424	131	24	2 7/8	


**EVPCEPSA1 - ONE-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM**

- Connects at the end of a run of extension modules in place of an EVPEERSA – End-of-Run Extension Connector.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25” to the panel run.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	One-Way Post Extension - Slotted Aluminum Trim	EVPCEPSA106	62	6	2 7/8	
		EVPCEPSA112	62	12	2 7/8	
		EVPCEPSA118	78	18	2 7/8	
		EVPCEPSA124	78	24	2 7/8	

**EVPCEIPSA2 – INLINE TWO-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM**


- Connects two extension modules in a straight line in place of EVPIECS – In-Line Extension Connector.
- Post and connecting hardware adds 3.25” to the panel run.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Inline Two-Way Post Extension - Slotted Aluminum Trim	EVPCEIPSA206	67	6	2 7/8	
		EVPCEIPSA212	67	12	2 7/8	
		EVPCEIPSA218	109	18	2 7/8	
		EVPCEIPSA224	109	24	2 7/8	



**EVP6CEPSA2 - TWO-WAY 60 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM**


- Connects two extension modules in a 120 degree configuration.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Two-Way 60 Degree Post Extension - Slotted - Aluminum Trim	EVP6CEPSA206	64	6	3.65	
	EVP6CEPSA212	64	12	3.65	
	EVP6CEPSA218	99	18	3.65	
	EVP6CEPSA224	99	24	3.65	

**EVP6CEPS3 - THREE-WAY 60 DEGREE POST EXTENSION - SLOTTED**


- Connects three extension modules in a 120 degree configuration.
- Includes one post, three slotted inline extension connectors and connecting hardware.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Three-Way 60 Degree Post Extension - Slotted	EVP6CEPS306	75	6	3.65	
	EVP6CEPS312	75	12	3.65	
	EVP6CEPS318	119	18	3.65	
	EVP6CEPS324	119	24	3.65	

**EVP6CEPSA1 - ONE-WAY 60 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM**


- Connects at the end of a run of extension modules in a 120 degree configuration.
- Should not be used to attach a panel to a fixed wall.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66”H.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
One-Way 60 Degree Post Extension - Slotted - Aluminum Trim	EVP6CEPSA106	62	6	3.65	
	EVP6CEPSA112	62	12	3.65	
	EVP6CEPSA118	77	18	3.65	
	EVP6CEPSA124	77	24	3.65	


**EVP4CEPS2 - TWO-WAY 45 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM**

- Connects two extension modules in a 135 degree configuration.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Two-Way 45 Degree Post Extension - Slotted - Aluminum Trim	EVP4CEPS206	64	6	3.65	
		EVP4CEPS212	64	12	3.65	
		EVP4CEPS218	99	18	3.65	
		EVP4CEPS224	99	24	3.65	


**EVP4CEPSA1 - ONE-WAY 45 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM**

- Connects at the end of a run of extension modules in a 135 degree configuration.
- Should not be used to attach a panel to a fixed wall.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	One-Way 45 Degree Post Extension - Slotted - Aluminum Trim	EVP4CEPSA106	62	6	3.65	
		EVP4CEPSA112	62	12	3.65	
		EVP4CEPSA118	77	18	3.65	
		EVP4CEPSA124	77	24	3.65	

**EVPUETA - UPMOUNT EXTENSION TRIM - ALUMINUM**


- Finishes the exposed connector above a shorter panel.
- Slotted connector not included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Upmount Extension Trim - Aluminum	EVPUETA12	33	12	2.78	




**EVPERTA - END-OF-RUN TRIM - ALUMINUM**

- Finishes the exposed Connector at the end of a run.
- Slotted Connector not included.
- Please note that actual cut sizes are nominally smaller than quoted

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	End-of-Run Trim - Aluminum	EVPERTA30	36	30	2 7/8	
		EVPERTA42	49	42	2 7/8	
		EVPERTA48	53	48	2 7/8	
		EVPERTA54	56	54	2 7/8	
		EVPERTA66	63	66	2 7/8	
		EVPERTA78	69	78	2 7/8	
		EVPERTA90	71	90	2 7/8	


**EVPLERTA - END-OF-RUN TRIM FOR LIGHT PANELS - ALUMINUM**

- Finishes the exposed Connector at the end of a run of the Light Panels.
- Slotted Connector not included.
- Please note that actual cut sizes are nominally smaller than quoted

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	End-of-Run Trim for Light Panels - Aluminum	EVPLERTA30	37	26 1/4	2 7/8	
		EVPLERTA42	43	38 1/4	2 7/8	
		EVPLERTA48	49	44 1/4	2 7/8	
		EVPLERTA54	58	50 1/4	2 7/8	
		EVPLERTA66	63	62 1/4	2 7/8	
		EVPLERTA72	65	68 1/4	2 7/8	
		EVPLERTA78	67	74 1/4	2 7/8	
		EVPLERTA84	70	80 1/4	2 7/8	
		EVPLERTA90	74	86 1/4	2 7/8	


**EVPTVA - PANEL TRIM - VARIABLE HEIGHT - ALUMINUM**

- Attaches to the exposed end of the taller panel when 2 panels of different height meet in straight run.
- Slotted Connector not included.
- Please note that actual cut sizes are nominally smaller than quoted

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Panel Trim - Variable Height - Aluminum	EVPTVA06	13	6	2 7/8	
		EVPTVA12	19	12	2 7/8	
		EVPTVA18	24	18	2 7/8	
		EVPTVA24	32	24	2 7/8	
		EVPTVA30	37	30	2 7/8	
		EVPTVA36	43	36	2 7/8	


**EVPTEA - PANEL EXTENSION TRIM - ALUMINUM**

- Attaches to bottom of exposed end of panel to provide extension for End-of-Run post trim kit when using panel extensions.
- Does not include slotted connector nor connecting hardware.
- Please note that actual cut sizes are nominally smaller than quoted

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Panel Extension Trim - Aluminum	EVPTEA12	17	12	2 7/8	
		EVPTEA18	24	18	2 7/8	
		EVPTEA24	30	24	2 7/8	


**EVPVTF A - FLAT TRIM - ALUMINUM**

- To be used with 30"H posts as a replacement trim.
- For "U" trim configuration use three flat trim according to height specifications.
- For "L" trim configuration use two flat trim according to height configurations.
- Please note that actual cut sizes are nominally smaller than quoted

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
				H	W	D	
	Flat Trim - Aluminum	EVPVTF A30	10	29 1/8	2 7/8		
		EVPVTF A36	11	34 1/8	2 7/8		
		EVPVTF A42	13	41 1/8	2 7/8		
		EVPVTF A48	17	47 1/8	2 7/8		
		EVPVTF A54	17	53 1/8	2 7/8		
		EVPVTF A66	19	65 1/8	2 7/8		
		EVPVTF A78	20	77 1/8	2 7/8		
		EVPVTF A84	22	83 1/8	2 7/8		
		EVPVTF A90	21	89 1/8	2 7/8		
		EVPVTF A96	23	95 1/8	2 7/8		

**EVPVTF EA - FLAT EXTENSION TRIM - ALUMINUM**


- Finishes exposed faces of One-Way, Two-Way, Three-Way and Inline Panels.
- For reconfiguration and replacement use only.
- For "U" trim configuration use three flat trim according to height specification.
- For "L" trim configuration use two flat trim according to height specification.
- Aluminum Trim must be specified when using premium color paints.
- Please note that actual cut sizes are nominally smaller than quoted

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Flat Extension Trim - Aluminum	EVPVTF EA12	9	12 3/8	2 7/8	
		EVPVTF EA18	11	18 3/8	2 7/8	
		EVPVTF EA24	11	24 3/8	2 7/8	
		EVPVTF EA30	13	30 3/8	2 7/8	
		EVPVTF EA36	17	36 3/8	2 7/8	
		EVPVTF EA42	18	42 3/8	2 7/8	
		EVPVTF EA48	19	48 3/8	2 7/8	
		EVPVTF EA54	20	54 3/8	2 7/8	
		EVPVTF EA66	22	66 3/8	2 7/8	
		EVPVTF EA78	23	78 3/8	2 7/8	
		EVPVTF EA84	29	84 3/8	2 7/8	
		EVPVTF EA90	30	90 3/8	2 7/8	
		EVPVTF EA96	32	96 3/8	2 7/8	




**EVPLVTFA - FLAT TRIM FOR LIGHT PANELS - ALUMINUM**

- Finishes exposed faces of One-Way, Two-Way, Three-Way and Inline Panels.
- For reconfiguration and replacement use only.
- For "U" trim configuration use three flat trim according to height specification.
- For "L" trim configuration use two flat trim according to height specification.
- Aluminum Trim must be specified when using premium color paints.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Flat Trim for Light Panels - Aluminum	EVPLVTFA30	10	26 1/4	2 7/8	
	EVPLVTFA42	13	38 1/4	2 7/8	
	EVPLVTFA48	17	44 1/4	2 7/8	
	EVPLVTFA54	17	50 1/4	2 7/8	
	EVPLVTFA66	19	62 1/4	2 7/8	
	EVPLVTFA72	19	68 1/4	2 7/8	
	EVPLVTFA78	20	74 1/4	2 7/8	
	EVPLVTFA84	20	80 1/4	2 7/8	
	EVPLVTFA90	21	86 1/4	2 7/8	


**EVPTTA - PANEL TOP TRIM - ALUMINUM - FIELD INSTALLED**

- This trim can span an Inline Connector, but not a Post Connector.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Top Trim - Aluminum	EVPTTA18F	9	18	2 7/8	
	EVPTTA24F	13	24	2 7/8	
	EVPTTA30F	18	30	2 7/8	
	EVPTTA36F	20	36	2 7/8	
	EVPTTA42F	24	42	2 7/8	
	EVPTTA48F	30	48	2 7/8	
	EVPTTA54F	35	54	2 7/8	
	EVPTTA60F	39	60	2 7/8	
	EVPTTA66F	43	66	2 7/8	
	EVPTTA72F	48	72	2 7/8	
	EVPTTA78F	53	78	2 7/8	
	EVPTTA84F	58	84	2 7/8	
	EVPTTA90F	62	90	2 7/8	
	EVPTTA96F	67	96	2 7/8	


**EVPTNTA - PANEL TOP SINGLE NOTCHED TRIM - ALUMINUM - FIELD INSTALLED**

- Used when connecting a lower Panel to a higher Panel
- This trim can span an Inline Connector, but not a Post Connector.
- Please note that actual cut sizes are nominally smaller than quoted

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Panel Top Singled Notched Trim - Aluminum	EVPTNTA18F	11	18	2 7/8	
		EVPTNTA24F	15	24	2 7/8	
		EVPTNTA30F	18	30	2 7/8	
		EVPTNTA36F	20	36	2 7/8	
		EVPTNTA42F	23	42	2 7/8	
		EVPTNTA48F	32	48	2 7/8	
		EVPTNTA54F	36	54	2 7/8	
		EVPTNTA60F	41	60	2 7/8	
		EVPTNTA66F	44	66	2 7/8	
		EVPTNTA72F	48	72	2 7/8	
		EVPTNTA78F	51	78	2 7/8	
		EVPTNTA84F	56	84	2 7/8	
		EVPTNTA90F	59	90	2 7/8	
		EVPTNTA96F	62	96	2 7/8	


**EVPTDNTA - PANEL TOP DOUBLE NOTCHED TRIM - ALUMINUM - FIELD INSTALLED**

- Used when connecting a lower Panel to a higher Panel
- This trim can span an Inline Connector, but not a Post Connector.
- Please note that actual cut sizes are nominally smaller than quoted

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Panel Top Double Notched Trim - Aluminum	EVPTDNTA18F	13	18	2 7/8	
		EVPTDNTA24F	18	24	2 7/8	
		EVPTDNTA30F	20	30	2 7/8	
		EVPTDNTA36F	22	36	2 7/8	
		EVPTDNTA42F	24	42	2 7/8	
		EVPTDNTA48F	33	48	2 7/8	
		EVPTDNTA54F	37	54	2 7/8	
		EVPTDNTA60F	43	60	2 7/8	
		EVPTDNTA66F	47	66	2 7/8	
		EVPTDNTA72F	50	72	2 7/8	
		EVPTDNTA78F	55	78	2 7/8	
		EVPTDNTA84F	58	84	2 7/8	
		EVPTDNTA90F	61	90	2 7/8	
		EVPTDNTA96F	64	96	2 7/8	

**EVSC12 - SLOT COVER**

- Covers the slots of a slotted connector between modules as well as corner post situation.
- Available in all standard colors (Black, Charcoal Silver, Taupe, Tungsten, White and Nevada)
- Sold per foot. The desired quantity of the slot covers is the required length in feet.
- An easy way to calculate the required length is to sum the length of all inline connectors used in a project (including the posts) and multiply by 2.
- Should be field cut to required length.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Slot Cover	EVSC12	4			

