




freestanding

## EVDFSC - FIVE SIDED CORNER CHASSIS

- Five Sided Corner Chassis with 10" deep end panels for 18" & 24" deep tops and 14" end panels for 30" deep tops.
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.
- All Freestanding products are available in thermally fused thickness only.

## NOTE:

- Add either "H" (half modesty) or "F" (full modesty) to the end of the product code (i.e. EVDFSC3618H).
- Worksurface must be ordered separately.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			H	F	D	W	H
	Five Sided Corner Chassis - 36"	EVDFSC3618	626	812	18	36	29
		EVDFSC3624	626	812	24	36	29
	Five Sided Corner Chassis - 42"	EVDFSC4224	639	849	24	42	29
		EVDFSC4230	709	917	30	42	29
	Five Sided Corner Chassis - 48"	EVDFSC4824	671	909	24	48	29
		EVDFSC4830	740	975	30	48	29




**EVDRL - RETURN - LEFT**

- Return Chassis with one full end panel and modesty panel
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.
- All Freestanding products are available in thermally fused thickness only.

**NOTE:**

- Add either "H" (half modesty) fo "F" (full modesty) to the end of the product code (i.e. EVDRL2436H).
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be orderd separately).






DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	F	D	W	H
Return - Left - 18"	EVDRL1824	261	333	18	24	29
	EVDRL1830	273	355	18	30	29
	EVDRL1836	287	379	18	36	29
	EVDRL1842	299	401	18	42	29
	EVDRL1848	343	456	18	48	29
	EVDRL1854	354	471	18	54	29
	EVDRL1860	372	508	18	60	29
	EVDRL1866	380	522	18	66	29
	EVDRL1872	398	550	18	72	29
Return - Left - 24"	EVDRL2424	269	341	24	24	29
	EVDRL2430	279	360	24	30	29
	EVDRL2436	295	386	24	36	29
	EVDRL2442	308	410	24	42	29
	EVDRL2448	350	462	24	48	29
	EVDRL2454	360	479	24	54	29
	EVDRL2460	380	517	24	60	29
	EVDRL2466	387	530	24	66	29
	EVDRL2472	405	560	24	72	29
Return - Left - 30"	EVDRL3024	293	361	30	24	29
	EVDRL3030	300	382	30	30	29
	EVDRL3036	317	317	30	36	29
	EVDRL3042	330	433	30	42	29
	EVDRL3048	371	483	30	48	29
	EVDRL3054	381	501	30	54	29
	EVDRL3060	400	540	30	60	29
	EVDRL3066	408	551	30	66	29
	EVDRL3072	428	581	30	72	29

**EVDRR - RETURN - RIGHT**

- Return Chassis with one full end panel and modesty panel
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.
- All Freestanding products are available in thermally fused thickness only.

**NOTE:**


- Add either "H" (half modesty) fo "F" (full modesty) to the end of the product code (i.e. EVDRL2436H).
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			H	F	D	W	H
	Return - Right - 18"	EVDRR1824	261	333	18	24	29
		EVDRR1830	273	355	18	30	29
		EVDRR1836	287	379	18	36	29
		EVDRR1842	299	401	18	42	29
		EVDRR1848	343	456	18	48	29
		EVDRR1854	354	471	18	54	29
		EVDRR1860	372	508	18	60	29
		EVDRR1866	380	522	18	66	29
		EVDRR1872	398	550	18	72	29
	Return - Right - 24"	EVDRR2424	269	341	24	24	29
		EVDRR2430	279	360	24	30	29
		EVDRR2436	295	386	24	36	29
		EVDRR2442	308	410	24	42	29
		EVDRR2448	350	462	24	48	29
		EVDRR2454	360	479	24	54	29
		EVDRR2460	380	517	24	60	29
		EVDRR2466	387	530	24	66	29
EVDRR2472	405	560	24	72	29		
	Return - Right - 30"	EVDRR3024	293	361	30	24	29
		EVDRR3030	300	382	30	30	29
		EVDRR3036	317	408	30	36	29
		EVDRR3042	330	433	30	42	29
		EVDRR3048	371	483	30	48	29
		EVDRR3054	381	501	30	54	29
		EVDRR3060	400	540	30	60	29
		EVDRR3066	408	551	30	66	29
		EVDRR3072	428	581	30	72	29




## EVDB - BRIDGE CHASSIS - MODESTY

- Bridge Chassis includes modesty panel
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDB24H)
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- Includes all supporting hardware including interconnection plates.
- A "Z" bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	F	D	W	H
	EVDB24	92	190	14/28	24	29
	EVDB30	101	202	14/28	30	29
	EVDB36	111	213	14/28	36	29
	EVDB42	130	245	14/28	42	29
	EVDB48	176	302	14/28	48	29
	EVDB54	196	338	14/28	54	29
	EVDB60	210	368	14/28	60	29
	EVDB66	232	401	14/28	66	29
	EVDB72	246	433	14/28	72	29

**EVDSRL - SUPPORTED RETURN - LEFT**




- Supported Return Chassis with full end panel, mid support panel modesty panel
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDSRL2436H)
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- Includes 10" mid support panel where worksurface is 24" deep or for "D" top applications
- Includes 14" mid support panel where work surface is 30" deep
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		H	F	D	W	H	
	Supported Return - Left - 24"	EVDSRL2424	379	447	24	24	29
	EVDSRL2430	390	469	24	30	29	
	EVDSRL2436	401	495	24	36	29	
	EVDSRL2442	416	519	24	42	29	
	EVDSRL2448	458	570	24	48	29	
	EVDSRL2454	468	588	24	54	29	
	EVDSRL2460	489	625	24	60	29	
	EVDSRL2466	495	639	24	66	29	
	EVDSRL2472	513	665	24	72	29	
Supported Return - Left - 30"	EVDSRL3024	434	505	24	24	29	
	EVDSRL3030	444	525	24	30	29	
	EVDSRL3036	458	548	24	36	29	
	EVDSRL3042	471	572	24	42	29	
	EVDSRL3048	513	626	24	48	29	
	EVDSRL3054	524	643	24	54	29	
	EVDSRL3060	544	680	24	60	29	
	EVDSRL3066	550	625	24	66	29	
	EVDSRL3072	568	722	24	72	29	






**EVDSRR - SUPPORTED RETURN - RIGHT**

- Supported Return Chassis with full end panel, mid support panel modesty panel
- Add either "H" (half modesty) of "F" (full modesty to the end of the product code. (i.e. EVDSRL2436H)
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- Includes 10" mid support panel where worksurface is 24" deep or for "D" top applications
- Includes 14" mid support panel where work surface is 30" deep
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			H	F	D	W	H
	Supported Return - Right - 24"	EVDSRR2424	379	447	24	24	29
		EVDSRR2430	390	469	24	30	29
		EVDSRR2436	401	495	24	36	29
		EVDSRR2442	416	519	24	42	29
		EVDSRR2448	458	570	24	48	29
		EVDSRR2454	468	588	24	54	29
		EVDSRR2460	489	625	24	60	29
		EVDSRR2466	495	639	24	66	29
	EVDSRR2472	513	665	24	72	29	
	Supported Return - Right - 30"	EVDSRR3024	434	505	30	24	29
		EVDSRR3030	444	525	30	30	29
		EVDSRR3036	458	548	30	36	29
		EVDSRR3042	471	572	30	42	29
		EVDSRR3048	513	626	30	48	29
		EVDSRR3054	524	643	30	54	29
		EVDSRR3060	544	680	30	60	29
		EVDSRR3066	550	625	30	66	29
		EVDSRR3072	568	722	30	72	29
							

**EVDSB - SUPPORTED BRIDGE CHASSIS**

- Supported Bridge Chassis with two mid support panels and modesty panel
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDSB2436H)
- Worksurface must be ordered separately. Choose from Rectangular or Curved Surfaces.
- Note: Includes 10" mid support panel where worksurface is 24" deep or for "D" top applications
- Includes 14" mid support panel where work surface is 30" deep
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.
- All Freestanding products are available in thermally fused thickness only.


	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
			H	F	D	W	H	
	Supported Bridge Chassis - 24"	EVDSB2424	295	368	10	24	29	
		EVDSB2430	303	390	10	30	29	
		EVDSB2436	319	414	10	36	29	
		EVDSB2442	332	439	10	42	29	
		EVDSB2448	373	492	10	48	29	
		EVDSB2454	384	508	10	54	29	
		EVDSB2460	403	546	10	60	29	
		EVDSB2466	411	563	10	66	29	
	Supported Bridge Chassis - 30"	EVDSB3024	363	436	14	24	29	
		EVDSB3030	373	458	14	30	29	
		EVDSB3036	387	483	14	36	29	
		EVDSB3042	400	507	14	42	29	
		EVDSB3048	443	561	14	48	29	
		EVDSB3054	452	580	14	54	29	
		EVDSB3060	471	615	14	60	29	
		EVDSB3066	479	630	14	66	29	
		EVDSB3072	497	658	14	72	29	
								





## EVDUD - RECTANGULAR DESK CHASSIS

- Desk Chassis with full end panels and modesty panel
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDUD2436H)
- Worksurface must be ordered separately.
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			H	F	D	W	H
	Rectangular Desk Chassis - 18"	EVDUD1836	473	561	18	36	29
		EVDUD1842	489	584	18	42	29
		EVDUD1848	529	637	18	48	29
		EVDUD1854	541	655	18	54	29
		EVDUD1860	560	689	18	60	29
		EVDUD1866	567	701	18	66	29
		EVDUD1872	584	731	18	72	29
		EVDUD1878	596	756	18	78	29
		EVDUD1884	606	773	18	84	29
		Rectangular Desk Chassis - 24"	EVDUD2436	485	580	24	36
	EVDUD2442	498	603	24	42	29	
	EVDUD2448	542	655	24	48	29	
	EVDUD2454	550	672	24	54	29	
	EVDUD2460	570	708	24	60	29	
	EVDUD2466	580	722	24	66	29	
	EVDUD2472	596	750	24	72	29	
	EVDUD2478	608	774	24	78	29	
	EVDUD2484	616	793	24	84	29	
	Rectangular Desk Chassis - 30"	EVDUD3036	529	618	30	36	29
	EVDUD3042	543	643	30	42	29	
	EVDUD3048	584	696	30	48	29	
	EVDUD3054	595	714	30	54	29	
	EVDUD3060	613	751	30	60	29	
	EVDUD3066	620	765	30	66	29	
	EVDUD3072	639	793	30	72	29	
	EVDUD3078	651	818	30	78	29	
	EVDUD3084	658	834	30	84	29	

**EVDECCL - EXTENDED CORNER CHASSIS - LEFT**


- Extended Corner Chassis with 10" or 14" deep end panel at (C) and full end panel at (D) and with half height modesty panels
- Add either "H" (half modesty) of "F" (full modesty to the end of the product code. (i.e. EVDECCL362448H)
- Worksurface must be ordered separately. Use 10" End Panels where work surface is 18" or 24" deep. Use 14" End Panels where work surface is 30" deep.
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			H	F	D	W	H
	Extended Corner Chassis - Left - 36"	EVDECCL362448	772	1001	24	48	29
		EVDECCL362460	794	1037	24	60	29
		EVDECCL362466	807	1066	24	66	29
		EVDECCL362472	830	1098	24	72	29
		EVDECCL362478	842	1127	24	78	29
		EVDECCL362484	857	1156	24	84	29
	Extended Corner Chassis - Left - 42" x 24"	EVDECCL422460	812	1067	24	60	29
		EVDECCL422466	823	1094	24	66	29
		EVDECCL422472	842	1132	24	72	29
		EVDECCL422478	859	1160	24	78	29
Extended Corner Chassis - Left - 42" x 30"	EVDECCL423060	914	1120	30	60	29	
	EVDECCL423066	972	1152	30	66	29	
	EVDECCL423072	1009	1187	30	72	29	
	EVDECCL423078	1038	1216	30	78	29	
	EVDECCL423084	1070	1244	30	84	29	
Extended Corner Chassis - Left - 48" x 30"	EVDECCL483060	962	1181	30	60	29	
	EVDECCL483066	1020	1212	30	66	29	
	EVDECCL483072	1052	1247	30	72	29	
	EVDECCL483078	1085	1274	30	78	29	
	EVDECCL483084	1117	1301	30	84	29	




**EVDECCR - EXTENDED CORNER CHASSIS - RIGHT**


- Extended Corner Chassis with 10" or 14" deep end panel at (C) and full end panel at (D) and with half height modesty panels
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDECCCL362448H)
- Worksurface must be ordered separately. Use 10" End Panels where work surface is 18" or 24" deep. Use 14" End Panels where work surface is 30" deep.
- Includes all supporting hardware. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- A "Z" Bracket (EVDHZ) is required where a modesty panel connects to an end panel (must be ordered separately).
- 1 7/16" high pressure worksurfaces cannot mount on chassis.
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	F	D	W	H
 Extended Corner Chassis - Right - 36"	EVDECCR362448	772	1001	24	48	29
	EVDECCR362460	794	1037	24	60	29
	EVDECCR362466	807	1066	24	66	29
	EVDECCR362472	830	1098	24	72	29
	EVDECCR362478	842	1127	24	78	29
	EVDECCR362484	857	1156	24	84	29
Extended Corner Chassis - Right - 42" x 24"	EVDECCR422460	812	1067	24	60	29
	EVDECCR422466	823	1094	24	66	29
	EVDECCR422472	842	1132	24	72	29
	EVDECCR422478	859	1160	24	78	29
	EVDECCR422484	873	1189	24	84	29
	Extended Corner Chassis - Right - 42" x 30"	EVDECCR423060	914	1120	30	60
EVDECCR423066		972	1152	30	66	29
EVDECCR423072		1009	1187	30	72	29
EVDECCR423078		1038	1216	30	78	29
EVDECCR423084		1070	1244	30	84	29
Extended Corner Chassis - Right - 48" x 30"		EVDECCR483060	962	1181	30	60
	EVDECCR483066	1020	1212	30	66	29
	EVDECCR483072	1052	1247	30	72	29
	EVDECCR483078	1085	1274	30	78	29
	EVDECCR483084	1117	1301	30	84	29

**EVDCCL - CONFERENCE TOP CHASSIS - LEFT**


- Conference Top Chassis is use to support Hatchet Tops, "D" Tops and similar worksurfaces that are also supported by mono legs. Incorporates 10" deep end panel at (C) and corner leg at (B) and modesty panel at (D)
- Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDCCL3024H)
- Note: Worksurface must be ordered separately. Mono Leg is included with Hatchet Top Worksurface
- Includes all supporting hardware.
- 1 7/16" high pressure worksurfaces cannot mount on chassis.
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	F	D	W	H
 Conference Top Chassis - Left	EVDCCL3024	380	475	24	30	29
	EVDCCL3624	394	495	24	36	29
Conference Top Chassis - Right	EVDCR3024	380	475	24	30	29
	EVDCR3624	394	495	24	36	29




**EVDSHF - HUTCH - SINGLE DOOR**

- Desk Hutch with metal end panels, shelves and doors
- Full height back panel is thermally fused laminate
- Includes lock
- Ships Knocked Down.
- Includes all supporting hardware.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W	H
	Hutch - Single Door	EVDSHF1336	881	13	36	36 3/4
		EVDSHF1342	964	13	42	36 3/4
		EVDSHF1348	1022	13	48	36 3/4
		EVDSHF1354	1083	13	54	36 3/4
		EVDSHF1360	1138	13	60	36 3/4

**EVDSHF - HUTCH - DOUBLE DOOR**


- Desk Hutch with metal end panels, shelves and doors
- Full height back panel is thermally fused laminate
- Includes lock
- Ships Knocked Down.
- Includes all supporting hardware
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W	H
	Hutch - Double Door	EVDSHF1372	1423	13	72	36 3/4
		EVDSHF1378	1474	13	78	36 3/4
		EVDSHF1384	1581	13	84	36 3/4




**EVDTB - FREESTANDING TACK BOARD - HUTCH**

- Provides a tackable surface for notes and memos in work area.
- Includes two pairs of hutch mounted brackets.
- Fabric must be specified.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES	
			Gr1	Gr2	W	H
	Freestanding Tack Board - Hutch	EVDTB1836	230	236	36	17
		EVDTB1842	263	271	42	17
		EVDTB1848	294	303	48	17
		EVDTB1854	323	337	54	17
		EVDTB1860	356	369	60	17


**EVDTB - FREESTANDING DOUBLE TACK BOARD - HUTCH**

- Includes 2 separate tack boards that are mounted side-by-side to make up total length.
- Provides a tackable surface for notes and memos in work area.
- Includes mounting hardware.. However a 2" bracket may be required depending on the adjacent connected unit.
- Fabric must be specified.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES	
			Gr1	Gr2	W	H
	Freestanding Double Tack Board - Hutch	EVDTB1872	459	470	72	17
		EVDTB1878	491	507	78	17
		EVDTB1884	522	543	84	17


**EVDTB18-H - HALF WIDTH - TACK BOARD - HUTCH**

- Tack Board is to be mounted on the back wall of the FS Hutch (EVDSHF13).
- Tack board may be used in conjunction with EVALB2-H.
- Designed to cover only half width of the back wall.
- Use EVDTB18 Tack Boards to cover the whole back of the FS Hutch.
- Provides a tackable surface for notes and memos in working area.
- Includes two pairs of hutch mounting brackets.
- Fabric must be specified.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES	
			Gr1	Gr2	W	H
	Half Width - Tack Board - Hutch	EVDTB18-H18	189	193	17	18
		EVDTB18-H21	194	197	20	18
		EVDTB18-H24	197	204	23	18
		EVDTB18-H27	207	212	25	18
		EVDTB18-H30	214	222	29	18
		EVDTB18-H36	245	251	35	18
		EVDTB18-H39	259	272	38	18
		EVDTB18-H42	278	290	41	18


**EVALB2-H - HALF WIDTH - GANGING LOAD BAR - HUTCH**

- Ganging Load Bar is to be mounted on the back wall of the FS Hutch (EVDSHF13).
- To be used in conjunction with EVDTB18-H Tack Board.
- Load Bar enables accessory items to be hung off it.
- Priced per single load bar.
- 9 Ganging Load Bars will match EVDTB18-H full height.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			W	H
 Half Width - Ganging Load Bar - Hutch	EVALB2-H18	58	18	2 1/4
	EVALB2-H21	61	21	2 1/4
	EVALB2-H24	62	24	2 1/4
	EVALB2-H27	64	26	2 1/4
	EVALB2-H30	65	30	2 1/4
	EVALB2-H36	69	36	2 1/4
	EVALB2-H39	71	39	2 1/4
	EVALB2-H42	74	42	2 1/4

**EVALB2-4 - GANGING LOAD BAR - HUTCH**


- Load Bar is to be mounted on the back wall of the FS Hutch (EVDSHF13).
- Load Bar enables accessory items to be hung off it.
- Designed to cover the full width of the back wall of the FS Hutch (EVDSHF13).
- Do not use in conjunction with the Tack Boards.
- Priced per single load bar.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			W	H
 Ganging Load Bar - Hutch	EVALB2-436	92	36	2 1/4
	EVALB2-442	99	42	2 1/4
	EVALB2-448	105	48	2 1/4
	EVALB2-454	109	54	2 1/4
	EVALB2-460	112	60	2 1/4
	EVALB2-472	123	72	2 1/4
	EVALB2-478	129	78	2 1/4
	EVALB2-484	132	84	2 1/4

**EVDSHD01 - OVERHEAD DIVIDER - HUTCH**



- Attaches to overhead top shelf inside the FS Hutch.
- Provides rigid division for books and binders.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			W	H
Overhead Divider - Hutch	EVDSHD01	47	3/16	10





**EWWFR - RECTANGULAR FREESTANDING WORKSURFACE WITH CORNER LEGS**

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	Rectangular Freestanding Worksurface with Round Corner Legs	EWWFR2448HP	628	24	48	29
		EWWFR2460HP	728	24	60	29
		EWWFR3048HP	683	30	48	29
		EWWFR3060HP	747	30	60	29
	Rectangular Freestanding Worksurface with Square Corner Legs	EWWFRS2448HP	628	24	48	29
		EWWFRS2460HP	728	24	60	29
		EWWFRS3048HP	683	30	48	29
		EWWFRS3060HP	747	30	60	29



**EWWFS - SQUARE FREESTANDING WORKSURFACE WITH CORNER LEGS**

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	Square Freestanding Worksurface with Round Corner Legs	EWWFS36HP	663	36	36	29
		EWWFS42HP	761	42	42	29
		EWWFS48HP	899	48	48	29
	Square Freestanding Worksurface with Square Corner Legs	EWWFSS36HP	663	36	36	29
		EWWFSS42HP	761	42	42	29
		EWWFSS48HP	899	48	48	29



**EVWFC - ROUND FREESTANDING WORKSURFACE WITH CORNER LEGS**

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				W	H
	Round Freestanding Worksurface with Corner Legs	EWWFC36HP	707	36	29
		EWWFC42HP	851	42	29
		EWWFC48HP	1016	48	29
	Round Freestanding Worksurface with Square Corner Legs	EWWFCS36HP	707	36	29
		EWWFCS42HP	851	42	29
		EWWFCS48HP	1016	48	29

**EVWFD - PANEL MOUNTED WORKSURFACE WITH CORNER LEGS**

- "D" top table with 2 legs, panel mounted.
- Support hardware must be ordered separately. See the listings in this section.
- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.



	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	Panel Mounted Worksurface with Corner Legs	EWWFD2448HP	512	24	48	29
		EWWFD2460HP	600	24	60	29
		EWWFD3048HP	613	30	48	29
		EWWFD3060HP	648	30	60	29
	Panel Mounted Worksurface with Square Corner Legs	EWWFDS2448HP	512	24	48	29
		EWWFDS2460HP	600	24	60	29
		EWWFDS3048HP	613	30	48	29
		EWWFDS3060HP	648	30	60	29





**EVHCL - CORNER LEG WITH LEVELER**


- Provides support for a work surface.
- Includes leveling glide, PVC Sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- 1.5" diameter
- Available in standard paint colors.
- Legs can be used in the corner of a single work surface or be rotated 45 degrees to support the corners of two work surfaces.

DESCRIPTION		PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES H
	Corner Leg Round	EVHCL1	91	28
	Corner Leg Square	EVHCL2	91	28


Round                      Square

**EVDMPCL - CORNER MODESTY PANEL - LEFT**

- Corner modesty panel connects to the corner leg on one side, and to inter connect panel/end panel on the other.
- Note: Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDMPCL36H)
- Includes all supporting hardware including interconnection plates. However a 2" "Z" bracket may be required depending on the adjacent connected unit (must be ordered separately).
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	F	W	H	
	Corner Modesty Panel - Left	EVDMPCL36	111	213	36	14/28
		EVDMPCL42	130	245	42	14/28
		EVDMPCL48	176	302	48	14/28
		EVDMPCL54	196	338	54	14/28
		EVDMPCL60	210	368	60	14/28
		EVDMPCL66	232	401	66	14/28
		EVDMPCL72	246	433	72	14/28


Half Modesty




Full Modesty

**EVDMPCR - CORNER MODESTY PANEL - RIGHT**

- Corner modesty panel connects to the corner leg on one side, and to inter connect panel/end panel on the other.
- Note: Add either "H" (half modesty) or "F" (full modesty to the end of the product code. (i.e. EVDMPCL36H)
- Includes all supporting hardware including interconnection plates
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	F	W	H	
	Corner Modesty Panel - Right	EVDMPCR36	111	213	36	14/28
		EVDMPCR42	130	245	42	14/28
		EVDMPCR48	176	302	48	14/28
		EVDMPCR54	196	338	54	14/28
		EVDMPCR60	210	368	60	14/28
		EVDMPCR66	232	401	66	14/28
		EVDMPCR72	246	433	72	14/28


Half Modesty



Full Modesty

**EVDEP - END PANEL**


- Supports worksurface
- Includes two end panel brackets, and two levelling glides
- Must be ordered left or right
- End panel height is inclusive of panel glides extended to their fullest height.
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	F	W	H	
	End Panel - Left	EVDEPL2924	208		24	28
		EVDEPL2930	229		30	28
		EVDEPL2624	186		24	28
		EVDEPL2630	217		30	28
End Panel - Right		EVDEPR2924	208		24	28
		EVDEPR2930	229		30	28
		EVDEPR2624	186		24	28
		EVDEPR2630	217		30	28



**EVDCP - CENTRAL SUPPORT PANEL**

- Supports and connects 2 worksurfaces
- Includes two end panel brackets, two levelling glides and modesty inter connect bracket (EVDECCR)
- Attaches to modesty panel
- End panel height is inclusive of panel glides extended to their fullest height
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	H
 Central Support Panel	EVDCP2910	125	10	28	
	EVDCP2914	159	14	28	
	EVDCP2610	111	10	28	
	EVDCP2614	149	14	28	

**EVDHMSB - MID SUPPORT BRACKET**

- Provides mid support for worksurfaces
- Recommended for any lengths over 42"
- Available in black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			D	W	H
 Mid Support Bracket	EVDHMSB	37	7 1/2	7 1/2	1/2

**EVDHZ - "Z" BRACKET**

- Attaches modesty panel to front edge of end panel
- To be used when a return is attached to a rectangular desk
- Available in black only

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			D	W	H
 "Z" Bracket	EVDHZ	20	1	12 1/2	1/2


**EVHFB1 - FLAT BRACKET**

- Must be used in conjunction with Mid panels to ensure alignment of neighboring surfaces
- Three flat brackets must be used to support a return worksurface

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Flat Bracket	EVHFB1	13	5	3


**EVDHSP1 - SCREW PACK**

- 3 screws #10 x 5/8" for Pedestal to Modesty Panel connection

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				W	
	Screw Pack	EVDHSP1	9	5/8	


**EVDECCR - MODESTY INTER-CONNECT BRACKET**

- Attaches two modesty panels to a mid support panel

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				W	H
	Modesty Inter-Connect Bracket	EVDECCR	20	12 1/2	4


**EVDHPMPR - PANEL MOUNT BRACKET**

- Attaches modesty panel to and Evolve Inline Connector
- Available in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	Panel Mount Bracket - Right	EVDHPMPR	25	3	13	3 1/2
	Panel Mount Bracket - Left	EVDHPMPL	25	3	13	3 1/2

**EVDHLB - END PANEL "L" BRACKET**

- Attaches a modesty panel to an end panel
- Available in black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	End Panel "L" Bracket	EVDHLB	21	1 1/2	12	1 1/2

