


worksurfaces


The information listed below provides you with basic features of Compile Worksurfaces.

- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Wood grain laminates on corner Worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- Most wood grain laminate Worksurfaces will have matching woodgrain trim unless specified otherwise.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:



- Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.

**One Scoop
CWS 24" – 48"**



**Two Scoops
CWS 54" – 84"**



**One Scoop
CWVL 24" – 48"**




**Two Scoops
CWVL 54" – 84"**



This page provides a three dimensional view of a sample configuration highlighting each **Worksurface** component required when specifying this configuration.

Components



- A.** CWVL2436 Curvilinear Worksurface – Left
 Note: When deepest end equals 24", opposite depth is 18"
 When deepest end equals 30", opposite depth is 24"
- B.** CWCC3618 Corner Curved Worksurface
- C.** CWVR2436 Curvilinear Worksurface – Right



WORKSURFACES



CWS - RECTANGULAR WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- All surfaces over 48" will have two scoops, all others have one.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Rectangular Worksurfaces - 24" Deep	CWS2424	99	24	24
		CWS2430	106	24	30
		CWS2436	120	24	36
		CWS2442	154	24	42
		CWS2448	186	24	48
		CWS2454	217	24	54
		CWS2460	244	24	60
		CWS2466	255	24	66
		CWS2472	266	24	72
		CWS2478	428	24	78
		CWS2484	433	24	84
		CWS2490	454	24	90
		CWS2496	485	24	96
	Rectangular Worksurfaces - 30" Deep	CWS3024	117	30	24
		CWS3030	124	30	30
		CWS3036	147	30	36
		CWS3042	207	30	42
		CWS3048	217	30	48
		CWS3054	239	30	54
		CWS3060	255	30	60
		CWS3066	265	30	66
		CWS3072	280	30	72
		CWS3078	533	30	78
		CWS3084	542	30	84

CWSP - RECTANGULAR WORKSURFACES - SPAN A POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.



	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Rectangular Worksurfaces - 24" Deep Span a Post	CWSP2426	120	24	26
		CWSP2432	144	24	32
		CWSP2438	168	24	38
		CWSP2444	191	24	44
		CWSP2450	215	24	50
		CWSP2456	239	24	56
		CWSP2462	316	24	62
		CWSP2468	344	24	68
		CWSP2474	374	24	74
		CWSP2480	402	24	80
		CWSP2486	460	24	86
	Rectangular Worksurfaces - 30" Deep Span a Post	CWSP3026	150	30	26
		CWSP3032	180	30	32
		CWSP3038	214	30	38
		CWSP3044	239	30	44
		CWSP3050	269	30	50
		CWSP3056	299	30	56
		CWSP3062	395	30	62
		CWSP3068	431	30	68
		CWSP3074	467	30	74
		CWSP3080	503	30	80
		CWSP3086	574	30	86



WORKSURFACES



CWVR - CURVILINEAR WORKSURFACES - RIGHT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Curvilinear Worksurfaces - 24" Deep	CWVR2424	128	24	24
		CWVR2430	133	24	30
		CWVR2436	160	24	36
		CWVR2442	186	24	42
		CWVR2448	213	24	48
		CWVR2454	239	24	54
		CWVR2460	259	24	60
		CWVR2466	287	24	66
		CWVR2472	308	24	72
		CWVR2478	428	24	78
	CWVR2484	433	24	84	
	Curvilinear Worksurfaces - 30" Deep	CWVR3024	133	30	24
		CWVR3030	140	30	30
		CWVR3036	167	30	36
		CWVR3042	229	30	42
		CWVR3048	239	30	48
		CWVR3054	265	30	54
		CWVR3060	287	30	60
		CWVR3066	308	30	66
		CWVR3072	327	30	72
		CWVR3078	533	30	78
	CWVR3084	542	30	84	

CWVL - CURVILINEAR WORKSURFACES - LEFT




- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Curvilinear Worksurfaces - 24" Deep	CWVL2424	128	24	24
		CWVL2430	133	24	30
		CWVL2436	160	24	36
		CWVL2442	186	24	42
		CWVL2448	213	24	48
		CWVL2454	239	24	54
		CWVL2460	259	24	60
		CWVL2466	287	24	66
		CWVL2472	308	24	72
		CWVL2478	428	24	78
	CWVL2484	433	24	84	
	Curvilinear Worksurfaces - 30" Deep	CWVL3024	133	30	24
		CWVL3030	140	30	30
		CWVL3036	167	30	36
		CWVL3042	229	30	42
		CWVL3048	239	30	48
		CWVL3054	265	30	54
		CWVL3060	287	30	60
		CWVL3066	308	30	66
		CWVL3072	327	30	72
		CWVL3078	533	30	78
	CWVL3084	542	30	84	

WORKSURFACES




CWCC - CORNER CURVED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Corner Curved Worksurfaces - 36"	CWCC3618	337	18	36
		CWCC3624	369	24	36
	Corner Curved Worksurfaces - 42"	CWCC4224	500	24	42
		CWCC4230	543	30	42
	Corner Curved Worksurfaces - 48"	CWCC4824	584	24	48
		CWCC4830	612	30	48

CWCF - FIVE SIDED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Five Sided Worksurface - 36"	CWCF3618	334	18	36
		CWCF3624	369	24	36
	Five Sided Worksurface - 42"	CWCF4224	500	24	42
		CWCF4230	543	30	42
	Five Sided Worksurface - 48"	CWCF4824	584	24	48
		CWCF4830	612	30	48



WORKSURFACES


CWC6 - CURVED CORNER WORKSURFACE FOR 60° POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE TF	DIMENSIONS/INCHES	
				D	W
	Curved Corner Worksurface for 60° Post - 24"	CWC62424	315	24	24
		CWC62430	560	24	30
		CWC62436	631	24	36
		CWC62442	964	24	42
		CWC62448	1051	24	48
	Curved Corner Worksurface for 60° Post - 30"	CWC63024	315	30	24
		CWC63030	560	30	30
		CWC63036	631	30	36
		CWC63042	964	30	42
		CWC63048	1051	30	48

CWCEL - EXTENDED CURVED CORNER - LEFT


- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Extended Curved Corner - 36" x 24"	CWCEL362448	457	36	24	48
		CWCEL362460	498	36	24	60
		CWCEL362466	547	36	24	66
		CWCEL362472	606	36	24	72
		CWCEL362478	647	36	24	78
		CWCEL362484	696	36	24	84
	Extended Curved Corner - 42" x 24"	CWCEL422460	524	42	24	60
		CWCEL422466	548	42	24	66
		CWCEL422472	637	42	24	72
		CWCEL422478	648	42	24	78
	CWCEL422484	734	42	24	84	
Extended Curved Corner - 42" x 30"	CWCEL423060	590	42	30	60	
	CWCEL423066	647	42	30	66	
	CWCEL423072	707	42	30	72	
	CWCEL423078	758	42	30	78	
	CWCEL423084	807	42	30	84	
Extended Curved Corner - 48" x 24"	CWCEL482460	621	48	24	60	
	CWCEL482466	671	48	24	66	
	CWCEL482472	720	48	24	72	
	CWCEL482478	793	48	24	78	
	CWCEL482484	824	48	24	84	
Extended Curved Corner - 48" x 30"	CWCEL483060	656	48	30	60	
	CWCEL483066	681	48	30	66	
	CWCEL483072	776	48	30	72	
	CWCEL483078	834	48	30	78	
	CWCEL483084	872	48	30	84	

WORKSURFACES


CWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Extended Curved Corner - 36" x 24"	CWCER362448	457	36	24	48
		CWCER362460	498	36	24	60
		CWCER362466	547	36	24	66
		CWCER362472	606	36	24	72
		CWCER362478	647	36	24	78
		CWCER362484	696	36	24	84
	Extended Curved Corner - 42" x 24"	CWCER422460	524	42	24	60
		CWCER422466	575	42	24	66
		CWCER422472	637	42	24	72
		CWCER422478	680	42	24	78
		CWCER422484	734	42	24	84
	Extended Curved Corner - 42" x 30"	CWCER423060	590	42	30	60
		CWCER423066	647	42	30	66
		CWCER423072	707	42	30	72
		CWCER423078	758	42	30	78
		CWCER423084	807	42	30	84
	Extended Curved Corner - 48" x 24"	CWCER482460	621	48	24	60
		CWCER482466	671	48	24	66
		CWCER482472	720	48	24	72
		CWCER482478	793	48	24	78
		CWCER482484	824	48	24	84
	Extended Curved Corner - 48" x 30"	CWCER483060	656	48	30	60
		CWCER483066	715	48	30	66
		CWCER483072	776	48	30	72
		CWCER483078	834	48	30	78
		CWCER483084	872	48	30	84

CWD - "D" WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	"D" Worksurface - 24"	CWD2442	373	24	42
		CWD2448	383	24	48
		CWD2460	402	24	60
		CWD2472	431	24	72
	"D" Worksurface - 30"	CWD3042		30	42
		CWD3048	410	30	48
		CWD3060	431	30	60
		CWD3072	478	30	72



WORKSURFACES



CWH - HATCHET WORKSURFACE (LEFT SHOWN)

- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included
- Must be specified either left or right handed.
- Note: Wood Grain Laminates do not run diagonally on Hatchet Corners

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
 <p>Left Shown</p>	Hatchet Worksurface - Left	CWHL3672	823	36	30	72
	Hatchet Worksurface - Right	CWHR3672	823	36	30	72



CWSW - STRAIGHT WEDGE WORKSURFACES

- Support hardware must be ordered separately. See the listings in this section.
- Must be specified either left or right handed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Straight Wedge Worksurface - Left	CWSW241848	260	24	18	48
		CWSW241854	293	24	18	54
		CWSW241860	323	24	18	60
		CWSW241866	358	24	18	66
		CWSW241872	390	24	18	72
	Straight Wedge Worksurface - Right	CWSW302448	323	30	24	48
		CWSW302454	365	30	24	54
		CWSW302460	406	30	24	60
		CWSW302466	446	30	24	66
		CWSW302472	488	30	24	72
	Straight Wedge Worksurface - Right	CWSW182448	260	18	24	48
		CWSW182454	293	18	24	54
		CWSW182460	323	18	24	60
		CWSW182466	358	18	24	66
		CWSW182472	390	18	24	72
	Straight Wedge Worksurface - Left	CWSW243048	323	24	30	48
		CWSW243054	365	24	30	54
		CWSW243060	406	24	30	60
		CWSW243066	446	24	30	66
		CWSW243072	488	24	30	72

CWQR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- Left hand surface shown.
- Support hardware must be ordered separately. See the listings in this section.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Quarter Round Panel Worksurface - Left	CWQRL2424	154	24	24
	Quarter Round Panel Worksurface - Right	CWQRL3030	204	30	30
	Quarter Round Panel Worksurface - Right	CWQRR2424	154	24	24
	Quarter Round Panel Worksurface - Left	CWQRR3030	204	30	30

WORKSURFACES

CWQRC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- Support hardware must be ordered separately. See the listing in this section.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Quarter Round Panel Corner Worksurface	CWQRC2424	185	24	24
	CWQRC3030	228	30	30



CWT - STRAIGHT TRANSACTION WORKSURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Straight Transaction Worksurface	CWT1512	45	15	12
	CWT1518	60	15	18
	CWT1524	71	15	24
	CWT1530	86	15	30
	CWT1536	98	15	36
	CWT1542	111	15	42
	CWT1548	126	15	48
	CWT1554	137	15	54
	CWT1560	152	15	60
	CWT1566	164	15	66
	CWT1572	177	15	72
	CWT1578	191	15	78
	CWT1584	203	15	84



CWTE - END TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Extends 1.5" past end of run.
- Compile worksurfaces feature a 3mm edge.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
End Transaction Surface	CWTE1512	60	15	14
	CWTE1518	71	15	20
	CWTE1524	86	15	26
	CWTE1530	98	15	32
	CWTE1536	111	15	38
	CWTE1542	126	15	44
	CWTE1548	137	15	50
	CWTE1554	152	15	56
	CWTE1560	164	15	62
	CWTE1566	177	15	68
	CWTE1572	191	15	74



WORKSURFACES


CWTCL - "L" CORNER TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- When specifying this item along with a straight surface, deduct 12" from each return side.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	"L" Corner Transaction Surface	CWTCL90	129	15	21


CW9T - CORNER TRANSACTION SURFACE FOR 90° POST

- Support hardware must be ordered separately. See the listing in this section.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Corner Transaction Surface for 90° Post	CW9T1524	176	15	32.861
		CW9T1530	211	15	38.861
		CW9T1536	243	15	44.861
		CW9T1542	277	15	50.861
		CW9T1548	314	15	56.861


CHCB2 - CORNER BRACKET

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.
- Available in standard paint colors.
- Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Corner Bracket	CHCB2	14	2.5	

CHWB1 - MID SPAN SUPPORT BRACKET


- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Mid Span Support Bracket	CHWB1	8		

WORKSURFACES


CHC15 & CHC22- CANTILEVER

- Attaches a worksurface to a panel.
- Use one cantilever to support two convergent worksurfaces when specified with 3 Flat Brackets or two cantilevers with one flat bracket to support two convergent worksurfaces.
- Does not include Flat Brackets.
- Priced individually
- Specify handedness of each cantilever
- Available in standard paint colors.
- Right and left Cantilever needs to be specified unless flat brackets are also specified.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Cantilever - 15"	CHC15L	34	15	6
		CHC15R	34	15	6
	Cantilever - 22"	CHC22L	55	22	6
		CHC22R	55	22	6


CMHC - WORKSURFACE SUPPORT CHANNEL

- Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- Screws are included.
- Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				L	D
	Worksurface Support Channel	CMHC40 - for 54" wide table	59	40	5
		CMHC46 - for 60" wide table	65	46	5
		CMHC52 - for 66" wide table	71	52	5
		CMHC58 - for 72" wide table	81	58	5
		CMHC64 - for 78" wide table	88	64	5
		CMHC70 - for 84" wide table	98	70	5


CHFB1 - FLAT BRACKET

- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.
- Available in Black only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Flat Bracket	CHFB1	13	3	4

CHTB2 - TRANSACTION TOP BRACKETS

- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.
- Priced and shipped in pairs.
- Available in Anodized Aluminum only.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Transaction Top Brackets	CHTB2	18		



WORKSURFACES


CHEP - END PANEL

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.
- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	End Panel - 28"High	CHEP2924	191	28	24
		CHEP2930	224	28	30



CHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES
				H
	Mid Support Leg - Round	CHMSL1	65	28
	Mid Support Leg - Square	CHMSL2	65	28

CMHCL & CHHCL - CORNER LEG WITH LEVELER


- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter
- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES
				H
 	Corner Leg Round	CMHCL1	91	28
	Corner Leg Square	CMHCL2	91	28

WORKSURFACES


CHMEGR - METAL END GABLE - RIGHT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Metal End Gable - Right	CHMEG18R	193	28	17	4
	CHMEG24R	205	28	23	4
	CHMEG30R	216	28	29	4


CHMEGL - METAL END GABLE - LEFT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Metal End Gable - Left	CHMEG18L	193	28	17	4
	CHMEG24L	205	28	23	4
	CHMEG30L	216	28	29	4


CHMSL - METAL SUPPORT LEG

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.
- Flat brackets recommended to ensure alignment of neighboring surface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Metal Support Leg	CHMSL12	171	28	11	4

PEDESTAL FILLER BRACKET

- Screws to back of pedestal
- Fills the gap between the pedestal and panel when wing pnael is not used.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Pedestal Filler Bracket-	CHPBF	39	26.875	1.375

