# VERTICAL BASE INFEED COVER W/LEG FOR NY POWER BOX ENTRY / SUPPORT LEGS

**EVPBFBGXXNY - VERTICAL COVER WITH GLIDE FOR NY BOX POWER ENTRY**

- Connects to Power Beam Kit with electrical cut out.
- Includes vertical covers and slotted connector with glide base.
- End of run trim below power beam included.
- Power Beam with electrical cut out to be ordered seperately.



| DESCRIPTION | PRODUCT CODE | LIST PRICE LP | DIMENSIONS/INCHES H | W | D |
|---|---|---|---|---|---|
| | EVPBFCG24NY | 158 | 24 | 6 | 2 7/8 |
| | EVPBFCG30NY | 180 | 30 | 6 | 2 7/8 |
| | EVPBFCG36NY | 202 | 36 | 6 | 2 7/8 |

**EVPBL - POWER BEAM CONNECTOR SUPPORT LEG WITH FOOT**

- Connects two Power Beams in a straight run.
- 24'h -- 18" open to floor
- 30"h -- 24" open to floor
- 36"h -- 30" open to floor



| DESCRIPTION | PRODUCT CODE | LIST PRICE LP | DIMENSIONS/INCHES H | W | D |
|---|---|---|---|---|---|
| | EVPBL24 | 93 | 24 | 18 | |
| | EVPBL30 | 98 | 30 | 18 | |
| | EVPBL36 | 102 | 36 | 18 | |

**EVPBLFF - POWER BEAM LEG WITH FLAT FOOT**

- Connects two Power Beams on equal height.
- Includes connector with flat foot, connecting hardware.
- Note: Leg has to be used next to Post legs with glides. When specifing please keep sequance post leg with glide, leg with flat foot, post leg with glide. Only post legs with glide provides adjustment for leveling power beams run.



| DESCRIPTION | PRODUCT CODE | LIST PRICE LP | DIMENSIONS/INCHES H | W | D |
|---|---|---|---|---|---|
| | EVPBLFF24 | 110 | 24 | 21 | |
| | EVPBLFF30 | 116 | 30 | 21 | |
| | EVPBLFF36 | 123 | 36 | 21 | |

# SUPPORT LEGS

### EVPBSL - POWER BEAM SINGLE LEG

- Connects two Power Beams in a straight run.
- Includes non slotted connector with leg, glides and connecting hardware
- For one sided Power beam application
- Laminate end panels must be attached to single leg at end of power beam run for stability
- Laminate end panels to be ordered separately



| DESCRIPTION | PRODUCT CODE | LIST PRICE LP | DIMENSIONS/INCHES H | W | D |
|---|---|---|---|---|---|
| | EVPBSL24 | 93 | 24 | 15 | |
| | EVPBSL30 | 98 | 30 | 15 | |
| | EVPBSL36 | 102 | 36 | 15 | |

### EVPBCB - POWER BEAM CONNECTOR SUPPORT LEG WITH GLIDE

- Connects two Power Beams in a straight run.
- 24'h -- 18" open to floor
- 30"h -- 24" open to floor
- 36"h -- 30" open to floor



| DESCRIPTION | PRODUCT CODE | LIST PRICE LP | DIMENSIONS/INCHES H | W | D |
|---|---|---|---|---|---|
| | EVPBGICB24 | 62 | 24 | 2 | |
| | EVPBGICB30 | 67 | 30 | 2 | |
| | EVPBGICB36 | 72 | 36 | 2 | |

### EVPB24CPA - ONE WAY POST WITH T LEG FOR 24" H POWER BEAM

- One way post attaches to end of power beam run
- Post and connecting hardware add 3.25" to power beam run
- Includes post, power beam T leg, post with trim all around, levelling glide, hardware and trim kit
- Includes two floor mount plates to secure post to floor



| DESCRIPTION | PRODUCT CODE | LIST PRICE LP | DIMENSIONS/INCHES H | W | D |
|---|---|---|---|---|---|
| | EVPB24CPA124 | 292 | 24 | 3 | 2 7/8 |
| | EVPB24CPA130 | 309 | 30 | 3 | 2 7/8 |
| | EVPB24CPA136 | 320 | 36 | 3 | 2 7/8 |
| | EVPB24CPA142 | 363 | 42 | 3 | 2 7/8 |

# SUPPORT LEGS / CORNER POST - 90-DEGREE

**EVPB30CPA - ONE WAY POST WITH T LEG FOR 30" H POWER BEAM**

- One way post attaches to end of power beam run
- Post and connecting hardware add 3.25" to power beam run
- Includes post, power beam T leg, post with trim all around, levelling glide, hardware and trim kit
- Includes two floor mount plates to secure post to floor



| DESCRIPTION | PRODUCT CODE | LIST PRICE LP | DIMENSIONS/INCHES H | W | D |
|---|---|---|---|---|---|
| | EVPB30CPA130 | 309 | 30 | 3 | 2 7/8 |
| | EVPB30CPA136 | 320 | 36 | 3 | 2 7/8 |
| | EVPB30CPA142 | 363 | 42 | 3 | 2 7/8 |

**EVPB36CPA - ONE WAY POST WITH T LEG FOR 36" H POWER BEAM**

- One way post attaches to end of power beam run
- Post and connecting hardware add 3.25" to power beam run
- Includes post, power beam T leg, post with trim all around, levelling glide, hardware and trim kit
- Includes two floor mount plates to secure post to floor



| DESCRIPTION | PRODUCT CODE | LIST PRICE LP | DIMENSIONS/INCHES H | W | D |
|---|---|---|---|---|---|
| | EVPB36CPA136 | 320 | 36 | 3 | 2 7/8 |
| | EVPB36CPA142 | 363 | 42 | 3 | 2 7/8 |

**EVPBCEPLA - POWER BEAM 2 WAY CORNER POST**

- Connects two power beams of equal height in 90 degree configuration
- Post and connecting hardware add 3.25" to power beam run
- Includes one post, two nonslotted power beam connectors, post with trim all around, levelling glide, hardware and trim kit



| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES H | W | D |
|---|---|---|---|---|---|
| | EVPBCEPLA224 | 150 | 24 | 3 | 3 |
| | EVPBCEPLA230 | 154 | 30 | 3 | 3 |
| | EVPBCEPLA236 | 162 | 36 | 3 | 3 |