



worksurfaces

The information listed below provides you with basic features of Compile Worksurfaces.


- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Wood grain laminates on corner Worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- Most wood grain laminate Worksurfaces will have matching woodgrain trim unless specified otherwise.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:



CHEP End Panels




CWCC Worksurfaces



CWCF Worksurfaces




CWS Worksurfaces



CWVL/R Worksurfaces

- Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.


**One Scoop
CWS 24" – 48"**



**Two Scoops
CWS 54" – 84"**



**One Scoop
CWVL 24" – 48"**



**Two Scoops
CWVL 54" – 84"**




This page provides a three dimensional view of a sample configuration highlighting each **Worksurface** component required when specifying this configuration.

Components

A. CWVL2436 Curvilinear Worksurface – Left
Note: When deepest end equals 24", opposite depth is 18"
When deepest end equals 30", opposite depth is 24"

B. CWCC3618 Corner Curved Worksurface


C. CWVR2436 Curvilinear Worksurface – Right



WORKSURFACES

CWS - RECTANGULAR WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- All surfaces over 48" will have two scoops, all others have one.
- Worksurfaces greater than 48" wide require additional structural support.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
	Rectangular Worksurfaces - 24" Deep			
	CWS2424P	149	24	24
	CWS2430P	160	24	30
	CWS2436P	179	24	36
	CWS2442P	229	24	42
	CWS2448P	277	24	48
	CWS2454P	323	24	54
	CWS2460P	363	24	60
	CWS2466P	379	24	66
	CWS2472P	393	24	72
	CWS2478P	632	24	78
	CWS2484P	639	24	84
	CWS2490P	670	24	90
	CWS2496P	715	24	96
Rectangular Worksurfaces - 30" Deep	CWS3024P	175	30	24
	CWS3030P	186	30	30
	CWS3036P	220	30	36
	CWS3042P	309	30	42
	CWS3048P	323	30	48
	CWS3054P	354	30	54
	CWS3060P	379	30	60
	CWS3066P	392	30	66
	CWS3072P	416	30	72
	CWS3078P	786	30	78
	CWS3084P	801	30	84



WORKSURFACES

CWSNSC - STRAIGHT WORKSURFACE NO SCOOP

- There is no scoop on this worksurface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
	Straight Worksurface No Scoops - 24" Deep			
	CWS2424NSC	149	24	24
	CWS2430NSC	160	24	30
	CWS2436NSC	179	24	36
	CWS2442NSC	229	24	42
	CWS2448NSC	277	24	48
	CWS2454NSC	323	24	54
	CWS2460NSC	363	24	60
	CWS2466NSC	379	24	66
	CWS2472NSC	393	24	72
	CWS2478NSC	632	24	78
	CWS2484NSC	639	24	84
	CWS2490NSC	752	24	90
	CWS2496NSC	715	24	96
	Straight Worksurface No Scoops - 30" Deep			
	CWS3024NSC	175	30	24
	CWS3030NSC	186	30	30
	CWS3036NSC	220	30	36
	CWS3042NSC	309	30	42
	CWS3048NSC	323	30	48
	CWS3054NSC	354	30	54
	CWS3060NSC	379	30	60
	CWS3066NSC	392	30	66
	CWS3072NSC	416	30	72
	CWS3078NSC	786	30	78
	CWS3084NSC	801	30	84



WORKSURFACES

CWSNSCP - RECTANGULAR WORKSURFACE, NO SCOOPS FOR HEIGHT ADJUSTABLE TABLES

- There is no scoop on this work surface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Height Adjustable Tables
- Surfaces not available in HPW.




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Rectangular Worksurface No Scoops for Height Adjustable Tables				
	CWS2346NSCP	277	1	23	46
	CWS2352NSCP	323	1	23	52
	CWS2358NSCP	363	1	23	58
	CWS2364NSCP	379	1	23	64
	CWS2370NSCP	393	1	23	70
	CWS2946NSCP	323	1	29	46
	CWS2952NSCP	354	1	29	52
	CWS2958NSCP	379	1	29	58
	CWS2964NSCP	392	1	29	64
	CWS2970NSCP	416	1	29	70



WORKSURFACES


CWSWNSC - WEDGE WORKSURFACE NO SCOOP

- There is no scoop on this worksurface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			D1	D2	W	
	Straight Wedge Worksurface No Scoops - Left	CWSW241848NSC CWSW241854NSC CWSW241860NSC CWSW241866NSC CWSW241872NSC	385 434 478 529 576	24 24 24 24 24	18 18 18 18 18	48 54 36 42 48
	Straight Wedge Worksurface No Scoops - Right	CWSW302448NSC CWSW302454NSC CWSW302460NSC CWSW302466NSC CWSW302472NSC	478 540 600 659 722	30 30 30 30 30	24 24 24 24 24	60 66 72 78 84
	Straight Wedge Worksurface No Scoops - Left	CWSW182448NSC CWSW182454NSC CWSW182460NSC CWSW182466NSC CWSW182472NSC	385 434 478 529 576	24 24 24 24 24	18 18 18 18 18	24 30 36 42 48
	Straight Wedge Worksurface No Scoops - Right	CWSW243048NSC CWSW243054NSC CWSW243060NSC CWSW243066NSC CWSW243072NSC	478 540 600 659 722	30 30 30 30 30	24 24 24 24 24	60 66 72 78 84

CWSP - RECTANGULAR WORKSURFACES - SPAN A POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			D	W	
	Rectangular Worksurfaces - 24" Deep Span a Post	CWSP2426P CWSP2432P CWSP2438P CWSP2444P CWSP2450P CWSP2456P CWSP2462P CWSP2468P CWSP2474P CWSP2480P CWSP2486P	179 216 251 283 320 354 468 510 554 595 679	24 24 24 24 24 24 24 24 24 24 24	26 32 38 44 50 56 62 68 74 80 86
	Rectangular Worksurfaces - 30" Deep Span a Post	CWSP3026P CWSP3032P CWSP3038P CWSP3044P CWSP3050P CWSP3056P CWSP3062P CWSP3068P CWSP3074P CWSP3080P CWSP3086P	224 268 317 354 400 443 585 636 692 742 847	30 30 30 30 30 30 30 30 30 30 30	26 32 38 44 50 56 62 68 74 80 86



WORKSURFACES


CWVR - CURVILINEAR WORKSURFACES - RIGHT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24", the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Curvilinear Worksurfaces - 24" Deep	CWVR2424P CWVR2430P CWVR2436P CWVR2442P CWVR2448P CWVR2454P CWVR2460P CWVR2466P CWVR2472P CWVR2478P CWVR2484P	192 198 239 277 316 354 384 424 456 632 639	24	24 30 36 42 48 54 60 66 72 78 84
Curvilinear Worksurfaces - 30" Deep	CWVR3024P CWVR3030P CWVR3036P CWVR3042P CWVR3048P CWVR3054P CWVR3060P CWVR3066P CWVR3072P CWVR3078P CWVR3084P	198 210 248 340 354 392 424 456 485 786 801	30	24 30 36 42 48 54 60 66 72 78 84

CWVL - CURVILINEAR WORKSURFACES - LEFT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24", the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
 Curvilinear Worksurfaces - 24" Deep	CWVL2424P CWVL2430P CWVL2436P CWVL2442P CWVL2448P CWVL2454P CWVL2460P CWVL2466P CWVL2472P CWVL2478P CWVL2484P	192 198 239 277 316 354 384 424 456 632 639	24	24 30 36 42 48 54 60 66 72 78 84
Curvilinear Worksurfaces - 30" Deep	CWVL3024P CWVL3030P CWVL3036P CWVL3042P CWVL3048P CWVL3054P CWVL3060P CWVL3066P CWVL3072P CWVL3078P CWVL3084P	198 210 248 340 354 392 424 456 485 786 801	30	24 30 36 42 48 54 60 66 72 78 84



WORKSURFACES


CWCC - CORNER CURVED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
	Corner Curved Worksurfaces - 36"	CWCC3618P CWCC3624P	499 547	18 24 36 36
	Corner Curved Worksurfaces - 42"	CWCC4224P CWCC4230P	738 803	24 30 42 42
	Corner Curved Worksurfaces - 48"	CWCC4824P CWCC4830P	863 904	24 30 48 48

CWCF - FIVE SIDED WORKSURFACES


- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
	Five Sided Worksurface - 36"	CWCF3618P CWCF3624P	494 547	18 24 36 36
	Five Sided Worksurface - 42"	CWCF4224P CWCF4230P	738 803	24 30 42 42
	Five Sided Worksurface - 48"	CWCF4824P CWCF4830P	863 904	24 30 48 48

WORKSURFACES


CWC6 - CURVED CORNER WORKSURFACE FOR 60° POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Curved worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE TF	DIMENSIONS/INCHES		
			D	W	
	Curved Corner Worksurface for 60° Post - 24"	CWC62424P CWC62430P CWC62436P CWC62442P CWC62448P	466 828 929 1420 1549	24 24 24 24 24	24 30 36 42 48
	Curved Corner Worksurface for 60° Post - 30"	CWC63024P CWC63030P CWC63036P CWC63042P CWC63048P	466 828 929 1420 1549	30 30 30 30 30	24 30 36 42 48

CWCEL - EXTENDED CURVED CORNER - LEFT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			D1	D2	W	
	Extended Curved Corner - 36" x 24"	CWCEL362448P CWCEL362460P CWCEL362466P CWCEL362472P CWCEL362478P CWCEL362484P	675 736 807 893 954 1027	36 36 36 36 36 36	24 24 24 24 24 24	48 60 66 72 78 84
	Extended Curved Corner - 42" x 24"	CWCEL422460P CWCEL422466P CWCEL422472P CWCEL422478P CWCEL422484P	774 848 941 1004 1083	42 42 42 42 42	24 24 24 24 24	60 66 72 78 84
	Extended Curved Corner - 42" x 30"	CWCEL423060P CWCEL423066P CWCEL423072P CWCEL423078P CWCEL423084P	870 954 1044 1118 1191	42 42 42 42 42	30 30 30 30 30	60 66 72 78 84
	Extended Curved Corner - 48" x 24"	CWCEL482460P CWCEL482466P CWCEL482472P CWCEL482478P CWCEL482484P	915 989 1062 1169 1215	48 48 48 48 48	24 24 24 24 24	60 66 72 78 84
	Extended Curved Corner - 48" x 30"	CWCEL483060P CWCEL483066P CWCEL483072P CWCEL483078P CWCEL483084P	969 1054 1144 1231 1286	48 48 48 48 48	30 30 30 30 30	60 66 72 78 84



WORKSURFACES


CWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			D1	D2	W	
	Extended Curved Corner - 36" x 24"	CWCER362448P CWCER362460P CWCER362466P CWCER362472P CWCER362478P CWCER362484P	675 736 807 893 954 1027	36 36 36 36 36 36	24 24 24 24 24 24	48 60 66 72 78 84
	Extended Curved Corner - 42" x 24"	CWCER422460P CWCER422466P CWCER422472P CWCER422478P CWCER422484P	774 848 941 1004 1083	42 42 42 42 42	24 24 24 24 24	60 66 72 78 84
	Extended Curved Corner - 42" x 30"	CWCER423060P CWCER423066P CWCER423072P CWCER423078P CWCER423084P	870 954 1044 1118 1191	42 42 42 42 42	30 30 30 30 30	60 66 72 78 84
	Extended Curved Corner - 48" x 24"	CWCER482460P CWCER482466P CWCER482472P CWCER482478P CWCER482484P	915 989 1062 1169 1215	48 48 48 48 48	24 24 24 24 24	60 66 72 78 84
	Extended Curved Corner - 48" x 30"	CWCER483060P CWCER483066P CWCER483072P CWCER483078P CWCER483084P	969 1054 1144 1231 1286	48 48 48 48 48	30 30 30 30 30	60 66 72 78 84

CWD - "D" WORKSURFACE


- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			D	W	
	"D" Worksurface - 24"	CWD2442P CWD2448P CWD2460P CWD2472P	553 568 595 636	24 24 24 24	42 48 60 72
	"D" Worksurface - 30"	CWD3042P CWD3048P CWD3060P CWD3072P	599 606 636 706	30 30 30 30	42 48 60 72

WORKSURFACES

CWH - HATCHET WORKSURFACE (LEFT SHOWN)


- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included
- Must be specified either left or right handed.
- Note: Wood Grain Laminates do not run diagonally on Hatchet Corners
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Hatchet Worksurface - Left	CWHL3672P	1213	36	30	72
	Hatchet Worksurface - Right	CWHR3672P	1213	36	30	72

Right Shown


CWSW - STRAIGHT WEDGE WORKSURFACES

- Support hardware must be ordered separately. See the listings in this section.
- Must be specified either left or right handed.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D1	D2	W
	Straight Wedge Worksurface - Left	CWSW241848P	385	24	18	48
		CWSW241854P	434	24	18	54
		CWSW241860P	478	24	18	60
		CWSW241866P	529	24	18	66
		CWSW241872P	576	24	18	72
		CWSW302448P	478	30	24	48
		CWSW302454P	540	30	24	54
		CWSW302460P	600	30	24	60
		CWSW302466P	659	30	24	66
		CWSW302472P	722	30	24	72
	Straight Wedge Worksurface - Right	CWSW182448P	385	18	24	48
		CWSW182454P	434	18	24	54
		CWSW182460P	478	18	24	60
		CWSW182466P	529	18	24	66
		CWSW182472P	576	18	24	72
		CWSW243048P	478	24	30	48
		CWSW243054P	540	24	30	54
		CWSW243060P	600	24	30	60
		CWSW243066P	659	24	30	66
		CWSW243072P	722	24	30	72

CWQR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- Left hand surface shown.
- Support hardware must be ordered separately. See the listings in this section.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	Quarter Round Panel Worksurface - Left	CWQRL2424	229	24	24
		CWQRL3030	303	30	30
	Quarter Round Panel Worksurface - Right	CWQRR2424	229	24	24
		CWQRR3030	303	30	30



WORKSURFACES


CWQRC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- Support hardware must be ordered separately. See the listing in this section.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Quarter Round Panel Corner Worksurface	CWQRC2424 CWQRC3030	275 339	24 30	24 30
				


CWT - STRAIGHT TRANSACTION WORKSURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			D	W	
	Straight Transaction Worksurface	CWT1512 CWT1518 CWT1524 CWT1530 CWT1536 CWT1542 CWT1548 CWT1554 CWT1560 CWT1566 CWT1572 CWT1578 CWT1584	69 91 109 130 148 165 188 205 227 243 265 283 302	15 15 15 15 15 15 15 15 15 15 15 15 15	12 18 24 30 36 42 48 54 60 66 72 78 84

CWTE - END TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Extends 1.5" past end of run.
- Compile worksurfaces feature a 3mm edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			D	W	
	End Transaction Surface	CWTE1512 CWTE1518 CWTE1524 CWTE1530 CWTE1536 CWTE1542 CWTE1548 CWTE1554 CWTE1560 CWTE1566 CWTE1572 CWTE1578 CWTE1582	91 109 130 148 165 188 205 227 243 265 283 302	15 15 15 15 15 15 15 15 15 15 15 15	14 20 26 32 38 44 50 56 62 68 74

WORKSURFACES

CWTCL - "L" CORNER TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- When specifying this item along with a straight surface, deduct 12" from each return side.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
"L" Corner Transaction Surface	CWTCL90	193	15	21

CW9T - CORNER TRANSACTION SURFACE FOR 90° POST

- Support hardware must be ordered separately. See the listing in this section.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Corner Transaction Surface for 90° Post	CW9T1524	263	15	32.861
	CW9T1530	313	15	38.861
	CW9T1536	362	15	44.861
	CW9T1542	410	15	50.861
	CW9T1548	465	15	56.861

CHCB2 - CORNER BRACKET

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.
- Available in standard paint colors.
- Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Corner Bracket	CHCB2	24	2.5	

CHWB1 - MID SPAN SUPPORT BRACKET

- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Mid Span Support Bracket	CHWB1	15		



WORKSURFACES

CHC15 & CHC22- CANTILEVER

- Attaches a worksurface to a panel.
- Use one cantilever to support two convergent worksurfaces when specified with 3 Flat Brackets or two cantilevers with one flat bracket to support two convergent worksurfaces.
- Does not include Flat Brackets.
- Priced individually
- Specify handedness of each cantilever
- Available in standard paint colors.
- Right and left Cantilever needs to be specified unless flat brackets are also specified.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Cantilever - 15"	CHC15L	54	15	6
	CHC15R	54	15	6
Cantilever - 22"	CHC22L	83	22	6
	CHC22R	83	22	6

CMHC - WORKSURFACE SUPPORT CHANNEL

- Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- Screws are included.
- Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			L	D
Worksurface Support Channel	CMHC40 - for 54" wide table	90	40	5
	CMHC46 - for 60" wide table	98	46	5
	CMHC52 - for 66" wide table	109	52	5
	CMHC58 - for 72" wide table	122	58	5
	CMHC64 - for 78" wide table	133	64	5
	CMHC70 - for 84" wide table	148	70	5

CHFB1 - FLAT BRACKET

- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.
- Available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Flat Bracket	CHFB1	23	3	4

CHTB2 - TRANSACTION TOP BRACKETS

- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.
- Priced and shipped in pairs.
- Available in Anodized Aluminum only.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
Flat Bracket	CHTB2	24	2.5	



WORKSURFACES


CHEP - END PANEL

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.
- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				D	W
	End Panel - 28"High	CHEP2924 CHEP2930	283 333	28 28	24 30


CHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				H	
	Mid Support Leg - Round	CHMSL1	98	28	
	Mid Support Leg - Square	CHMSL2	98	28	



CMHCL & CHHCL - CORNER LEG WITH LEVELER

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter
- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				H	
	Corner Leg Round	CMHCL1	136	28	
	Corner Leg Square	CMHCL2	136	28	

CHWS - 5" SURFACE TO STORAGE SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				H	
	5" Surface to Storage Support Leg - Round	CHWSRL01	64	4.5	
	5" Surface to Storage Support Leg - Square	CHWSSL01	64	4.5	

Round

Square



WORKSURFACES

CHMEGR - METAL END GABLE ROUND LEG, NON-HANDED

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Attaches to Compile panel connectors. The mounting bracket is universal and attaches with screws to the back of the leg.

- Available in standard paint colors.
- NOTE: Cannot be used to support worksurfaces side by side. Please use EVHMSRL12 for supporting adjoining worksurfaces.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Metal End Gable Round Leg Non-handed	CHMEGR24 CHMEGR30	329 345	29 29	2 2 23 29

CHMSRL - METAL MID SUPPORT ROUND LEG

- Supports two adjoining worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.


- Attaches to Compile panels.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Metal Mid Support Round Leg	CHMSRL12	279	29	2 11

CHMEGS - METAL END GABLE SQUARE LEG, NON-HANDED

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Attaches to Compile panel connectors. The mounting bracket is universal and attaches with screws to the back of the leg.


- Available in standard paint colors.
- NOTE: Cannot be used to support worksurfaces side by side. Please use EVHMSRL12 for supporting adjoining worksurfaces.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Metal End Gable Square Leg Non-handed	CHMEGS24 CHMEGS30	317 352	29 29	2 2 23 29

CHMSSL - METAL MID SUPPORT SQUARE LEG

- Supports two adjoining worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.

- Attaches to Compile panels.
- Available in standard paint colors.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Metal End Gable Square Leg	CHMSSL12	286	29	2 11



WORKSURFACES

PEDESTAL FILLER BRACKET

- Screws to back of pedestal
- Fills the gap between the pedestal and panel when wing panel is not used.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
	CHPBF	65	26.875	1.375

CHPEDB - FLUSH PEDESTAL BRACKET

- Attaches metal or laminate storage or desking, to Compile panels for additional panel support
- Use CHPBF Pedestal Filler Bracket with CS19xx Pedestals and standard depth worksurfaces
- Used in flush mount applications only

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	CHPEDB	32	8	1	1

