

panels


THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF COMPILE PANELS:

- Compile Panels are:
 - Available in three (3) heights: 42", 54" and 66"; and six (6) widths: 24", 30" 36", 42", 48" and 60".
 - 2 3/8" thick.
 - Monolithic
- Compile monolithic panels are not tackable.
- Raceway openings are 1.375" x 2.680".
- Panels 24" wide include raceway covers with 2 knockouts.
- Panels 30" – 60" wide include raceway covers with 3 knockouts.
- Opposite sides of each Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- Standard with aluminum frame.
- Individual fabric covered modules incorporated into an aluminum frame.
- Reinforced aluminum raceway covers are included when ordering panel packages or may be ordered and shipped separately. Raceway covers can be replaced in the field to change a panel from non-powered to powered (or vice versa).
- Base raceway lifts up and locks in an upright 90-degree position, or can be removed for open access to base raceway.
- Electric knockouts in the raceway have color matched plastic covers that snap into place from the outside of the cover, when a duplex is not required. Electric knockout covers must be specified separately.
- 3 panel connector brackets per side for 42" h and 54" h come installed on panels and universal posts.
- 4 panel connector brackets per side for 66" h panels come installed on panels and universal posts.
- Panel connector brackets are opposite direction of each other per panel side, and can be removed with one screw per bracket.




MONOLITHIC PANEL PACKAGES - PAGES 16 & 17, 22-25

Non-Powered Compile Monolithic Fabric Panel Package




QSCMFM4224N0 QSCMFM5424N0 QSCMFM6624N0

Powered Compile Monolithic Fabric Panel Package




QSCMFM4224P1 QSCMFM5424P1 QSCMFM6624P1

Non-Powered Compile Monolithic Fabric Panel Package




QSCMFM4224N1 QSCMFM5424N1 QSCMFM6624N1

Powered Compile Monolithic Fabric Panel Package



QSCMFM4224P2 QSCMFM5424P2 QSCMFM6624P2

Non-Powered Compile Monolithic Fabric Panel Package



QSCMFM4224N2 QSCMFM5424N2 QSCMFM6624N2

Model Definitions:

N0 = No punch outs on raceways.

N1 = Raceway punch out on one side.

N2 = Raceway punch out on both sides.

P1 = Power harness and raceway punch out on one side.

P2 = Power harness and raceway punch outs on two sides.

RACEWAY COVER OPTIONS (Suffix)

(N0) No Knockouts Side 1 and Side 2

(N1) Knockouts Side 1 – No Knockout Side 2


(N2) Knockouts Side 1 and Side

(P1) Knockouts Side 1 – No Knockout Side 2

(P2) Knockouts Side 1 and Side 2

PRIVACY GLASS / FELT / OVER PANELS


Fabric Over Panel



QSCMOF1224

QSCMOF2424


Compile Glazed Over Panels



QSCMOG1224


QSCMOG2424

Privacy Glass Panel Width



QSCMPSEF1224

Embedded Felt Divider Over Panel



QSCMPSEF1224



This page provides an exploded view of a sample Panel Package highlighting each **Panel** component included within the package.

Package Components

Package 1 CMFM6636N0


- A.** (1) 66" h x 36" w Monolithic Fabric Panel
- B.** (2) 36" w Raceway Covers Without Knockouts

Package 2 CMFM6636P2

- C.** (1) 66" h x 36" w Single Segmented Fabric Panel
- D.** (2) 36" w Raceway Covers With Knockouts
- E.** (1) 36" w Power Distribution Housing




Package 3 CHP66-2

- F.** (1) 66" h Universal Corner Post
- G.** (2) Trim Inserts for 66" Universal Corner Post
- H.** (1) Post Base Cover for 2-Way Application
- I.** "Quick Connect" comes standard with Panels and Universal Corner Post



CMFMXXXXN - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42" h, 48" h and 54" h panels.
- 4 Panel connector brackets per side come standard with 66" h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	Non-Powered Compile Fabric Monolithic Panel Package - 42"	QSCFM4224N_ QSCFM4230N_ QSCFM4236N_ QSCFM4242N_ QSCFM4248N_ QSCFM4260N_	391 441 479 529 562 656	42 42 42 42 42 42	24 30 36 42 48 60	2 38
	Non-Powered Compile Fabric Monolithic Panel Package - 54"	QSCFM5424N_ QSCFM5430N_ QSCFM5436N_ QSCFM5442N_ QSCFM5448N_ QSCFM5460N_	408 462 514 571 601 710	54 54 54 54 54 54	24 30 36 42 48 60	2 38
	Non-Powered Compile Fabric Monolithic Panel Package - 66"	QSCFM6624N_ QSCFM6630N_ QSCFM6636N_ QSCFM6642N_ QSCFM6648N_ QSCFM6660N_	456 524 598 671 726 888	66 66 66 66 66 66	24 30 36 42 48 60	2 38




Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 – No Knockout Side 2
- (2) Knockouts Side 1 and Side 2



CMFMXXYYP_ - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42" h, 48" h and 54" h panels.
- 4 Panel connector brackets per side come standard with 66" h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Powered Compile Fabric Monolithic Panel Package - 42"	QSCFMF4224P_	556	42	24
		QSCFMF4230P_	663	42	30
		QSCFMF4236P_	712	42	36
		QSCFMF4242P_	766	42	42
		QSCFMF4248P_	818	42	48
		QSCFMF4260P_	914	42	60
	Powered Compile Fabric Monolithic Panel Package - 54"	QSCFMF5424P_	571	54	24
		QSCFMF5430P_	680	54	30
		QSCFMF5436P_	745	54	36
		QSCFMF5442P_	807	54	42
		QSCFMF5448P_	858	54	48
		QSCFMF5460P_	966	54	60
	Powered Compile Fabric Monolithic Panel Package - 66"	QSCFMF6624P_	619	66	24
		QSCFMF6630P_	745	66	30
		QSCFMF6636P_	830	66	36
		QSCFMF6642P_	907	66	42
		QSCFMF6648P_	983	66	48
		QSCFMF6660P_	1144	66	60

Raceway Cover Options (1) Shown**• RACEWAY COVER OPTIONS (Suffix)**

(1) Knockouts Side 1 – No Knockout Side 2
 (2) Knockouts Side 1 and Side 2


CMOF - COMPILE FABRIC OVER PANEL

- Fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	QSCMOF1224	220	12	24	2.3
	QSCMOF1230	257	12	30	2.3
	QSCMOF1236	286	12	36	2.3
	QSCMOF1242	324	12	42	2.3
	QSCMOF1248	374	12	48	2.3
	QSCMOF1260	460	12	60	2.3
	QSCMOF2424	330	24	24	2.3
	QSCMOF2430	381	24	30	2.3
	QSCMOF2436	426	24	36	2.3
	QSCMOF2442	478	24	42	2.3
	QSCMOF2448	515	24	48	2.3
	QSCMOF2460	657	24	60	2.3

CMOG - COMPILE GLAZED OVER PANEL

- Glazed module incorporated into an aluminum frame.
- One CSHD Slider Kit for Over Panel included
- Available in clear (CLR) glass.
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	QSCMOG1224	196	12	24	2.3
	QSCMOG1230	228	12	30	2.3
	QSCMOG1236	255	12	36	2.3
	QSCMOG1242	285	12	42	2.3
	QSCMOG1248	327	12	48	2.3
	QSCMOG1260	407	12	60	2.3
	QSCMOG2424	292	24	24	2.3
	QSCMOG2430	315	24	30	2.3
	QSCMOG2436	371	24	36	2.3
	QSCMOG2442	416	24	42	2.3
	QSCMOG2448	443	24	48	2.3
	QSCMOG2460	569	24	60	2.3



CMPSEGXX - COMPILE PRIVACY GLASS PANEL WIDTH

- Attaches on top of Compile Panels to add privacy or divide space.
- Available in clear (CLR) glass.


- Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	QSCMPSEG1224	283	12	24	2.41
	QSCMPSEG1230	309	12	30	2.41
	QSCMPSEG1236	328	12	36	2.41
	QSCMPSEG1242	342	12	42	2.41
	QSCMPSEG1248	363	12	48	2.41
	QSCMPSEG1260	386	12	60	2.41

CMPSEF - EMBEDDED FELT DIVIDER OVER PANEL

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.


- Felt and attachment hardware to ship separately
- 9mm Felt material is tackable and comes in 3 different colors. Please specify color.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	QSCMPSEF1224	115	12	24	2.41
	QSCMPSEF1230	133	12	30	2.41
	QSCMPSEF1236	159	12	36	2.41
	QSCMPSEF1242	175	12	42	2.41
	QSCMPSEF1248	262	12	48	2.41
	QSCMPSEF1260	305	12	60	2.41

CMLEPXXXXNC - END OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- No connections at both ends, connection is at the center interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.


- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	QSCMLEP4251NC	845	42	50.30	1
	QSCMLEP4263NC	982	42	62.30	1
	QSCMLEP4851NC	928	48	50.30	1
	QSCMLEP4863NC	1078	48	62.30	1
	QSCMLEP5451NC	1012	54	50.30	1
	QSCMLEP5463NC	1176	54	62.30	1

CMLMPXXXXNC - MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- No connections at both ends, connection is at center on both faces.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.



- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	QSCMLMP4251NC	983	42	50.30	1
	QSCMLMP4263NC	1118	42	62.30	1
	QSCMLMP4851NC	1066	48	50.30	1
	QSCMLMP4863NC	1216	48	62.30	1
	QSCMLMP5451NC	1150	54	50.30	1
	QSCMLMP5463NC	1314	54	62.30	1

CMLSEPLXXXXNC - SINGLE END OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- No connections at both ends, connection is at center on both faces.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.

- 27" wide gallery panel accommodate two 24" deep surface while the 33" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	QSCMLSEPL4227NC	644	42	26.30	1
	QSCMLSEPR4227NC	644	42	26.30	1
	QSCMLSEPL4827NC	703	48	26.30	1
	QSCMLSEPR4827NC	703	48	26.30	1
	QSCMLSEPL5427NC	763	54	26.30	1
	QSCMLSEPR5427NC	763	54	26.30	1
	QSCMLSEPL4233NC	664	42	32.33	1
	QSCMLSEPR4233NC	664	42	32.33	1
	QSCMLSEPL4833NC	725	48	32.33	1
	QSCMLSEPR4833NC	725	48	32.33	1
	QSCMLSEPL5433NC	786	54	32.33	1
	QSCMLSEPR5433NC	786	54	32.33	1




CML SMP XXX NC - SINGLE MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration.
- No connections at the exposed end, connection is at both the interior and exterior face near the opposite end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	Single Middle of Run Gallery Panel	QSCML SMP4227NC QSCML SMP42827NC QSCML SMP5427NC QSCML SMP4233NC QSCML SMP4833NC QSCML SMP5433NC	782 842 901 805 865 927	42 48 54 42 48 54	26.30 26.30 26.30 32.30 32.30 32.30	1 1 1 1 1 1


CML EP XXX - END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- Connections at both ends as well as the center on the interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	End of Run Gallery Panel	QSCML EP4251 QSCML EP4263 QSCML EP4851 QSCML EP4863 QSCML EP5451 QSCML EP5463	879 1013 961 1111 1045 1210	42 42 48 48 54 54	50.30 62.30 50.30 62.30 50.30 62.30	1 1 1 1 1 1

CML MP XXX - MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- Connections at both ends as well as the center on the interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	Middle of Run Gallery Panel	QSCML MP4251 QSCML MP4263 QSCML MP4851 QSCML MP4863 QSCML MP5451 QSCML MP5463	988 1123 1072 1221 1154 1322	42 42 48 48 54 54	50.30 62.30 50.30 62.30 50.30 62.30	1 1 1 1 1 1



CMLSEPLXXX - SINGLE END PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- Connections are at the exposed end on one side and near the end on the other interior face.
- Total height is inclusive of panel glides extended to their full height.

- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	QSCMLSEPL4227	659	42	26.30	1
Single End of Run Gallery Panel	QSCMLSEPR4227	659	42	26.30	1
	QSCMLSEPL4827	721	48	26.30	1
	QSCMLSEPR4827	721	48	26.30	1
	QSCMLSEPL5427	779	54	26.30	1
	QSCMLSEPR5427	779	54	26.30	1
	QSCMLSEPL4233	680	42	32.33	1
Single Middle of Run Gallery Panel	QSCMLSEPR4233	680	42	32.33	1
	QSCMLSEPL4833	740	48	32.33	1
	QSCMLSEPR4833	740	48	32.33	1
	QSCMLSEPL5433	803	54	32.33	1
	QSCMLSEPR5433	803	54	32.33	1

CMLSMPXXX - SINGLE MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration
- Connections are at the exposed end and at the interior and exterior near the opposite end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.

- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	QSCMLSMP4227	797	42	26.30	1
Single Middle of Run Gallery Panel	QSCMLSMP4827	858	48	26.30	1
	QSCMLSMP5427	915	54	26.30	1
	QSCMLSMP4233	821	42	32.30	1
	QSCMLSMP4833	882	48	32.30	1
	QSCMLSMP5433	944	54	32.30	1



CMLXPLXXXXNC - EXTENSION END OF RUN, LEFT, NO CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- Connections only at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.


- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Extension End of Run Gallery Panel	QSCMLXPL4224NC	432	42	24
	QSCMLXPL4230NC	506	42	30	1
	QSCMLXPL4236NC	582	42	36	1
	QSCMLXPL4242NC	732	42	42	1
	QSCMLXPL4248NC	753	42	48	1
	QSCMLXPL42824NC	445	48	24	1
	QSCMLXPL4830NC	523	48	30	1
	QSCMLXPL4836NC	598	48	36	1
	QSCMLXPL4842NC	753	48	42	1
	QSCMLXPL4848NC	776	48	48	1
	QSCMLXPL5424NC	476	54	24	1
	QSCMLXPL5430NC	558	54	30	1
	QSCMLXPL5436NC	640	54	36	1
	QSCMLXPL5442NC	724	54	42	1
	QSCMLXPL5448NC	889	54	48	1

CMLXPLXXXXNC • EXTENSION END OF RUN, RIGHT, NO CONNECTION


- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- Connections only at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.

- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Extension End of Run Gallery Panel	QSCMLXPR4224NC	432	42	24
	QSCMLXPR4230NC	506	42	30	1
	QSCMLXPR4236NC	582	42	36	1
	QSCMLXPR4242NC	732	42	42	1
	QSCMLXPR4248NC	753	42	48	1
	QSCMLXPR42824NC	445	48	24	1
	QSCMLXPR4830NC	523	48	30	1
	QSCMLXPR4836NC	598	48	36	1
	QSCMLXPR4842NC	753	48	42	1
	QSCMLXPR4848NC	776	48	48	1
	QSCMLXPR5424NC	476	54	24	1
	QSCMLXPR5430NC	558	54	30	1
	QSCMLXPR5436NC	640	54	36	1
	QSCMLXPR5442NC	724	54	42	1
	QSCMLXPR5448NC	889	54	48	1


CMHLPBB01 - LAMINATE PANEL BRACKET

- Laminate panel bottom bracket connects two gallery end panels at bottom with screws.
- Available in standard paint colors.
- Screws are included with the bracket.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Bracket	QSCMHLPPB01	50	1.5	8	1

CMHLPBC01 - LAMINATE PANEL CORNER BRACKET

- Gallery panel corner bottom bracket connects two laminate panels at 90 degrees.
- Available in standard paint colors.
- Screws are included with the bracket.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Corner Bracket	QSCMHLPCB01	48	1.5	4	4



CHP POST PACKAGE

- Universal Post with all "Quick-Connection" clips.
- Post trim(s)
- Post base and top cap

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
2 - Way Post	QSCHP42-2 QSCHP54-2 QSCHP66-2	124 152 179	42 54 66	2.3 2.3 2.3	2.3 2.3 2.3
3 - Way Post	QSCHP42-3 QSCHP54-3 QSCHP66-3	109 135 162	42 54 66	2.3 2.3 2.3	2.3 2.3 2.3
4 - Way Post *No trim or base. Includes top cap only.	QSCHP42-4 QSCHP54-4 QSCHP66-4	88 114 135	42 54 66	2.3 2.3 2.3	2.3 2.3 2.3

CHPXW - 90 DEGREE CORNER POST KIT FOR OVER PANELS

- Specify the corner post height that matches the height of the over panel
- 2-way kits include 2 trims (CMETPx), 2 way post base (CMPCxx) and post cap (CMPC).
- 3-way kits include 2 trim (CMETPx), 3 way post base (CMPCxx) and post cap (CMPC).
- 4-way kits include post cap (CMPC) only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
90 Degree Corner Post Kit for Over Panels	QSCHOP12-2 QSCHOP12-3 QSCHOP12-4	81 69 48	12	2.3	2.3
	QSCHOP24-2 QSCHOP24-3 QSCHOP24-4	90 81 68	24	2.3	2.3

CMET - END OF RUN TRIM INSERT FOR PANEL

- Trim inserts are not included with panels.
- Cannot be used for a universal post application.
- Used at the end of each panel run and cannot be used to attach a panel run to a fixed wall.
- Vertical trims must be specified separately. Trim snaps in the panel at the end of run.
- Standard Compile paint options.
- See Panel Configuration Tips for application.
- Trims are PVC.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
End of Run Trim Insert for Panel	QSCMET42	23	42	2.3	0.5
	QSCMET54	27	54	2.3	0.5
	QSCMET66	29	66	2.3	0.5

CMET - TRIM INSERT FOR STEP DOWN

- Does not come with a post. Trim inserts are not included with Universal Corner Posts.
- Specify to meet the taller post.
- Trim snaps in the post or end of run at a change in height.
- Available in standard Compile paint options.
- Can not be applied to 60 degree posts.
- See Panel Configuration Tips for application.




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Trim Insert for Step Down	QSCMET12	15	12	2.3	
	QSCMET24	26	24	2.3	




CMRCXXNP - COMPILE RACEWAY COVER - WITHOUT KNOCKOUTS

- No electrical knockouts included.
- Note: Made of reinforced aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Compile Raceway Cover Without Knockouts				
	QSCMRC24NP	20	5	24	
	QSCMRC30NP	24	5	30	
	QSCMRC36NP	27	5	36	
	QSCMRC42NP	29	5	42	
	QSCMRC48NP	33	5	48	
	QSCMRC54NP	40	5	54	
	QSCMRC60NP	42	5	60	
	QSCMRC60NP	42	5	60	

CMRCXXPO - COMPILE RACEWAY COVER - WITH KNOCKOUTS

- Contains one knockout for 24" w and three knockouts for 30" w+.
- Raceway Knockout Cover must be added to openings where duplex receptacles are not used.
- Note: Made of reinforced aluminum.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Compile Raceway Cover With Knockouts				
	QSCMRC24PO	20	5	24	
	QSCMRC30PO	24	5	30	
	QSCMRC36PO	27	5	36	
	QSCMRC42PO	29	5	42	
	QSCMRC48PO	33	5	48	
	QSCMRC54PO	40	5	54	
	QSCMRC60PO	42	5	60	

CMRCB01 - COMPILE RACEWAY KNOCKOUT COVER

- Fills knockout when duplex is not used.
- Available in Black, White, Nevada and Fog.
- Note: Knockout covers are made of plastic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Compile Raceway Knockout Cover	19	1.5	2.756	

CHWAXX - WALL ADAPTER

- Same profile as vertical extrusion.
- Wall attachment hardware not provided.
- Made of aluminum.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Wall Adapter	QSCHWA42	69	42	2.36	.79
	QSCHWA54	87	54	2.36	.79
	QSCHWA66	101	66	2.36	.79

CWMA - VERTICAL CHANNEL

- Used to attach system components to fixed wall.
- Panel frame finish.
- Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material. Sold in pairs.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- Multiple vertical channels cannot be shared.




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Vertical Channel	QSCWMA60	42	60	0.6	0.7





CMPC - UNIVERSAL POST CAP

- Comes standard with universal post.
- Specified separately for reconfiguration purposes.
- Available in standard Compile paint options.
- Made of PVC.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Universal Post Cap	QSCMPC	9	.7	2.5	2.5

CMPC - POST BASE COVER

- Post Base Covers are not included with Universal Corner Posts.
- Base trim for universal post. These are connected with screws at the base and the trims at the post will slide to meet.
- Available for 2-way and 3-way configurations.
- Finish is smooth plastic.
- Available in standard Compile paint options.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Post Base Cover - 3-Way Connection	QSCMPC1	14	5	2.3	.033
 Post Base Cover - 2-Way Connection	QSCMPC2	15	5	2.3	2.31

CMPS - POST SEPARATOR

- Creates a diagonal division within a compile post.
- Please specify post height.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Post Separator	QSCMPS01	165	96	3.25	14 gauge-

