



worksurfaces

The information listed below provides you with basic features of Compile Worksurfaces.


- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Laminate Worksurfaces will have matching woodgrain trim only.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:



CHEP End Panels



CWCC Worksurfaces



CWS Worksurfaces

- Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.

One Scoop  
CWS 24" – 48"




Two Scoops  
CWS 54" – 84"



This page provides a three dimensional view of a sample configuration highlighting each **Worksurface** component required when specifying this configuration.

Components


- A. QSCWS2424P Rectangular Worksurface
- B. QSCWCC3624P Corner Curved Worksurface
- C. QSCWS2424P Rectangular Worksurface



WORKSURFACES

CWS - RECTANGULAR WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
  - Compile worksurfaces feature a 3mm edge.
  - Support hardware must be ordered separately. See the listings in this section.
- Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
  - All surfaces over 48" will have two scoops, all others have one.
  - Worksurfaces greater than 48" wide require additional structural support.

|                                                                                   | DESCRIPTION                         | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|-----------------------------------------------------------------------------------|-------------------------------------|--------------|------------|-------------------|----|
|                                                                                   |                                     |              |            | D                 | W  |
|  | Rectangular Worksurfaces - 24" Deep | QSCWS2424P   | 149        | 24                | 24 |
|                                                                                   |                                     | QSCWS2430P   | 160        | 24                | 30 |
|                                                                                   |                                     | QSCWS2436P   | 179        | 24                | 36 |
|                                                                                   |                                     | QSCWS2442P   | 229        | 24                | 42 |
|                                                                                   |                                     | QSCWS2448P   | 277        | 24                | 48 |
|                                                                                   |                                     | QSCWS2454P   | 323        | 24                | 54 |
|                                                                                   |                                     | QSCWS2460P   | 363        | 24                | 60 |
|                                                                                   |                                     | QSCWS2466P   | 379        | 24                | 66 |
|                                                                                   |                                     | QSCWS2472P   | 393        | 24                | 72 |
|                                                                                   | Rectangular Worksurfaces - 30" Deep | QSCWS3024P   | 175        | 30                | 24 |
|                                                                                   |                                     | QSCWS3030P   | 186        | 30                | 30 |
|                                                                                   |                                     | QSCWS3036P   | 220        | 30                | 36 |
|                                                                                   |                                     | QSCWS3042P   | 309        | 30                | 42 |
|                                                                                   |                                     | QSCWS3048P   | 323        | 30                | 48 |
|                                                                                   |                                     | QSCWS3054P   | 354        | 30                | 54 |
|                                                                                   |                                     | QSCWS3060P   | 379        | 30                | 60 |
|                                                                                   |                                     | QSCWS3066P   | 392        | 30                | 66 |
|                                                                                   |                                     | QSCWS3072P   | 416        | 30                | 72 |

# WORKSURFACES

## CWCC - CORNER CURVED WORKSURFACES


- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

|                                                                                   | DESCRIPTION                      | PRODUCT CODE               | LIST PRICE | DIMENSIONS/INCHES |          |
|-----------------------------------------------------------------------------------|----------------------------------|----------------------------|------------|-------------------|----------|
|                                                                                   |                                  |                            |            | D                 | W        |
|  | Corner Curved Worksurfaces - 36" | QSCWCC3624P                | 547        | 24                | 36       |
|                                                                                   | Corner Curved Worksurfaces - 42" | QSCWCC4224P<br>QSCWCC4230P | 738<br>803 | 24<br>30          | 42<br>42 |

WORKSURFACES

CWSNSCP - RECTANGULAR WORKSURFACE, NO SCOOPS FOR HEIGHT ADJUSTABLE BASES

- There is no scoop on this work surface.
  - Worksurface depth is exact, not nominal.
  - Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Height Adjustable Bases
  - Surfaces not available in HPW.




| DESCRIPTION                                                      | PRODUCT CODE  | LIST PRICE | DIMENSIONS/INCHES |    |    |
|------------------------------------------------------------------|---------------|------------|-------------------|----|----|
|                                                                  |               |            | H                 | D  | W  |
| Rectangular Worksurface No Scoops<br>for Height Adjustable Bases | QSCWS2346NSCP | 277        | 1                 | 23 | 46 |
|                                                                  | QSCWS2352NSCP | 323        | 1                 | 23 | 52 |
|                                                                  | QSCWS2358NSCP | 363        | 1                 | 23 | 58 |
|                                                                  | QSCWS2364NSCP | 379        | 1                 | 23 | 64 |
|                                                                  | QSCWS2370NSCP | 393        | 1                 | 23 | 70 |
|                                                                  |               |            |                   |    |    |
|                                                                  | QSCWS2946NSCP | 323        | 1                 | 29 | 46 |
|                                                                  | QSCWS2952NSCP | 354        | 1                 | 29 | 52 |
|                                                                  | QSCWS2958NSCP | 379        | 1                 | 29 | 58 |
|                                                                  | QSCWS2964NSCP | 392        | 1                 | 29 | 64 |
|                                                                  | QSCWS2970NSCP | 416        | 1                 | 29 | 70 |

# WORKSURFACES


## CHCB2 - CORNER BRACKET

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.
- Available in standard Fog (FOG) or Designer White (DWT).
- Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.

| DESCRIPTION                                                                                      | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |
|--------------------------------------------------------------------------------------------------|--------------|------------|-------------------|---|
|                                                                                                  |              |            | D                 | W |
|  Corner Bracket | QSCHCB2      | 24         | 2.5               |   |


## CHWB1 - MID SPAN SUPPORT BRACKET

- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.

| DESCRIPTION                                                                                                | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |
|------------------------------------------------------------------------------------------------------------|--------------|------------|-------------------|---|
|                                                                                                            |              |            | D                 | W |
|  Mid Span Support Bracket | QSCHWB1      | 15         |                   |   |


## CHC15 & CHC22- CANTILEVER

- Attaches a worksurface to a panel.
- Use one cantilever to support two convergent worksurfaces when specified with 3 Flat Brackets or two cantilevers with one flat bracket to support two convergent worksurfaces.
- Does not include Flat Brackets.
- Priced individually
- Specify handedness of each cantilever
- Available in standard Fog (FOG) or Designer White (DWT).
- Right and left Cantilever needs to be specified unless flat brackets are also specified.

| DESCRIPTION                                                                                          | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |
|------------------------------------------------------------------------------------------------------|--------------|------------|-------------------|---|
|                                                                                                      |              |            | D                 | W |
|  Cantilever - 15" | QSCHC15L     | 54         | 15                | 6 |
|                                                                                                      | QSCHC15R     | 54         | 15                | 6 |
| Cantilever - 22"                                                                                     | QSCHC22L     | 83         | 22                | 6 |
|                                                                                                      | QSCHC22R     | 83         | 22                | 6 |

## CMHC - WORKSURFACE SUPPORT CHANNEL


- Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- Screws are included.
- Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

| DESCRIPTION                                                                                                     | PRODUCT CODE                  | LIST PRICE | DIMENSIONS/INCHES |   |
|-----------------------------------------------------------------------------------------------------------------|-------------------------------|------------|-------------------|---|
|                                                                                                                 |                               |            | L                 | D |
|  Worksurface Support Channel | QSCMHC40 - for 54" wide table | 90         | 40                | 5 |
|                                                                                                                 | QSCMHC46 - for 60" wide table | 98         | 46                | 5 |
|                                                                                                                 | QSCMHC52 - for 66" wide table | 109        | 52                | 5 |
|                                                                                                                 | QSCMHC58 - for 72" wide table | 122        | 58                | 5 |
|                                                                                                                 | QSCMHC64 - for 78" wide table | 133        | 64                | 5 |
|                                                                                                                 | QSCMHC70 - for 84" wide table | 148        | 70                | 5 |

# WORKSURFACES


## CHFB1 - FLAT BRACKET

- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.
- Available in Black only.

|                                                                                   | DESCRIPTION  | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |
|-----------------------------------------------------------------------------------|--------------|--------------|------------|-------------------|---|
|                                                                                   |              |              |            | D                 | W |
|  | Flat Bracket | QSCHFB1      | 23         | 3                 | 4 |


## CHEP - END PANEL

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.
- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

|                                                                                    | DESCRIPTION         | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |
|------------------------------------------------------------------------------------|---------------------|--------------|------------|-------------------|----|
|                                                                                    |                     |              |            | D                 | W  |
|  | End Panel - 28"High | QSCHEP2924   | 283        | 28                | 24 |
|                                                                                    |                     | QSCHEP2930   | 333        | 28                | 30 |


## CHMEGR - METAL END GABLE - RIGHT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard Fog (FOG) or Designer White (DWT).

|                                                                                     | DESCRIPTION             | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |   |
|-------------------------------------------------------------------------------------|-------------------------|--------------|------------|-------------------|----|---|
|                                                                                     |                         |              |            | H                 | D  | W |
|  | Metal End Gable - Right | QSCHMEG24R   | 305        | 28                | 23 | 4 |
|                                                                                     |                         | QSCHMEG30R   | 321        | 28                | 29 | 4 |

## CHMEGL - METAL END GABLE - LEFT


- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard Fog (FOG) or Designer White (DWT).

|                                                                                     | DESCRIPTION            | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |   |
|-------------------------------------------------------------------------------------|------------------------|--------------|------------|-------------------|----|---|
|                                                                                     |                        |              |            | H                 | W  | D |
|  | Metal End Gable - Left | QSCHMEG24L   | 305        | 28                | 23 | 4 |
|                                                                                     |                        | QSCHMEG30L   | 321        | 28                | 29 | 4 |

# WORKSURFACES

## CHMSL - METAL SUPPORT LEG

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard Fog (FOG) or Designer White (DWT).
- Flat brackets recommended to ensure alignment of neighboring surface.

|                                                                                   | DESCRIPTION       | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |   |
|-----------------------------------------------------------------------------------|-------------------|--------------|------------|-------------------|----|---|
|                                                                                   |                   |              |            | H                 | W  | D |
|  | Metal Support Leg | QSCHMSL12    | 256        | 28                | 11 | 4 |

## CHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard Fog (FOG) or Designer White (DWT).

|                                                                                    | DESCRIPTION              | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |   |
|------------------------------------------------------------------------------------|--------------------------|--------------|------------|-------------------|---|---|
|                                                                                    |                          |              |            | H                 | W | D |
|  | Mid Support Leg - Round  | QSCHMSL1     | 98         | 28                |   |   |
|                                                                                    | Mid Support Leg - Square | QSCHMSL2     | 98         | 28                |   |   |


## CMHCL & CHHCL - CORNER LEG WITH LEVELER

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter
- Available in standard Fog (FOG) or Designer White (DWT).
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

|                                                                                                                                                                         | DESCRIPTION       | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------|------------|-------------------|---|---|
|                                                                                                                                                                         |                   |              |            | H                 | W | D |
|   | Corner Leg Round  | QSCMHCL1     | 136        | 28                |   |   |
|                                                                                                                                                                         | Corner Leg Square | QSCMHCL2     | 136        | 28                |   |   |


CHWS - 5" SURFACE TO STORAGE SUPPORT LEG

- Provides support for a worksurface.
  - Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
  - Available in standard Fog (FOG) or Designer White (DWT).

| DESCRIPTION                                                                       |                                            | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |  |
|-----------------------------------------------------------------------------------|--------------------------------------------|--------------|------------|-------------------|--|
|                                                                                   |                                            |              |            | H                 |  |
|  | 5" Surface to Storage Support Leg - Round  | QSCHWSRL01   | 64         | 4.5               |  |
|                                                                                   | 5" Surface to Storage Support Leg - Square | QSCHWSSL01   | 64         | 4.5               |  |

PEDESTAL FILLER BRACKET

- Screws to back of pedestal
  - Fills the gap between the pedestal and panel when wing panel is not used.
- Available in standard Fog (FOG) or Designer White (DWT).

| DESCRIPTION                                                                        |                          | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |       |
|------------------------------------------------------------------------------------|--------------------------|--------------|------------|-------------------|-------|
|                                                                                    |                          |              |            | D                 | W     |
|  | Pedestal Filler Bracket- | QSCHPBF      | 65         | 26.875            | 1.375 |
|                                                                                    |                          |              |            |                   |       |