



freestanding



EVWFR - RECTANGULAR FREESTANDING WORKSURFACE WITH CORNER LEGS

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
 - Worksurface is available in 1-1/16" thick High Pressure laminate only.
 - Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
 - Ships Knocked Down.
 - All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	Rectangular Freestanding Worksurface with Round Corner Legs	EWWFR2448HP	951	24	48	29
		EWWFR2460HP	1102	24	60	29
		EWWFR3048HP	1035	30	48	29
		EWWFR3060HP	1133	30	60	29
	Rectangular Freestanding Worksurface with Square Corner Legs	EWWFRS2448HP	951	24	48	29
		EWWFRS2460HP	1102	24	60	29
		EWWFRS3048HP	1035	30	48	29
		EWWFRS3060HP	1133	30	60	29

EVWFS - SQUARE FREESTANDING WORKSURFACE WITH CORNER LEGS



- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
 - Worksurface is available in 1-1/16" thick High Pressure laminate only.
 - Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
 - Ships Knocked Down.
 - All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				D	W	H
	Square Freestanding Worksurface with Round Corner Legs	EWWFS36HP	1005	36	36	29
		EWWFS42HP	1153	42	42	29
		EWWFS48HP	1362	48	48	29
	Square Freestanding Worksurface with Square Corner Legs	EWWFSS36HP	1005	36	36	29
		EWWFSS42HP	1153	42	42	29
		EWWFSS48HP	1362	48	48	29



EVWFC - ROUND FREESTANDING WORKSURFACE WITH CORNER LEGS

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
 - Worksurface is available in 1-1/16" thick High Pressure laminate only.
 - Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
 - Ships Knocked Down.
 - All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				W	H
	Round Freestanding Worksurface with Corner Legs	EWWFC36HP	1072	36	29
		EWWFC42HP	1289	42	29
		EWWFC48HP	1537	48	29
	Round Freestanding Worksurface with Square Corner Legs	EWWFCS36HP	1072	36	29
		EWWFCS42HP	1289	42	29
		EWWFCS48HP	1537	48	29

NOTES

