



List Price Book
Effective July 14, 2025
Updated January 15, 2026

evolve systems 

evolve systems



ISO 14001:2004 Registered
CGSB #006b



the BIFMA sustainability standard
SCIENTIFIC CERTIFICATION SYSTEMS
SCS-SCF0245-4

PROTECTING THE ENVIRONMENT FOR FUTURE GENERATIONS

Our environmental success story began with the challenge to create an office system that would meet today's business requirements while maintaining a firm commitment to save and protect the environment.

Sustainability became a part of the creative focus and development of Evolve that incorporates the latest technology and design features to provide excellent performance at a competitive price.

As government and industry environment ratings such as LEEDS & Greenguard become more prevalent, Evolve offers designers and architects functional, attractive, and economical office designs that meet these standards.

Evolve is a leader in reducing waste in the manufacturing of its products as well as utilizing recycled materials wherever possible. We make extensive use of recycled plastic and wood waste from other Global factories.

Evolve is committed to the continuous improvement of our environmental systems, the prevention of pollution, and to comply with both the spirit and the letter of all relevant environmental legislation.

Evolve Panels are 100% recyclable at the end of their lifespan. Nothing from an Evolve Panel needs to end up in a landfill.

PRODUCT INFORMATION

Evolve offers fabrics that are made from 100% recycled polyester, which means less waste going to landfills. These fabrics also reduced the demand for petroleum products, and decrease the environmental impacts of processing those petroleum products into polyester.

Evolve has developed a Panel interior made from 100% recycled wood and polypropylene. Through innovative design and technology, Evolve utilizes waste that would have normally been sent to landfill.

Evolve Panels are insulated with Roxul, a mineral wood insulation made from slag, an inert steel by-product, and basalt rock. Roxul is a high density product that provides maximum sound absorption to reduce noise in the work environment. Roxul insulation is fire resistant, water repellent and will not support the growth of fungi or mildew.

Evolve's epoxy powder coating process involves no liquids and is solvent free. It contains no harmful VOC's or lead. Up to 99% of over sprayed powdered is reclaimed, mixed with virgin powder and reused.



REFERENCES

Features, Benefits & General Information	4-5
Coding an Order	6-8
Textiles & Finishes	320-324
Panel COM Form	325
Panel Fabric Specification Sheet	326
Panel Fabric Sample	328
Appendix	329
Terms & Conditions	330-331

PANELS

Panels – Technical Information	10
Panel – Types	11-19
Panel – Configurations	20-21
Graphic Panels	22-26
Monolithic	27-31
Segmented	33-38
Partly Glazed	39-48
Fully Glazed	49-52
Reception	53-54
Pass-thru Sliding door	55-56
Slatwall	57-63
Write Board	64-65
Laminate	66-69
Airflow	70-70
Metal Skin	73-76
Open	77-82
No Raceway	83-95
Gallery	96-109
1" Laminate	110-111
Double Inline Connector	112-113
Door	114-116
Acoustic Grid	117-119

EXTENSION MODULES

Extension Modules – Technical Information	120
Extension Modules – Types	120
Fabric	121
Tempered Glass	122
Reception Panel	123
Write Board	124-125
Laminate	126-127
Airflow	128
Open	129
Bridge Panel	130-132
Bridge Module	133-138
Privacy Glass	139-148

Felt Divider	149-152
--------------------	---------

Ceiling Filler	153-155
----------------------	---------

Privacy Panels	156-172
----------------------	---------

PANELS - CONNECTORS

Panels – Technical Information	175
Inline Connector	176-178
End-of-Run	179
Two-Way Post	180-183
Three-Way Post	184-188
Four-Way Post	189-192
One Way Post	193-194
Inline Two-Way Post	195-196
60 Degree	197-199
45 Degree	199-200
Upmount End of Run	200-201
Extension	202-205
Trims	206-209

ELECTRICAL

Electrical – Technical Information	214
Electrical – Wire Schematic	212
Electrical – Configurations	213-214
Power Distribution Housing	215
Cables	216
Power Entry	219-218
Post Extension	218-220
Task Lights	220
LED Lights	220-222
Accessories	222-225

WORKSURFACES

Worksurfaces – Technical Information	227
Worksurfaces – Configuration	228
Worksurfaces – Grain Direction	229
Straight Worksurface	231-232
Curvilinear Worksurface	233
Corner Worksurface	234-238
"L" Worksurface	239
Transition Worksurface	239
Hatchet Worksurfaces	240
"D" Worksurface	240
"P" Top	240
Straight Wedge Worksurfaces	241
Piano Top	242
Quarter Round Panel Worksurface	243
Radius Worksurface	244

Transaction Worksurfaces	244-247
--------------------------------	---------

Height Adjustable	248-251
-------------------------	---------

Accessories	252-258
-------------------	---------

FREESTANDING DESKING

Freestanding Worksurface with Corner Legs	261-262
---	---------

STORAGE

Storage – Technical Information	265-267
Overhead Storage	268-286
Pedestals	277-282
Cube Storage	283-287
Lateral Files	288-295
Storage Cabinet	296
Accessories	297-298
Storage Towers	299-302
Credenza	303
Key Alike Form	304

ACCESSORIES

Tack Board	307
White Marker Board	308
Load Bars	308
Rail Accessories	311-313
Keyboard Supports	314
Mouse Supports	315
Keyboard Combination Chart	316
Monitor Arms	315-318
Laptop Support	319
Desktop Document Holder	329
Touch-up Paint Kit	320

PANELS

- NOTE: Panels consist of module frames, module interiors and a variety of skins.

Panel Information

- All metal components are painted with environmentally friendly epoxy powder.
- Raceway Interiors are coated with recycled epoxy powder.
- The entire Evolve Panel and the processes used to manufacture it are designed to save and protect the environment. Evolve panels are made from recycled materials and are 100% recyclable.
- Panels conform to CGSB and ANSI/BIFMA Standards
- The quality and performance level of these panels have been tested to equal or exceed the requirements of the U.S. Government.
- Classified as Acoustic, these panels meet the acoustical requirements of the U.S. Government with the following ratings:
 - .65 NRC
 - 23 STC
- Panel has a steel frame and is 2 7/8" thick. Corner posts create a panel creep of 3 1/4".
- Leveling Glides extend 2 1/2" high. (Carpet grippers are available, contact Evolve Customer Support).

Panel Options

- Standard, Beltline and Light* Segmented Panels are available in the following heights: 30", 42", 54" and 66".
- Standard, Beltline and Light* Monolithic Panels are available in the following heights: 42", 48", 54" and 66"

* Light panels do not contain a base raceway, therefore the listed heights consider the 6" open space that would have contained a raceway.

- Standard and Light Panel widths come in (8) sizes: 18", 24", 30", 36", 42", 48", 54" and 60"
- Beltline Panel widths come in (7) sizes: 24", 30", 36", 42", 48", 54" and 60". The 6" Power Belt Module is metal with knockouts on both sides.
- Beltline Panel with Chimney widths come in (2) sizes: 36" and 42".

Panel Skin Options

- Acoustic Fabric (Tackable), Glazed, Open, Laminate, Whiteboard, Metal, Air Flow, Slat

Panel Extension Modules

- Attaches to the top of Standard, Beltline or Light panels.
- Offered in 6", 12", 18" and 24" heights
- Can be stacked in an excess of 14'-0". (Contact the Evolve Specification Department regarding additional support required.)

Extension Module Options

- Fabric, Glazed, Open, Laminate, Whiteboard and Airflow. Laminate and Whiteboard available in single and double sided.

Panel Reconfiguration

- Panels can be modified on site by replacing fabric modules with Glazed, Open, Laminate, Whiteboard or Air Flow at any time after the initial installation*.
- All panel types existing on site can have their height altered by replacing the vertical liners (on each side of the panel) and adding or subtracting modules* as required.
- Fabric can be replaced easily; using pre-cut segments of fabric, a drawstring (C-Jex) is sewn in around the edges. Then a rubber spline is used to 'screen' the fabric in place.
- Panels can be removed from the workstation, without having to remove an overhead or worksurface.
- Corner connectors can be converted from 2-way to 3-way, etc., by attaching an in-line connector with one screw.
- The Power Belt Module for the Beltline Panels cannot be relocated.

*Contact Evolve Customer Support for information on field installed modules (they are available in heights of 6", 12" and 24")

VOICE/DATA AND ELECTRICAL POWER

- NOTE: Panels and Electric components are CSA/UL approved. Tools are not required to install electrical in the Evolve Panel System.

Voice and Data can be run at the following levels:

- Standard Panels – Base of the panel.
- Beltline Panels – Base, Beltline of the panel.
- Beltline Light Panels – Beltline of the panel.

Electric can be run at the following levels:

- Standard Panels – Base raceway
- Beltline Panels – Base and/or Beltline raceway
- Light Panels – Do not contain a raceway for electric.
- Beltline Light Panels – Beltline raceway

Additional Data and Electric Options

- A panel mounted power bar can be mounted on-module at any level and contains a 14' cord.
- Desktop modules are available to install in the worksurface scoop for electric and data.
- 6" Vertical Panel provides electric and data above the worksurface and electric just below the worksurface.

Electric Information

- Electric can be run in any raceway whether it is at the base or Beltline.
 - 8-Wire, 4-Circuit Capability
 - 2 Utility + 2 Dedicated Circuits
 - 10 Gauge (oversized) Neutrals.
- All circuits can support up to 20 amps (15 CSA).

Raceway Information

- Raceway knockouts sizes conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38" x 2.71" at the base and Beltline.
- Panels 24" wide include raceway covers with one knockout.
- Panels 30" wide include raceway covers with two knockouts.
- Panels 36"-60" wide include raceway covers with three knockouts.
- Standard data face mount plates can be used without the need of adapter plates (supplied by others).

Cabling Capacities

(calculations below are based on CAT5 cables)

Base Raceway – for Standard and Beltline Panels

- Without Electric – 140 Cables
- With Electric – 48 Cables

Beltline Raceway – for Beltline and Light Beltline Panels

- Without Electric – 65 Cables
- With Electric – 54 Cables

Panel Connectors - 45 Degree Connector Posts

- Without Electric – 20 Cables
- With Electric – 6 Cables

Panel Connectors - 60 Degree Connector Posts

- Without Electric – 20 cables
- With Electric – 6 Cables

Post Extension - 90 Degree Post

- Without Electric – 45 Cables
- With Electric – 25 Cables

Post Extension - 45 Degree Post

- Without Electric – 20 Cables
- With Electric – 6 Cables

Post Extension - 60 Degree Post

- Without Electric – 20 Cables
- With Electric – 6 Cables

WORKSURFACES

- NOTE: Worksurfaces come in a variety of shapes and sizes.

Worksurface Options

- Standard worksurface depths are 18"d, 24"d and 30"d.
- Standard worksurface widths range from 24"w – 84"w standard depending on the shape.



Worksurface Laminate Options

- Thermally Fused – 1" thick
- High Pressure – 1-1/16" thick
- High Pressure – 1-7/16" thick
- Wood Veneer – Contact Customer Support for Quotes

Worksurface Information

- Cable scoops are located in the back of each worksurface to route power and data cables
- Depth from center of scoop to panel is 1-1/8".
- Once installed there is a 3/8" gap between the worksurface and the panels for additional cabling needs.
- Custom sizes are available, contact Customer Support for Quotes.
- Metal inserts are standard for a metal to metal connection between the worksurface and the supporting hardware. This will allow product to be reconfigured many times and still perform.
- All worksurfaces utilize balanced construction.

STORAGE

Pedestals

- Available as Worksurface Supporting, Freestanding and Mobile.
- Mobile pedestals are available with or without a cushion. Mobile pedestals with a cushion can have an upholstery fabric applied to them.
- Standard Pedestal Depths are 18"d, 19"d, 23"d, 24"d, 29"d and 30"d
- Pedestal widths are 15"w. Please note maximum extension of pedestal glide is 1".

File Drawers

- 150 lb Full Extension Slides
- Full height drawer sides are standard on all File drawers which enables the hanging of files from the drawer side so no extra hardware is necessary. File drawers accept legal, letter and metric sized files.

Box Drawers

- 75 lb Single Action Slides

Drawer Information

- Steel construction guarantees the performance of the product over the long term.
- Welded joints with a full top, back and base ensure that the pedestal will sit square and adequately support the worksurface where necessary.
- Double wall drawer face
- 20 gauge steel
- Metal roller ball bearing slides
- Adjustable glides are accessible from the inside of the pedestal.
- Standard positive and secure locking system.
- Epoxy powder coated.
- Locks can be keyed alike or master keyed*. Please note Key list(s) required to key alike.
- *Master Key must be ordered separate.
- Standard recessed handle offers uncluttered aesthetic.

Lateral Files

- All lateral files are 18" deep
- Standard widths are 30"w, 36"w and 42"w.
- Standard EV12 Heights are 27.75"h, 40.5"h, 54"h and 65.88"h.
- Available with fixed front drawers, receding doors with roll-out shelf, and half height drawers (See page 184 for more information Lateral File)

Lateral File Information

- Drawer anti-locking system
- Three Stage, anti-bounceback suspension
- Receding door features 16 gauge, spring loaded hinges
- Premium drawer slides with black zinc coating for smoother, quieter motion.
- Pre-Installed file bars
- 18-20 gauge steel
- Adjustable glides are accessible from the inside of the lateral file. Please note maximum extension for lateral glide is 5/8"

Storage Towers

- Features all metal construction and a choice of 20 different configurations.
- Heights include 50"h, 54"h and 65.875"h. 42"h and 48"h available upon request.
- 24"w x 24"d
- Side shelving available.

Bookcases and Storage Cabinets

- Features all metal construction.
- Available in widths of 30"w, 36"w and 42"w.
- Heights include 27.75"h, 40.5"h, 54"h and 65.88"h.

Overhead Storage

- Standard widths include 24"w (not available on all units), 30"w, 36"w, 42"w, 48"w, 54"w and 60"w. Please note ADA and Double Wall Overheads are not available in 24"
- Standard heights range from 12"h to 17.5"h.
- Overhead Options
- Flat Front 12" Flipper Door
- Full Pull 13" Flipper Door
- Full Pull Double Wall Flipper Door (also available with shelf option)
- Full Pull 16" Flipper Door (door retracts inside cabinet)
- Sliding glass doors
- ADA Compliant Overhead with soft close mechanism
- High and Low Profile Shelf
- A magnetic whiteboard is available for metal front overheads.


WARRANTIES AND PERFORMANCE

- A Lifetime Warranty
- Non Obsolescence Warranty
- Reduced cost of assembly and reconfiguration
- ISO9001:2000 Registered
- ISO14001:2004 Registered
- GreenGuard Certified
- ANSI/BIFMA CGSB testing on all products
- For piece of mind over the long term, we cover you with a comprehensive warranty that is supported by our dealer network.
- Some installation companies claim that the Evolve Panels System can be installed in half the time it takes to install most of our competitor's segmented panels. This cost saving can amount to thousands of dollars over the lifetime of our furniture.
- Your assurance of consistent quality to an international standard. Evolve Systems is committed to design, manufacture and distribute superior quality office furniture, which meets or exceeds the requirements of our customers.
- Confirmation that Evolve is committed (1) to providing product that, through their entire life cycle, minimize negative environmental impacts on the environment, (2) to continuous improvement to our environmental systems and programs and (3) to comply to all relevant environmental legislation and regulations.
- Evolve Systems can help a company meet LEED requirements for office furniture.
- Evolve components are tested to the highest standard in the industry. This is your assurance of quality and longevity.

Evolve products have been coded using alphas that correspond with the product name. This creates an easy-to-remember code. The following breaks down the coding logic and highlights the required code components needed to order within each product category.

PANELS

Example: **Product:** **Segmented Panel**



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Panel category

Fabric-covered or partly fabric-covered Panel

Acoustic Panel
(EVPF P – represents Premium Acoustic)

2 EVPFA**6648**

Panel size offering. Listed on every product page with price listing.
Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

3 EVPFA6648-**BLK**


Finish code for frame. See Textiles & Finishes pages 251-252.

To specify fabric for an Evolve Panel, please note:

4 EVPFA6648-BLK-B84A

Fabric code for all modules on both sides of the Panel*.
See Textiles & Finishes pages 251-252.

*** NOTE:** If different fabrics are to be included on an Evolve Panel, please use the following ordering format. **Start at the bottom** of one side of a Panel and work to the top module of that Panel. Then start the process over on the other side of the Panel. As an example:



= 66

Position 3

I1 B86A

I2 B84A

I3 B86A

01 B86A

Position 2

02 B86A

03 B86A

Position 1

I = Inside


0 = Outside



ELECTRICAL

Example: Product: Pass-Through Cables

Specify ①



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Electrical category

Cable Panel.

Pass-Through.

②

EVE8CP40


Product size offering – length. Listed on every product page with price listing.

Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

WORKSURFACES

Example: Product: Curvilinear Worksurface - Left

Specify ①



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Worksurface category

CurVilinear shape

Left hand configuration

②

EVWVL3042

Worksurface size offering. Listed on every product page with price listing.

Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

③

EVWVL3042-T431

Laminate code for surface. See Textiles & Finishes pages 251-252.

④

EVWVL3042-T431-CHR


PVC code for trim. See Textiles & Finishes pages 240-241.



WORKSURFACES - HARDWARE

Example:

Product: **End Panel**



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Hardware category

End Panel.

End **P**anel.




Laminate code for End Panel. See Textiles & Finishes pages 251-252.

STORAGE

Example:

Product: **Box, Box, File Pedestal**



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Storage category

Box drawer


Box drawer

File drawer

ACCESSORIES

Example:

Product: **White Board**



Base Code found on the product page to the left of the product name and a simple product illustration.

EVolve product line

Accessories category

White **B**oard

White **B**oard



panels

TECHNICAL FEATURES OF EVOLVE PANELS:

- Evolve Panels are 2 7/8" thick.
- An aluminum low profile top cap is included with the panel.
- Base Raceway will allow for 140 data cables without electrical, or 48 data cables with electrical.
- Beltline Raceway will allow for 65 data cables without electrical or 54 data cables with electrical.
- 90 degree post extension will allow for 45 data cables without electric and 25 data cables with electric.
- Raceway knockout openings are 1.38" x 2.71".
- Acoustic Rating: .65 = NRC - Noise Reduction Coefficient
- STC: 23 = Sound Transmission Coefficient

BASIC FEATURES OF EVOLVE PANELS:

- Evolve Segmented Panels are available in four (4) basic heights: 30", 42", 54" and 66"; and eight (8) widths: 18", 24", 30" 36", 42", 48", 54" High and 60".
- Evolve Monolithic Panels are available in four (4) basic heights: 42", 48", 54" and 66"; and eight (8) widths: 18", 24", 30" 36", 42", 48", 54" and 60".
- Evolve Panels must include the same segmentation on both sides of the panel. Cannot be Monolithic on one side and Segmented on the other.
- Opposite sides of each Fabric Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- There is no panel creep in a straight Panel-to-Panel configuration; however, a corner post (2, 3, 4 way) will add 3.25" inches to a panel run.
- All Fabric Acoustic Panels (EVPFA) are composed of a 6" raceway module and a 24" base-height module which create the EVPFA30. Subsequent heights are created by adding either a 12" high module to create an EVPFA42 or a 24" high module to create an EVPFA54. The addition of both 12" and 24" modules creates a EVPFA66.
- In contrast, a Premium Panel (EVPFP) is composed of a 6" raceway module, a 24" base-height module and either two (2) or three (3) 12" modules which make up the two premium heights: EVPFP54 and EVPFP66.
- All Panels available with Aluminum trim as a standard option.
- Individual fabric covered acoustic modules incorporated into a rigid steel frame.
- Raceway covers included with panels
- Beltline Panels contain a 6" Power Belt Module that is metal with knockouts on both sides.

BASIC FEATURES OF EXTENSION MODULES:

- Stackability: Evolve Panels can be increased in height in 6", 12", 18" or 24" increments. See Extension Module (pages 82-90) for part numbers.
- Panel Extension Modules stack on the top of a Panel.
- Modules can be stacked to add privacy or divide space.
- Opposite sides of a fabric module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one Panel, the entire Module must be priced at highest grade.


GENERAL WARRANTY INFORMATION:

- Panel and tackboard textiles, adjustable keyboard mechanisms, tasklights and electrical devices = ten (10) Years
- Other parts = Lifetime Warranty




MONOLITHIC PANELS - PAGES 22-27

Monolithic Panel




EVPFAM42 EVPFAM48 EVPFAM54 EVPFAM66

Monolithic Light Panel




EVPLFAM42 EVPLFAM48 EVPLFAM54 EVPLFAM66

Monolithic Beltline Powered Panel




EVPBFA42 EVPBFA54 EVPBFA66

Monolithic Beltline Powered Light Panel




EVPBLFAM42 EVPBLFAM54 EVPBLFAM66

Monolithic Beltline Powered Chimney Panel




EVPCFAM42 EVPCFAM54 EVPCFAM66

Chimney Jumper Cable Kit




EVE8CPCP

Monolithic Beltline Non-Powered Panel



EVPBFFAM54 EVPBFFAM66


Monolithic Beltline Non-Powered Light Panel



EVPBLFFAM54 EVPBLFFAM66


SEGMENTED PANELS - PAGES 28-33

Segmented Panel




EVPFA30 EVPFA42 EVPFA54 EVPFA66 EVPFA66S

Segmented Light Panel




EVPLFA30 EVPLFA42 EVPLFA54 EVPLFA66 EVPLFA66S

Segmented Premium Panel




EVPPF54 EVPPF66

Segmented Premium Light Panel




EVPLFP54 EVPLFP66

Segmented Beltline Powered Panel




EVPBFA54 EVPBFA66

Segmented Beltline Powered Light Panel




EVPBLFA54 EVPBLFA66

Segmented Beltline Powered Chimney Panel




EVPCFCA54 EVPCFCA66

Chimney Jumper Cable Kit




EVE8CPCP

Segmented Beltline Non-Powered Panel



EVPBFFA54 EVPBFFA66


Segmented Beltline Non-Powered Light Panel



EVPBLFFA54 EVPBLFFA66


PARTLY GLAZED - TEMPERED GLASS PANELS - PAGES 34-43

Monolithic 12"H Glazed Panel




EVPMGTU48 EVPMGTU54 EVPMGTU66

Monolithic 12"H Glazed Light Panel




EVPLMGTU48 EVPLMGTU54 EVPLMGTU66

Segmented 12"H Glazed Panel




EVPGFTU66

Segmented 12"H Glazed Light Panel




EVPLFGTU66

Segmented 12"H Glazed Premium Panel




EVPPFGTU54 EVPPFGTU66

Segmented 12"H Glazed Premium Light Panel




EVPLFPGTU54 EVPLFPGTU66

Partly Glazed Panel




EVPGT42 EVPGT54 EVPGT66

Partly Glazed Light Panel




EVPLFGT42 EVPLFGT54 EVPLFGT66

Partly Glazed Panel - 36"H




EVPGTX66

Partly Glazed Light Panel - 36"H




EVPLFGTX66

Partly Glazed Beltline Powered Panel




EVPBFGT54 EVPBFGT66

Partly Glazed Beltline Powered Light Panel




EVPBBLFGT54 EVPBBLFGT66

Partly Glazed Beltline Powered Chimney Panel




EVPBBCFGT54 EVPBBCFGT66

Chimney Jumper Cable Kit




EVE8CPCP

Partly Glazed Premium Panel




EVPPFGT54 EVPPFGT66

Partly Glazed Premium Light Panel




EVPLFPGT54 EVPLFPGT66



FULLY GLAZED - TEMPERED GLASS PANELS - PAGES 44-47**Fully Monolithic Panel**


EVPXGT42 EVPXGT48 EVPXGT54 EVPXGT66

Fully Monolithic Light Panel


EVPLXGT42 EVPLXGT48 EVPLXGT54 EVPLXGT66

Fully Glazed Segmented Panel


EVPGT54

Fully Glazed Segmented Light Panel


EVPLGT54

Fully Glazed Premium Panel


EVPGPT42 EVPGPT54 EVPGPT66

Fully Glazed Premium Light Panel

EVPLGPT42 EVPLGPT54 EVPLGPT66

PASS-THRU SLIDING DOOR - PAGES 50-51**Pass-Thru Sliding Door Glazed Panel**


EVPFSG54 EVPFSG66 EVPFPSG66

Fabric Glazed Pass-Thru Sliding Door Panel

EVPFSGX42 EVPFSGX54 EVPFSGX66


SLATWALL PANELS - PAGES 52-58

Slatwall Panel - Single Sided




EVPF1S42 EVPF1S54 EVPF1S66 EVPF1S66M

Slatwall Light Panel - Single Sided




EVPLF1S42 EVPLF1S54 EVPLF1S66 EVPLF1S66M

Slatwall Panel - Double Sided




EVPF2S42 EVPF2S54 EVPF2S66 EVPF2S66M

Slatwall Light Panel - Double Sided




EVPLF2S42 EVPLF2S54 EVPLF2S66 EVPLF2S66M

Frameless Slatwall Panel - Double Sided




EVPS2FA42 EVPS2FA54 EVPS2FA66

Frameless Slatwall Beltline Powered Panel - DS




EVPBSFA42 EVPBSFA54 EVPBSFA66

Frameless Slatwall Beltline Powered Light Panel - DS




EVPBLSFA42 EVPBLSFA54 EVPBLSFA66

Frameless Slatwall Beltline Powered Chimney Panel - Double Sided



EVPBCSFA42 EVPBCSFA54 EVPBCSFA66


Chimney Jumper Cable Kit



EVE8CPCP


WRITE BOARD PANELS - PAGES 59-60

Write Board Panel - Single Sided




EVPF1W54 EVPF1W66

Write Board Light Panel - Single Sided




EVPLF1W54 EVPLF1W66

Write Board Panel - Double Sided



EVPF2W54 EVPF2W66

Write Board Light Panel - Double Sided




EVPLF2W54 EVPLF2W66




LAMINATE PANELS - PAGES 61-64

Laminate Panel - Single Sided




EVPH1S30 EVPH1S42 EVPH1S54 EVPH1S66

Laminate Light Panel - Single Sided




EVPLH1S30 EVPLH1S42 EVPLH1S54 EVPLH1S66

Laminate Panel - Double Sided



EVPH2S30 EVPH2S42 EVPH2S54 EVPH2S66


Laminate Light Panel - Double Sided



EVPLH2S30 EVPLH2S42 EVPLH2S54 EVPLH2S66


AIRFLOW PANELS - PAGES 65-68

Airflow Panel




EVPAF30 EVPAF42 EVPAF54 EVPAF66

Airflow Light Panel




EVPLAF30 EVPLAF42 EVPLAF54 EVPLAF66

Airflow Premium Panel




EVPPAF54 EVPPAF66

Airflow Premium Light Panel



EVPPPAF42 EVPPPAF66


Airflow Middle Premium Light Panel



EVPLPMAF66


METAL SKIN PANELS - PAGES 69-72

Metal Skin Panel - Single Sided




EVPM1S30 EVPM1S42 EVPM1S54 EVPM1S66

Metal Skin Light Panel - Single Sided




EVPLM1S30 EVPLM1S42 EVPLM1S54 EVPLM1S66

Metal Skin Panel - Double Sided



EVPM2S30 EVPM2S42 EVPM2S54 EVPM2S66

Metal Skin Light Panel - Double Sided




EVPLM2S30 EVPLM2S42 EVPLM2S54 EVPLM2S66




OPEN PANELS - PAGES 73-78


Open Bottom Panel




Open Bottom Light Panel




Open Bottom Premium Panel




Open Bottom Premium Light Panel




Open Middle Panel - 12" H Opening




Open Middle Light Panel - 12" H Opening




Open Middle Premium Panel - 12" H Opening




Open Middle Premium Light Panel - 12" H Opening



Open Middle Panel - 24" H Opening




Open Middle Light Panel - 24" H Opening




NO RACEWAY PANELS - PAGES 79-91

Segmented



EVPA3018NR

Monolithic



EVPFAM4218NR

Laminate - Single Sided




EVPH1S3018NR

Laminate - Double Sided




EVPH2S3018NR

Fully Glazed Monolithic




EVPGT9018NR

Inline Connector




EVPIC30NR

End of Run




EVPERA30NR

Corner Post - One Way




EVPCPA130NR

Inline Corner Post - Two Way




EVPIPA230NR

Corner Post - Two Way




EVPCPA230PNR

Corner Post - Three Way



EVPCPA330PNR

Corner Post - Four Way



EVPCPA430PNR



GALLERY PANELS - PAGES 92-105

Laminate Double Sided Finished Ends



EVLEPDS4251NC

Laminate Double Sided Connector Ends



EVLEPDS4251

Laminate Single Sided Finished Ends



EVLEPSSL4227NC

Laminate Double Sided Connector Ends



EVLEPSSL4227

Laminate Double Sided Middle Base Power, Finished Ends



EVLEPDC4251NC

Laminate Double Sided Middle Beltline Power, Finished Ends



EVICLXP4251NC

Laminate Double Sided Base Power, Connector Ends



EVLEPDC4251

Laminate Double Sided Middle Beltline Power, Connector Ends



EVICLXP4251

Laminate Single Sided Middle Base Power, Finished Ends



EVLEPSC4227NC

Laminate Single Sided Middle Base Power, Connector End



EVLEPSC4227

Laminate Single Sided Middle Beltline Power, Finished Ends



EVLEPSCB4227NC

Laminate Single Sided Middle Beltline Power, Connector End



EVLEPSCB4227

Laminate Gallery Extension Finished End



EVLXPM4224NC

Laminate Gallery Straight Extension, Connector Ends



EVLXPM4224

Laminate Gallery Two-Way Extension, Finished Ends



EV2LXPL4225

Laminate Gallery Three-Way Extension, Finished Ends



EV3LXPL4249

Laminate Double Gallery for Four-Way, Finished Ends




EV4LXP4249

Laminate Extension Panel for Four-Way, Finished Ends




EV4LXPM4224

Panel Connector with U Channel



EVPERCH42

Panel Connector w/U Channel For Beltline Panels



EVPPBERCH42

Laminate Gallery Panel Bottom Bracket



EVHLPBB01

Laminate Gallery Panel Corner Bracket



EVHLPBCB01


Connector w/U Channel Top Trim Aluminum



EVPTTAU24

1" LAMINATE PANELS - PAGES 106-108

1" Laminate End Panel



EVLEPR42

1" Laminate Middle Panel




EVLMP42

1" Laminate End Panel w/ Accessory Rail




EVLEPR42A

1" Laminate Middle Panel w/ Accessory Rail




EVLMP42A

Double Inline Panel Connector




EVPDIC42

Beltline Double Inline Panel Connector




EVPBDIC42

Double Inline Connector Trim



EVPDVTF42


Double Inline Panel Connector Top Trim - Aluminum




EVPTTA25

DOOR PANELS - PAGES 110-112

Door Panel - Solid



EVPDS84



EVPDS90

Knob Lock Set




EVPDSL01

Lever Lock Set




EVPDSL02

Sliding Door Lock




EVPDSLLOCK

Sliding Door




EVPDPS

Mini Panel Kit



EVMPK02

Low Profile Foot



EVHLPF01



PRIVACY PANELS - PAGES 149-164

Glazed Monolithic Privacy Panel



EVPPXGTF4218

Ribbed Monolithic Privacy Panel



EVPPXGR4218 EVPPXGR4218M EVPPXGRF4218

78" Glazed Monolithic Privacy Panel




EVPPXGT7824 EVPPXGT7824M EVPPXGTF7824

Glazed Privacy Panel



EVPPGT5424 EVPPGT5424M

Glazed Privacy Panel



EVPPGT6624 EVPPGT6624M

Laminate Glazed Privacy Panel




EVPPHGTU5424 EVPPHGTU5424M

Laminate Glazed Privacy Panel




EVPPHGT5424 EVPPHGT6624M

Laminate Privacy Panel



EVPPH2S5424 EVPPH2S5424M

Write Board Glazed Privacy Panel



EVPPF2W5424 EVPPF2W5424M

Write Board Laminate Privacy Panel




EVPPH2W5424 EVPPH2W5424M

This page provides an exploded view of a sample configuration highlighting each **Panel** component required when specifying this configuration.

Components

A. EVPERA66	End-of-Run Kit (Wall mount) Note: adds 1" to the width of a Panel Run.	E. EVPVC66	Variable-Height Connector Note: Connector height must reference taller Panel.
B. EVPFA6636	Segmented Panel	F. EVPTVA24	Panel Trim Variable-Height
C. EVPIC66	Inline Panel Connector	G. EVPFA4236	Segmented Panel
D. EVPCPA266	Two-Way Corner Post Note: Trim kit included. Post Connectors can be custom manufactured with or without slots. Contact your Evolve Customer Support Representative for a special quote.		



This page provides an exploded view of a sample configuration highlighting each **Beltline Power Panel** component required when specifying this configuration.

Components

A. EVPERA66 End-of-Run Kit (Wall mount)
Note: adds 1" to the width of a Panel Run.

B. EVPBCFAM6636 Monolithic Beltline Powered Chimney Panel

C. EVPBIC66 Inline Panel Connector for Beltline Electric Panels


D. EVPBIPA266 Two-Way Corner Post for Beltline Electric Panels

Note: Trim kit included.
Post Connectors can be custom manufactured with or without slots. Contact your Evolve Customer Support Representative for a special quote.
Note: All beltline post connectors come with PVC covers to install at beltline height on all sides.

E. EVPVC66 Variable-Height Connector for Beltline Electric Panels
Note: Connector height must reference taller Panel.

F. EVPTEA24 Panel Extension Trim

G. EVPBFAM4236 Monolithic Beltline Powered Panel



EACH ORDER MUST INCLUDE:

- Purchase Order
- Layout showing where the image(s) appear in the run of panels.
- A completed Price Chart, showing the location of the image(s) on each appropriate panel.
- Artwork must be submitted in accordance with the following artwork specifications.
- NOTE: Final artwork specification approval must be given before order can be processed.

TRANSFER DEVICES

- Email up to 10MB to your Evolve Customer Service Representative.
- Courier CD/DVD/USB drive to your Evolve Customer Service Representative.

ARTWORK SPECIFICATIONS

- Non-Photographic artwork should be vector art. Saved in Adobe Illustrator (.ai) or as an EPS (.eps)
- All bitmap or photographic artwork has to be at a minimum of 100 dpi at the full size of the panel to be printed.
- We accept Adobe CS5 files.
- Any linked files must be included or imbedded.
- Leave any PSD files un-flattened
- All fonts must be converted to outlines.
- Do not convert to CMYK, leave all images as RGB if possible
- No Word, Powerpoint, Publisher or other Microsoft files can be used.
- Include a PDF or .jpg for reference when sending native Photoshop or Illustrator format files.

COLOR MATCHING

- A Pantone color reference must be supplied or we cannot accept responsibility for correct color or color correction.
- When it is not possible to refer to Pantone colors, we will do our best to meet your requirements.

IMAGE CLARITY

- We will advise should the selected image not lend itself to the element size requested.

NOTE:

- We reserve the right to put an order on hold when the files are found to be incomplete or when documents have been either incorrectly saved, fonts have not been converted to curves or the job appears not to be commercially acceptable.

IMAGE BLEED:



- To facilitate placement on the panel. Extension of the image past the finished visible area of the panel (bleed) is required.
- Evolve Panels need a 3.5" bleed on all sides



EXAMPLE OF IMAGE RESOLUTION:

- The resolution required for a 36 wide x 24 high Evolve panel at 100dpi (minimum resolution)


The resolution required for a 36 wide x 24 high Evolve panel at 300dpi (higher quality)



EVOLVE SYSTEMS - GRAPHIC PANEL EXAMPLE PROCEDURE

STEP 1: Customer orders the following EVPFA6636 panel with;

- Bottom module inside face (24/36 size fabric) with image 01.
- Middle module inside face (12/36 size fabric) with image 02.
- All other fabric material is regular fabric - top module inside face and all outside module faces.



STEP 2: On the regular panel - replace fabric pieces with corresponding graphic pieces.

STEP 3: On the regular panel - replace fabric pieces with corresponding graphic pieces.

- EVPGRP1236 for the middle module inside face
- EVPGRP2436 for the bottom module inside face

EVPGRP - 6" H GRAPHIC FABRIC FACTORY INSTALLED

- Graphic fabric for one side of 6" module.
- Graphic fabric to be installed at factory at specified 6" H module of fabric panel
- Fabric panel not included. Prices shown are an upcharge to the applicable panel price. Please add the upcharge to the list price of the panel on which you are specifying a graphic.
- Applies to the following panels: EVPFA, EVPFP, EVPF1W, EVPF2W, EVPF1S, EVPF2S, EVPFGT, EVPFPGTU, EVPFOL, EVPFPOL, EVPFO, EVPFFO, EVPFE, EVPFPPE
- Note: initial set up charge is \$250 net per image

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Graphic fabric for 6" Module	EVPGRP0624	171	6	24	
	EVPGRP0630	214	6	30	
	EVPGRP0636	257	6	36	
	EVPGRP0642	299	6	42	
	EVPGRP0648	342	6	48	
	EVPGRP0654	388	6	54	
	EVPGRP0660	432	6	60	

EVPGRP - 12" H GRAPHIC FABRIC FACTORY INSTALLED

- Graphic fabric for one side of 12" module.
- Graphic fabric to be installed at factory at specified 12" H module of fabric panel
- Fabric panel not included. Prices shown are an upcharge to the applicable panel price. Please add the upcharge to the list price of the panel on which you are specifying a graphic.
- Applies to the following panels: EVPFA, EVPFP, EVPF1W, EVPF2W, EVPF1S, EVPF2S, EVPFGT, EVPFPGTU, EVPFOL, EVPFPOL, EVPFO, EVPFFO, EVPFE, EVPFPPE
- Note: initial set up charge is \$250 net per image

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Graphic fabric for 12" Module	EVPGRP1224	171	12	24	
	EVPGRP1230	214	12	30	
	EVPGRP1236	257	12	36	
	EVPGRP1242	299	12	42	
	EVPGRP1248	342	12	48	
	EVPGRP1254	388	12	54	
	EVPGRP1260	432	12	60	

EVPGRP - 18" H GRAPHIC FABRIC FACTORY INSTALLED

- Graphic fabric for one side of 18" module.
- Graphic fabric to be installed at factory at specified 18" H module of fabric panel
- Fabric panel not included. Prices shown are an upcharge to the applicable panel price. Please add the upcharge to the list price of the panel on which you are specifying a graphic.
- Applies to the following panels: EVPFA, EVPFP, EVPF1W, EVPF2W, EVPF1S, EVPF2S, EVPFGT, EVPFPGTU, EVPFOL, EVPFPOL, EVPFO, EVPFFO, EVPFE, EVPFPPE
- Note: initial set up charge is \$250 net per image

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Graphic fabric for 18" Module	EVPGRP1824	336	18	24	
	EVPGRP1830	422	18	30	
	EVPGRP1836	510	18	36	
	EVPGRP1842	598	18	42	
	EVPGRP1848	683	18	48	
	EVPGRP1854	769	18	54	
	EVPGRP1860	858	18	60	




EVPGRP - 24" H GRAPHIC FABRIC FACTORY INSTALLED

- Graphic fabric for one side of 24" module.
- Graphic fabric to be installed at factory at specified 24" H module of fabric panel
- Fabric panel not included. Prices shown are an upcharge to the applicable panel price. Please add the upcharge to the list price of the panel on which you are specifying a graphic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Graphic fabric for 24" Module				
	EVPGRP2424	336	24	24	
	EVPGRP2430	422	24	30	
	EVPGRP2436	510	24	36	
	EVPGRP2442	598	24	42	
	EVPGRP2448	683	24	48	
	EVPGRP2454	769	24	54	
	EVPGRP2460	858	24	60	


EVPGRP - 36" H GRAPHIC FABRIC FACTORY INSTALLED

- Graphic fabric for one side of 36" module (42" panel)
- Graphic fabric to be installed at factory on monolithic module
- Fabric panel not included. Prices shown are an upcharge to the applicable panel price. Please add the upcharge to the list price of the panel on which you are specifying a graphic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Graphic fabric for 36" Monolithic Module				
	EVPGRP3624	510	36	24	
	EVPGRP3630	656	36	30	
	EVPGRP3636	785	36	36	
	EVPGRP3642	914	36	42	
	EVPGRP3648	1044	36	48	
	EVPGRP3654	1176	36	54	
	EVPGRP3660	1306	36	60	

EVPGRP - 42" H GRAPHIC FABRIC FACTORY INSTALLED


- Graphic fabric for one side of 42" module (48" panel)
- Graphic fabric to be installed at factory on monolithic module
- Fabric panel not included. Prices shown are an upcharge to the applicable panel price. Please add the upcharge to the list price of the panel on which you are specifying a graphic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Graphic fabric for 42" Monolithic Module				
	EVPGRP4224	599	42	24	
	EVPGRP4230	762	42	30	
	EVPGRP4236	914	42	36	
	EVPGRP4242	1067	42	42	
	EVPGRP4248	1221	42	48	
	EVPGRP4254	1371	42	54	
	EVPGRP4260	1524	42	60	




EVPGRP - 48" H GRAPHIC FABRIC FACTORY INSTALLED

- Graphic fabric for one side of 48" module (54" panel).
- Graphic fabric to be installed at factory on monolithic module
- Fabric panel not included. Prices shown are an upcharge to the applicable panel price. Please add the upcharge to the list price of the panel on which you are specifying a graphic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Graphic fabric for 48" Monolithic Module	EVPGRP4824 EVPGRP4830 EVPGRP4836 EVPGRP4842 EVPGRP4848 EVPGRP4854 EVPGRP4860	681 870 975 1221 1394 1569 1741	48 48 48 48 48 48 48	24 30 36 42 48 54 60

EVPGRP - 60" H GRAPHIC FABRIC FACTORY INSTALLED

- Graphic fabric for one side of 60" module (66" panel).
- Graphic fabric to be installed at factory on monolithic module
- Fabric panel not included. Prices shown are an upcharge to the applicable panel price. Please add the upcharge to the list price of the panel on which you are specifying a graphic.





DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Graphic fabric for 60" Monolithic Module	EVPGRP6024 EVPGRP6030 EVPGRP6036 EVPGRP6042 EVPGRP6048 EVPGRP6054 EVPGRP6060	858 1090 1306 1524 1741 1958 2176	60 60 60 60 60 60 60	24 30 36 42 48 54 60



EVPFAM - MONOLITHIC PANEL




- Monolithic Panel incorporates fabric modules within a solid steel frame.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.

- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	EVPFAM4218	389	427	42	18	2 7/8
	EVPFAM4224	417	464	42	24	2 7/8
	EVPFAM4230	477	532	42	30	2 7/8
	EVPFAM4236	509	572	42	36	2 7/8
	EVPFAM4242	562	636	42	42	2 7/8
	EVPFAM4248	613	694	42	48	2 7/8
	EVPFAM4254	674	764	42	54	2 7/8
	EVPFAM4260	727	824	42	60	2 7/8
	EVPFAM4818	394	432	48	18	2 7/8
	EVPFAM4824	434	482	48	24	2 7/8
	EVPFAM4830	502	559	48	30	2 7/8
	EVPFAM4836	547	610	48	36	2 7/8
	EVPFAM4842	610	683	48	42	2 7/8
	EVPFAM4848	662	742	48	48	2 7/8
	EVPFAM4854	732	823	48	54	2 7/8
	EVPFAM4860	796	894	48	60	2 7/8
	EVPFAM5418	400	438	54	18	2 7/8
	EVPFAM5424	440	487	54	24	2 7/8
	EVPFAM5430	511	566	54	30	2 7/8
	EVPFAM5436	569	635	54	36	2 7/8
	EVPFAM5442	634	707	54	42	2 7/8
	EVPFAM5448	690	771	54	48	2 7/8
	EVPFAM5454	756	850	54	54	2 7/8
	EVPFAM5460	828	927	54	60	2 7/8
	EVPFAM6618	493	531	66	18	2 7/8
	EVPFAM6624	540	588	66	24	2 7/8
	EVPFAM6630	610	668	66	30	2 7/8
	EVPFAM6636	711	774	66	36	2 7/8
	EVPFAM6642	796	869	66	42	2 7/8
	EVPFAM6648	863	942	66	48	2 7/8
	EVPFAM6654	959	1047	66	54	2 7/8
	EVPFAM6660	1052	1149	66	60	2 7/8

EVPLFAM - MONOLITHIC LIGHT PANEL


- Monolithic Light Panel incorporates fabric modules within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Monolithic Light Panel - 42" High	EVPLFAM4218 EVPLFAM4224 EVPLFAM4230 EVPLFAM4236 EVPLFAM4242 EVPLFAM4248 EVPLFAM4254 EVPLFAM4260	374 393 452 483 537 582 640 693	410 440 507 546 606 661 722 786	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Light Panel - 48" High	EVPLFAM4818 EVPLFAM4824 EVPLFAM4830 EVPLFAM4836 EVPLFAM4842 EVPLFAM4848 EVPLFAM4854 EVPLFAM4860	379 412 477 518 579 630 695 756	415 459 530 577 649 705 782 851	48 48 48 48 48 48 48 48	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Light Panel - 54" High	EVPLFAM5418 EVPLFAM5424 EVPLFAM5430 EVPLFAM5436 EVPLFAM5442 EVPLFAM5448 EVPLFAM5454 EVPLFAM5460	380 419 486 540 601 654 718 786	416 463 541 601 671 733 808 880	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic Light Panel - 66" High	EVPLFAM6618 EVPLFAM6624 EVPLFAM6630 EVPLFAM6636 EVPLFAM6642 EVPLFAM6648 EVPLFAM6654 EVPLFAM6660	471 513 579 674 756 820 909 998	507 560 636 737 826 895 997 1093	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



EVPBFAM - MONOLITHIC BELTLINE POWERED PANEL

- Monolithic Beltline Powered Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both side.
- A Chimney Panel is required to run electric and data from the base to belt.
- Beltline Connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Powered Panel - 42" High 24" Fabric /6" Power Belt /6" Fabric	EVPBFAM4224	514	543	42	24	2 7/8
		EVPBFAM4230	607	641	42	30	2 7/8
		EVPBFAM4236	692	733	42	36	2 7/8
		EVPBFAM4242	779	826	42	42	2 7/8
		EVPBFAM4248	863	915	42	48	2 7/8
		EVPBFAM4254	944	1002	42	54	2 7/8
		EVPBFAM4260	1029	1092	42	60	2 7/8
	Monolithic Beltline Powered Panel - 54" High 24" Fabric /6" Power Belt /18" Fabric	EVPBFAM5424	617	656	54	24	2 7/8
		EVPBFAM5430	724	771	54	30	2 7/8
		EVPBFAM5436	818	873	54	36	2 7/8
		EVPBFAM5442	917	978	54	42	2 7/8
		EVPBFAM5448	1007	1077	54	48	2 7/8
		EVPBFAM5454	1106	1181	54	54	2 7/8
		EVPBFAM5460	1199	1281	54	60	2 7/8
	Monolithic Beltline Powered Panel - 66" High 24" Fabric /6" Power Belt /30" Fabric	EVPBFAM6624	730	800	66	24	2 7/8
		EVPBFAM6630	852	932	66	30	2 7/8
		EVPBFAM6636	963	1056	66	36	2 7/8
		EVPBFAM6642	1085	1191	66	42	2 7/8
		EVPBFAM6648	1198	1318	66	48	2 7/8
		EVPBFAM6654	1313	1445	66	54	2 7/8
		EVPBFAM6660	1429	1574	66	60	2 7/8

EVPBLFAM - MONOLITHIC BELTLINE POWERED LIGHT PANEL




- Monolithic Beltline Powered Light Panel incorporates fabric modules with a power beltline raceway within a solid steel frame
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- There is no base raceway in Light Panels to accommodate electrical
- Light Beltline Panel Connectors must be used in conjunction with Light Beltline Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Powered Light Panel - 42" High 24" Fabric /6" Power Belt /6" Fabric	EVPBLFAM4224	488	517	42	24	2 7/8
		EVPBLFAM4230	577	611	42	30	2 7/8
		EVPBLFAM4236	656	697	42	36	2 7/8
		EVPBLFAM4242	739	786	42	42	2 7/8
		EVPBLFAM4248	820	870	42	48	2 7/8
		EVPBLFAM4254	898	956	42	54	2 7/8
		EVPBLFAM4260	976	1039	42	60	2 7/8
	Monolithic Beltline Powered Light Panel - 54" High 24" Fabric /6" Power Belt /18" Fabric	EVPBLFAM5424	569	610	54	24	2 7/8
		EVPBLFAM5430	666	714	54	30	2 7/8
		EVPBLFAM5436	752	807	54	36	2 7/8
		EVPBLFAM5442	840	903	54	42	2 7/8
		EVPBLFAM5448	928	998	54	48	2 7/8
		EVPBLFAM5454	1019	1094	54	54	2 7/8
		EVPBLFAM5460	1102	1184	54	60	2 7/8
	Monolithic Beltline Powered Light Panel - 66" High 24" Fabric /6" Power Belt /30" Fabric	EVPBLFAM6624	679	748	66	24	2 7/8
		EVPBLFAM6630	789	869	66	30	2 7/8
		EVPBLFAM6636	894	988	66	36	2 7/8
		EVPBLFAM6642	1007	1113	66	42	2 7/8
		EVPBLFAM6648	1113	1235	66	48	2 7/8
		EVPBLFAM6654	1221	1351	66	54	2 7/8
		EVPBLFAM6660	1328	1473	66	60	2 7/8




EVPBCFAM - MONOLITHIC BELTLINE POWERED CHIMNEY PANEL

- Monolithic Chimney Beltline Powered Panel incorporates fabric modules with a power beltline raceway within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module listings for part numbers

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Monolithic Beltline Powered Chimney Panel - 42" High 24" Fabric Chimney /6" Power Belt /6" Fabric	EVPBCFAM4236 EVPBCFAM4242	777 865	818 912	42	36	2 7/8 2 7/8
 Monolithic Beltline Powered Chimney Panel - 54" High 24" Fabric Chimney /6" Power Belt /18" Fabric	EVPBCFAM5436 EVPBCFAM5442	899 1001	956 1064	54	36	2 7/8 2 7/8
 Monolithic Beltline Powered Chimney Panel - 66" High 24" Fabric Chimney /6" Power Belt /30" Fabric	EVPBCFAM6636 EVPBCFAM6642	1047 1170	1141 1276	66	36	2 7/8 2 7/8

EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT


- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W	D		
 Chimney Panel Jumper Cable Kit	EVE8CPCP	365				





EVPBFFAM - MONOLITHIC BELTLINE NON-POWERED PANEL

- Monolithic Beltline Non-Powered Panel incorporates fabric modules within a solid steel frame.
- Electrical cannot pass through panel at the beltline level.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Non-Powered Panel - 54" High 24" Fabric /6" Fabric /18" Fabric	EVPBFFAM5424	617	661	54	24	2 7/8
		EVPBFFAM5430	724	777	54	30	2 7/8
		EVPBFFAM5436	818	879	54	36	2 7/8
		EVPBFFAM5442	917	987	54	42	2 7/8
		EVPBFFAM5448	1007	1087	54	48	2 7/8
		EVPBFFAM5454	1106	1196	54	54	2 7/8
		EVPBFFAM5460	1199	1296	54	60	2 7/8
	Monolithic Beltline Non-Powered Panel - 66" High 24" Fabric /6" Fabric /30" Fabric	EVPBFFAM6624	730	801	66	24	2 7/8
		EVPBFFAM6630	852	939	66	30	2 7/8
		EVPBFFAM6636	963	1062	66	36	2 7/8
		EVPBFFAM6642	1085	1201	66	42	2 7/8
		EVPBFFAM6648	1198	1326	66	48	2 7/8
		EVPBFFAM6654	1313	1453	66	54	2 7/8
		EVPBFFAM6660	1429	1587	66	60	2 7/8

EVPBLFFAM - MONOLITHIC BELTLINE NON-POWERED LIGHT PANEL

- Monolithic Beltline Non-Powered Light Panel incorporates all fabric modules within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Electrical cannot pass through panel at the beltline level.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.



	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic Beltline Non-Powered Light Panel - 54" High 24" Fabric /6" Fabric /18" Fabric	EVPBLFFAM5424	569	616	54	24	2 7/8
		EVPBLFFAM5430	669	724	54	30	2 7/8
		EVPBLFFAM5436	752	813	54	36	2 7/8
		EVPBLFFAM5442	840	910	54	42	2 7/8
		EVPBLFFAM5448	928	1007	54	48	2 7/8
		EVPBLFFAM5454	1019	1107	54	54	2 7/8
		EVPBLFFAM5460	1102	1199	54	60	2 7/8
	Monolithic Beltline Non-Powered Light Panel - 66" High 24" Fabric /6" Fabric /30" Fabric	EVPBLFFAM6624	679	750	66	24	2 7/8
		EVPBLFFAM6630	789	876	66	30	2 7/8
		EVPBLFFAM6636	894	993	66	36	2 7/8
		EVPBLFFAM6642	1007	1124	66	42	2 7/8
		EVPBLFFAM6648	1113	1242	66	48	2 7/8
		EVPBLFFAM6654	1221	1361	66	54	2 7/8
		EVPBLFFAM6660	1328	1486	66	60	2 7/8



EVPFA - SEGMENTED PANEL





- Segmented Panel incorporates fabric modules within a solid steel frame.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.

- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules or part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Segmented Panel - 30" High	EVPFA3018	380	398	30	18	2 7/8
		EVPFA3024	393	420	30	24	2 7/8
		EVPFA3030	440	467	30	30	2 7/8
		EVPFA3036	476	506	30	36	2 7/8
		EVPFA3042	509	547	30	42	2 7/8
		EVPFA3048	561	602	30	48	2 7/8
		EVPFA3054	606	650	30	54	2 7/8
		EVPFA3060	650	700	30	60	2 7/8
	Segmented Panel - 42" High	EVPFA4218	420	448	42	18	2 7/8
		EVPFA4224	445	479	42	24	2 7/8
		EVPFA4230	515	556	42	30	2 7/8
		EVPFA4236	552	599	42	36	2 7/8
		EVPFA4242	633	686	42	42	2 7/8
		EVPFA4248	679	740	42	48	2 7/8
		EVPFA4254	753	820	42	54	2 7/8
		EVPFA4260	824	897	42	60	2 7/8
	Segmented Panel - 54" High	EVPFA5418	451	487	54	18	2 7/8
		EVPFA5424	492	534	54	24	2 7/8
		EVPFA5430	562	617	54	30	2 7/8
		EVPFA5436	629	690	54	36	2 7/8
		EVPFA5442	711	781	54	42	2 7/8
		EVPFA5448	788	867	54	48	2 7/8
		EVPFA5454	855	942	54	54	2 7/8
		EVPFA5460	919	1013	54	60	2 7/8
	Segmented Panel - 66" High	EVPFA6618	569	613	66	18	2 7/8
		EVPFA6624	610	667	66	24	2 7/8
		EVPFA6630	677	741	66	30	2 7/8
		EVPFA6636	791	870	66	36	2 7/8
		EVPFA6642	892	979	66	42	2 7/8
		EVPFA6648	959	1056	66	48	2 7/8
		EVPFA6654	1039	1148	66	54	2 7/8
		EVPFA6660	1126	1244	66	60	2 7/8
	Segmented Panel - 66" High	EVPFA6618S	569	613	66	18	2 7/8
		EVPFA6624S	610	667	66	24	2 7/8
		EVPFA6630S	677	741	66	30	2 7/8
		EVPFA6636S	791	870	66	36	2 7/8
		EVPFA6642S	892	979	66	42	2 7/8
		EVPFA6648S	959	1056	66	48	2 7/8
		EVPFA6654S	1039	1148	66	54	2 7/8
		EVPFA6660S	1126	1244	66	60	2 7/8

EVPLFA - SEGMENTED LIGHT PANEL

- Segmented Light Panel incorporates fabric modules within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Light Panel - 30" High	EVPLFA3018	361	381	30	18	2 7/8
		EVPLFA3024	377	398	30	24	2 7/8
		EVPLFA3030	419	447	30	30	2 7/8
		EVPLFA3036	451	480	30	36	2 7/8
		EVPLFA3042	483	519	30	42	2 7/8
		EVPLFA3048	534	575	30	48	2 7/8
		EVPLFA3054	575	617	30	54	2 7/8
		EVPLFA3060	617	665	30	60	2 7/8
	Segmented Light Panel - 42" High	EVPLFA4218	397	423	42	18	2 7/8
		EVPLFA4224	422	455	42	24	2 7/8
		EVPLFA4230	489	528	42	30	2 7/8
		EVPLFA4236	528	572	42	36	2 7/8
		EVPLFA4242	600	650	42	42	2 7/8
		EVPLFA4248	645	704	42	48	2 7/8
		EVPLFA4254	714	777	42	54	2 7/8
		EVPLFA4260	785	855	42	60	2 7/8
	Segmented Light Panel - 54" High	EVPLFA5418	428	462	54	18	2 7/8
		EVPLFA5424	470	511	54	24	2 7/8
		EVPLFA5430	537	587	54	30	2 7/8
		EVPLFA5436	596	654	54	36	2 7/8
		EVPLFA5442	674	741	54	42	2 7/8
		EVPLFA5448	752	826	54	48	2 7/8
		EVPLFA5454	815	896	54	54	2 7/8
		EVPLFA5460	870	963	54	60	2 7/8
	Segmented Light Panel - 66" High	EVPLFA6618	540	579	66	18	2 7/8
		EVPLFA6624	577	634	66	24	2 7/8
		EVPLFA6630	642	705	66	30	2 7/8
		EVPLFA6636	754	827	66	36	2 7/8
		EVPLFA6642	850	931	66	42	2 7/8
		EVPLFA6648	909	1003	66	48	2 7/8
		EVPLFA6654	987	1089	66	54	2 7/8
		EVPLFA6660	1070	1183	66	60	2 7/8
	Segmented Light Panel - 66" High	EVPLFA6618S	540	579	66	18	2 7/8
		EVPLFA6624S	577	634	66	24	2 7/8
		EVPLFA6630S	642	705	66	30	2 7/8
		EVPLFA6636S	754	827	66	36	2 7/8
		EVPLFA6642S	850	931	66	42	2 7/8
		EVPLFA6648S	909	1003	66	48	2 7/8
		EVPLFA6654S	987	1089	66	54	2 7/8
		EVPLFA6660S	1070	1183	66	60	2 7/8



EVPPF - SEGMENTED PREMIUM PANEL

- Segmented Premium Panel incorporates fabric modules within a solid steel frame.
- Segmented Premium panels incorporate 12" H acoustic modules above 24" base module, plus 6" H base raceway.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	EVPPF5418	529	565	54	18	2 7/8
	EVPPF5424	561	605	54	24	2 7/8
	EVPPF5430	618	670	54	30	2 7/8
	EVPPF5436	727	788	54	36	2 7/8
	EVPPF5442	822	892	54	42	2 7/8
	EVPPF5448	879	958	54	48	2 7/8
	EVPPF5454	932	1022	54	54	2 7/8
	EVPPF5460	986	1081	54	60	2 7/8
	EVPPF6618	665	707	66	18	2 7/8
	EVPPF6624	692	747	66	24	2 7/8
	EVPPF6630	753	820	66	30	2 7/8
	EVPPF6636	797	876	66	36	2 7/8
	EVPPF6642	949	1037	66	42	2 7/8
	EVPPF6648	1038	1136	66	48	2 7/8
	EVPPF6654	1106	1207	66	54	2 7/8
	EVPPF6660	1175	1295	66	60	2 7/8

EVPLFP - SEGMENTED LIGHT PANEL - PREMIUM



- Segmented Premium Light Panel incorporates fabric modules within a solid steel frame.
- Segmented Premium panels incorporate 12" H acoustic modules above 24" base module, plus 6" H open base.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	EVPLFP5418	503	536	54	18	2 7/8
	EVPLFP5424	534	578	54	24	2 7/8
	EVPLFP5430	587	637	54	30	2 7/8
	EVPLFP5436	693	751	54	36	2 7/8
	EVPLFP5442	782	849	54	42	2 7/8
	EVPLFP5448	834	907	54	48	2 7/8
	EVPLFP5454	888	969	54	54	2 7/8
	EVPLFP5460	936	1030	54	60	2 7/8
	EVPLFP6618	633	674	66	18	2 7/8
	EVPLFP6624	656	708	66	24	2 7/8
	EVPLFP6630	714	777	66	30	2 7/8
	EVPLFP6636	757	831	66	36	2 7/8
	EVPLFP6642	899	986	66	42	2 7/8
	EVPLFP6648	986	1079	66	48	2 7/8
	EVPLFP6654	1051	1150	66	54	2 7/8
	EVPLFP6660	1115	1231	66	60	2 7/4





EVPBFA - SEGMENTED BELTLINE POWERED PANEL

- Segmented Beltline Powered Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Powered Panel - 54" High 24" Fabric /6" Power /6" Fabric /12" Fabric	EVPBFA5424	616	655	54	24	2 7/8
		EVPBFA5430	722	769	54	30	2 7/8
		EVPBFA5436	830	887	54	36	2 7/8
		EVPBFA5442	930	993	54	42	2 7/8
		EVPBFA5448	1018	1088	54	48	2 7/8
		EVPBFA5454	1115	1194	54	54	2 7/8
		EVPBFA5460	1216	1303	54	60	2 7/8
	Segmented Beltline Powered Panel - 66" High 24" Fabric /6" Power /6" Fabric /24" Fabric	EVPBFA6624	736	788	66	24	2 7/8
		EVPBFA6630	863	922	66	30	2 7/8
		EVPBFA6636	976	1046	66	36	2 7/8
		EVPBFA6642	1099	1178	66	42	2 7/8
		EVPBFA6648	1215	1305	66	48	2 7/8
		EVPBFA6654	1334	1432	66	54	2 7/8
		EVPBFA6660	1450	1559	66	60	2 7/8

EVPBLFA - SEGMENTED BELTLINE POWERED LIGHT PANEL


- Segmented Beltline Powered Light Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Light Panel Connectors must be used in conjunction with Beltline Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Powered Light Panel - 54" High 24" Fabric /6" Power /6" Fabric /12" Fabric	EVPBLFA5424	565	604	54	24	2 7/8
		EVPBLFA5430	662	709	54	30	2 7/8
		EVPBLFA5436	764	821	54	36	2 7/8
		EVPBLFA5442	858	921	54	42	2 7/8
		EVPBLFA5448	936	1006	54	48	2 7/8
		EVPBLFA5454	1028	1103	54	54	2 7/8
		EVPBLFA5460	1122	1204	54	60	2 7/8
	Segmented Beltline Powered Light Panel - 66" High 24" Fabric /6" Power /6" Fabric /24" Fabric	EVPBLFA6624	679	729	66	24	2 7/8
		EVPBLFA6630	791	850	66	30	2 7/8
		EVPBLFA6636	899	969	66	36	2 7/8
		EVPBLFA6642	1013	1093	66	42	2 7/8
		EVPBLFA6648	1115	1205	66	48	2 7/8
		EVPBLFA6654	1227	1324	66	54	2 7/8
		EVPBLFA6660	1335	1444	66	60	2 7/8




EVPBCFA - SEGMENTED BELTLINE POWERED CHIMNEY PANEL

- Segmented Chimney Beltline Powered Panel incorporates fabric modules with a power beltline raceway, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Segmented Beltline Powered Chimney Panel - 54" High 24" Fabric Chimney /6" Power / 6" Fabric /12" Fabric	EVPBCFA5436 EVPBCFA5442	917 1018	972 1079	54 54	36 42	2 7/8 2 7/8
	Segmented Beltline Powered Chimney Panel - 66" High 24" Fabric Chimney /6" Power / 6" Fabric /24" Fabric	EVPBCFA6636 EVPBCFA6642	1062 1185	1132 1265	66 66	36 42	2 7/8 2 7/8

EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT



- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W	D		
	Chimney Panel Jumper Cable Kit	EVE8CPCP		365		



EVPBFFA - SEGMENTED BELTLINE NON-POWERED PANEL

- Double Beltline Non-Powered Panel incorporates all fabric modules within a solid steel frame.
- Electrical cannot pass through panel at the beltline level.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Non-Powered Panel - 54" High 24" Fabric /6" Fabric /6" Fabric /12" Fabric	EVPBFFA5424 EVPBFFA5430 EVPBFFA5436 EVPBFFA5442 EVPBFFA5448 EVPBFFA5454 EVPBFFA5460	594 650 764 863 925 975 1023	632 703 827 933 1004 1065 1118	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
		Segmented Beltline Non-Powered Panel - 66" High 24" Fabric /6" Fabric /6" Fabric /24" Fabric	EVPBFFA6624 EVPBFFA6630 EVPBFFA6636 EVPBFFA6642 EVPBFFA6648 EVPBFFA6654 EVPBFFA6660	644 756 871 981 1072 1177 1280	699 822 945 1071 1170 1286 1400	66 66 66 66 66 66 66	24 30 36 42 48 54 60

EVPBLFFA - SEGMENTED BELTLINE NON-POWERED LIGHT PANEL

- Double Beltline Non-Powered Panel incorporates all fabric modules within a solid steel frame.
- Electrical cannot pass through panel at the beltline level.
- There is no base raceway in Light Panels to accommodate electrical
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments.
- See Extension Modules for part numbers.




	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented Beltline Non-Powered Light Panel - 54" High 24" Fabric /6" Fabric /6" Fabric /12" Fabric	EVPBLFFA5424 EVPBLFFA5430 EVPBLFFA5436 EVPBLFFA5442 EVPBLFFA5448 EVPBLFFA5454 EVPBLFFA5460	489 577 655 733 815 927 972	533 630 718 803 894 1015 1069	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
		Segmented Beltline Non-Powered Light Panel - 66" High 24" Fabric /6" Fabric /6" Fabric /24" Fabric	EVPBLFFA6624 EVPBLFFA6630 EVPBLFFA6636 EVPBLFFA6642 EVPBLFFA6648 EVPBLFFA6654 EVPBLFFA6660	610 677 791 892 959 1039 1126	665 741 865 980 1057 1148 1244	66 66 66 66 66 66 66	24 30 36 42 48 54 60



EVPMTU - MONOLITHIC 12"H GLAZED PANEL - TEMPERED GLASS

- Monolithic 12"H Glazed Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.



- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Monolithic 12"H Glazed Panel - Tempered Glass - 48" High	EVPMTU4818 EVPMTU4824 EVPMTU4830 EVPMTU4836 EVPMTU4842 EVPMTU4848 EVPMTU4854 EVPMTU4860	577 676 784 894 992 1079 1198 1313	611 723 841 960 1063 1166 1285 1414	48 48 48 48 48 48 48 48	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic 12"H Glazed Panel - Tempered Glass - 54" High	EVPMTU5418 EVPMTU5424 EVPMTU5430 EVPMTU5436 EVPMTU5442 EVPMTU5448 EVPMTU5454 EVPMTU5460	595 692 788 879 975 1079 1181 1279	634 739 847 940 1048 1166 1274 1380	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic 12"H Glazed Panel - Tempered Glass - 66" High	EVPMTU6618 EVPMTU6624 EVPMTU6630 EVPMTU6636 EVPMTU6642 EVPMTU6648 EVPMTU6654 EVPMTU6660	635 760 866 970 1078 1189 1301 1417	673 810 925 1036 1151 1271 1392 1515	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



EVPLMGTU - MONOLITHIC 12"H GLAZED LIGHT PANEL - TEMPERED GLASS

- Monolithic 12"H Glazed Light Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Monolithic 12"H Glazed Light Panel - Tempered Glass - 48" High	EVPLMGTU4818	564	600	48	18	2 7/8
		EVPLMGTU4824	660	707	48	24	2 7/8
		EVPLMGTU4830	766	823	48	30	2 7/8
		EVPLMGTU4836	879	942	48	36	2 7/8
		EVPLMGTU4842	973	1044	48	42	2 7/8
		EVPLMGTU4848	1056	1138	48	48	2 7/8
		EVPLMGTU4854	1172	1254	48	54	2 7/8
		EVPLMGTU4860	1289	1388	48	60	2 7/8
	Monolithic 12"H Glazed Light Panel - Tempered Glass - 54" High	EVPLMGTU5418	583	622	54	18	2 7/8
		EVPLMGTU5424	678	722	54	24	2 7/8
		EVPLMGTU5430	772	830	54	30	2 7/8
		EVPLMGTU5436	863	924	54	36	2 7/8
		EVPLMGTU5442	959	1030	54	42	2 7/8
		EVPLMGTU5448	1056	1138	54	48	2 7/8
		EVPLMGTU5454	1156	1246	54	54	2 7/8
		EVPLMGTU5460	1257	1355	54	60	2 7/8
	Monolithic 12"H Glazed Light Panel - Tempered Glass - 66" High	EVPLMGTU6618	622	658	66	18	2 7/8
		EVPLMGTU6624	745	795	66	24	2 7/8
		EVPLMGTU6630	851	908	66	30	2 7/8
		EVPLMGTU6636	950	1013	66	36	2 7/8
		EVPLMGTU6642	1053	1126	66	42	2 7/8
		EVPLMGTU6648	1165	1246	66	48	2 7/8
		EVPLMGTU6654	1275	1368	66	54	2 7/8
		EVPLMGTU6660	1386	1481	66	60	2 7/8



EVPGTU - FABRIC 12"H GLAZED PANEL - TEMPERED GLASS

- Segmented 12"H Glazed Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- Panels incorporate 12"H acoustic modules above 30"H base section with a 12"H glazed module at the top.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric 12" Glazed Panel - Tempered Glass 66" High	EVPGTU6618 EVPGTU6624 EVPGTU6630 EVPGTU6636 EVPGTU6642 EVPGTU6648 EVPGTU6654 EVPGTU6660	712 830 947 1059 1197 1298 1450 1598	748 877 1000 1122 1266 1377 1538 1692	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPLFGTU - FABRIC 12"H GLAZED LIGHT PANEL


- Segmented 12"H Glazed Light Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- Panels incorporate 12"H acoustic modules above 30"H base section with a 12"H glazed module at the top.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments.
- See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric 12"H Glazed Light Panel - 66" High	EVPLFGTU6618 EVPLFGTU6624 EVPLFGTU6630 EVPLFGTU6636 EVPLFGTU6642 EVPLFGTU6648 EVPLFGTU6654 EVPLFGTU6660	695 817 928 1041 1171 1271 1420 1568	729 864 980 1102 1238 1346 1507 1661	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8




EVPPGTU - SEGMENTED 12"H GLAZED PANEL - PREMIUM - TEMPERED GLASS

- Segmented 12"H Glazed Premium Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- Premium panels incorporate a 6"H base raceway, 24"H base module, 12"H acoustic module and a 12"H glazed module at the top.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Segmented 12"H Glazed Premium Panel - Tempered Glass - 54" High	EVPPGTU5418	655	682	54	18	2 7/8
		EVPPGTU5424	768	802	54	24	2 7/8
		EVPPGTU5430	867	909	54	30	2 7/8
		EVPPGTU5436	975	1025	54	36	2 7/8
		EVPPGTU5442	1094	1149	54	42	2 7/8
		EVPPGTU5448	1189	1248	54	48	2 7/8
		EVPPGTU5454	1334	1400	54	54	2 7/8
		EVPPGTU5460	1474	1547	54	60	2 7/8
	Segmented 12"H Glazed Premium Panel - Tempered Glass - 66" High	EVPPGTU6618	801	834	66	18	2 7/8
		EVPPGTU6624	940	988	66	24	2 7/8
		EVPPGTU6630	1070	1122	66	30	2 7/8
		EVPPGTU6636	1201	1264	66	36	2 7/8
		EVPPGTU6642	1356	1426	66	42	2 7/8
		EVPPGTU6648	1467	1546	66	48	2 7/8
		EVPPGTU6654	1641	1729	66	54	2 7/8
		EVPPGTU6660	1822	1919	66	60	2 7/8

EVPLPGTU - SEGMENTED 12"H GLAZED PREMIUM LIGHT PANEL – TEMPERED GLASS

- Segmented 12"H Glazed Premium Light Panel incorporates a lower fabric module with a 12"H top position glazed module, into a solid steel frame.
- Premium panels incorporate a 30"H base section, 12"H acoustic module and a 12"H glazed module at the top.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments.
- See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Segmented 12"H Glazed Premium Panel - Premium - Tempered Glass - 54" High	EVPLPGTU5418	642	668	54	18	2 7/8
		EVPLPGTU5424	754	788	54	24	2 7/8
		EVPLPGTU5430	852	893	54	30	2 7/8
		EVPLPGTU5436	959	1006	54	36	2 7/8
		EVPLPGTU5442	1075	1132	54	42	2 7/8
		EVPLPGTU5448	1165	1226	54	48	2 7/8
		EVPLPGTU5454	1306	1370	54	54	2 7/8
		EVPLPGTU5460	1443	1514	54	60	2 7/8
	Segmented 12"H Glazed Premium Panel - Premium - Tempered Glass - 66" High	EVPLPGTU6618	787	819	66	18	2 7/8
		EVPLPGTU6624	923	970	66	24	2 7/8
		EVPLPGTU6630	1047	1099	66	30	2 7/8
		EVPLPGTU6636	1180	1241	66	36	2 7/8
		EVPLPGTU6642	1329	1398	66	42	2 7/8
		EVPLPGTU6648	1439	1514	66	48	2 7/8
		EVPLPGTU6654	1607	1694	66	54	2 7/8
		EVPLPGTU6660	1786	1881	66	60	2 7/8



EVPFGT - PARTLY GLAZED PANEL - TEMPERED GLASS



- Partly Glazed Panel incorporates a lower fabric module with a 12"H or 24"H top position glazed module, into a solid steel frame.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Panel - Tempered Glass - 42" High	EVPFGT4218 EVPFGT4224 EVPFGT4230 EVPFGT4236 EVPFGT4242 EVPFGT4248 EVPFGT4254 EVPFGT4260	504 595 674 752 835 914 1021 1127	524 621 702 786 873 955 1065 1177	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Partly Glazed Panel - Tempered Glass - 54" High	EVPFGT5418 EVPFGT5424 EVPFGT5430 EVPFGT5436 EVPFGT5442 EVPFGT5448 EVPFGT5454 EVPFGT5460	557 647 752 852 952 1038 1203 1366	578 673 781 886 988 1079 1247 1419	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Partly Glazed Panel - Tempered Glass - 66" High	EVPFGT6618 EVPFGT6624 EVPFGT6630 EVPFGT6636 EVPFGT6642 EVPFGT6648 EVPFGT6654 EVPFGT6660	706 821 947 1078 1211 1316 1513 1712	734 857 988 1126 1268 1377 1580 1783	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



EVPLFGT - PARTLY GLAZED LIGHT PANEL - TEMPERED GLASS

- Partly Glazed Light Panel incorporates a lower fabric module with a 12"H or 24"H top position glazed module, into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.


	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Light Panel - Tempered Glass - 42" High	EVPLFGT4218	493	514	42	18	2 7/8
		EVPLFGT4224	583	609	42	24	2 7/8
		EVPLFGT4230	659	688	42	30	2 7/8
		EVPLFGT4236	733	767	42	36	2 7/8
		EVPLFGT4242	821	859	42	42	2 7/8
		EVPLFGT4248	893	934	42	48	2 7/8
		EVPLFGT4254	998	1042	42	54	2 7/8
		EVPLFGT4260	1105	1153	42	60	2 7/8
	Partly Glazed Light Panel - Tempered Glass - 54" High	EVPLFGT5418	547	565	54	18	2 7/8
		EVPLFGT5424	635	661	54	24	2 7/8
		EVPLFGT5430	733	762	54	30	2 7/8
		EVPLFGT5436	832	866	54	36	2 7/8
		EVPLFGT5442	934	970	54	42	2 7/8
		EVPLFGT5448	1018	1059	54	48	2 7/8
		EVPLFGT5454	1181	1228	54	54	2 7/8
		EVPLFGT5460	1339	1392	54	60	2 7/8
	Partly Glazed Light Panel - Tempered Glass - 66" High	EVPLFGT6618	693	722	66	18	2 7/8
		EVPLFGT6624	801	837	66	24	2 7/8
		EVPLFGT6630	928	969	66	30	2 7/8
		EVPLFGT6636	1053	1100	66	36	2 7/8
		EVPLFGT6642	1189	1242	66	42	2 7/8
		EVPLFGT6648	1292	1350	66	48	2 7/8
		EVPLFGT6654	1482	1549	66	54	2 7/8
		EVPLFGT6660	1679	1749	66	60	2 7/8



EVPGTX - PARTLY GLAZED PANEL - 36"H TEMPERED GLASS

- Partly Glazed Panel incorporates a lower fabric module with 36"H top position glazed module, into a solid steel frame.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.


- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	Fabric 36" Glazed Panel - Tempered Glass - 66" High	EVPGTX6618	818	836	66	18
		EVPGTX6624	901	928	66	24
		EVPGTX6630	1045	1074	66	30
		EVPGTX6636	1188	1221	66	36
		EVPGTX6642	1328	1366	66	42
		EVPGTX6648	1454	1495	66	48
		EVPGTX6654	1598	1642	66	54
		EVPGTX6660	1742	1794	66	60

EVPLFGTX - PARTLY GLAZED LIGHT PANEL - 36"H TEMPERED GLASS

- Partly Glazed Light Panel incorporates a lower fabric module with 36"H top position glazed module, into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.



- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	Partly Glazed Light Panel - 36"H Tempered Glass - 66" High	EVPLFGTX6618	789	807	66	18
		EVPLFGTX6624	874	901	66	24
		EVPLFGTX6630	1015	1043	66	30
		EVPLFGTX6636	1150	1184	66	36
		EVPLFGTX6642	1289	1325	66	42
		EVPLFGTX6648	1410	1449	66	48
		EVPLFGTX6654	1550	1592	66	54
		EVPLFGTX6660	1691	1743	66	60

EVPBFGT - PARTLY GLAZED BELTLINE POWERED PANEL

- Partly Glazed Beltline Powered Panel incorporates fabric modules with a power beltline raceway and a 12"H or 24"H glazed module, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.

- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Partly Glazed Beltline Powered Panel - 54" High 24" Fabric /6" Power Belt/ 6" Fabric /12" Glass	EVPBFGT5424 EVPBFGT5430 EVPBFGT5436 EVPBFGT5442 EVPBFGT5448 EVPBFGT5454 EVPBFGT5460	824 966 1098 1236 1370 1503 1639	853 1000 1139 1283 1422 1560 1700	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Partly Glazed Beltline Powered Panel - 66" High 24" Fabric /6" Power Belt/ 6" Fabric /24" Glass	EVPBFGT6624 EVPBFGT6630 EVPBFGT6636 EVPBFGT6642 EVPBFGT6648 EVPBFGT6654 EVPBFGT6660	936 1091 1241 1394 1537 1691 1841	965 1125 1282 1441 1589 1730 1902	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPBLFGT - PARTLY GLAZED BELTLINE POWER LIGHT PANEL

- Partly Glazed Beltline Powered Light Panel incorporates fabric modules with a power beltline raceway and a 12"H or 24"H glazed module, within a solid steel frame.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Beltline Panel Connectors must be used in conjunction with Light Beltline Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.



- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve Light panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Partly Glazed Beltline Powered Light Panel - 54" High 24" Fabric /6" Power Belt/ 6" Fabric /12" Glass	EVPBLFGT5424 EVPBLFGT5430 EVPBLFGT5436 EVPBLFGT5442 EVPBLFGT5448 EVPBLFGT5454 EVPBLFGT5460	785 919 1043 1175 1301 1429 1556	814 953 1084 1222 1353 1486 1619	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Partly Glazed Beltline Powered Light Panel - 66" High 24" Fabric /6" Power Belt/ 6" Fabric /24" Glass	EVPBLFGT6624 EVPBLFGT6630 EVPBLFGT6636 EVPBLFGT6642 EVPBLFGT6648 EVPBLFGT6654 EVPBLFGT6660	889 1036 1180 1322 1464 1607 1747	918 1070 1221 1370 1516 1664 1810	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8




EVPBCFGT - PARTLY GLAZED BELTLINE POWERED CHIMNEY PANEL - TEMPERED GLASS

- Partly Glazed Beltline Powered Chimney Panel incorporates fabric modules with a power beltline raceway and a 12"H or 24"H glazed module, within a solid steel frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Partly Glazed Beltline Powered Chimney Panel - Tempered Glass - 54" H 24" Fabric Chimney /6" Power Belt / 6" Fabric /12" Glass	EVPBCFGT5436 EVPBCFGT5442	1183 1322	1225 1370	54	36	2 7/8 2 7/8
 Partly Glazed Beltline Powered Chimney Panel - Tempered Glass - 66" H 24" Fabric Chimney /6" Power Belt / 6" Fabric /24" Glass	EVPBCFGT6636 EVPBCFGT6642	1342 1480	1383 1527	66	36	2 7/8 2 7/8



EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT

- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W	W	D	
 Chimney Panel Jumper Cable Kit	EVE8CPCP		365			



EVPPGT - PARTLY GLAZED PREMIUM PANEL - TEMPERED GLASS

- Partly Glazed Premium Panel incorporates 12"H glazed modules above 30"H fabric base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Premium Panel - Tempered Glass - 54" High	EVPPGT5418	674	695	54	18	2 7/8
		EVPPGT5424	801	824	54	24	2 7/8
		EVPPGT5430	898	927	54	30	2 7/8
		EVPPGT5436	998	1032	54	36	2 7/8
		EVPPGT5442	1113	1151	54	42	2 7/8
		EVPPGT5448	1225	1266	54	48	2 7/8
		EVPPGT5454	1370	1418	54	54	2 7/8
		EVPPGT5460	1511	1564	54	60	2 7/8
	Partly Glazed Premium Panel - Tempered Glass - 66" High	EVPPGT6618	839	859	66	18	2 7/8
		EVPPGT6624	1008	1036	66	24	2 7/8
		EVPPGT6630	1133	1162	66	30	2 7/8
		EVPPGT6636	1245	1279	66	36	2 7/8
		EVPPGT6642	1388	1426	66	42	2 7/8
		EVPPGT6648	1534	1576	66	48	2 7/8
		EVPPGT6654	1734	1784	66	54	2 7/8
		EVPPGT6660	1930	1983	66	60	2 7/8

EVPLPGT - PARTLY GLAZED PREMIUM LIGHT PANEL – TEMPERED GLASS




- Partly Glazed Premium Panel incorporates 12"H glazed modules above 30"H fabric base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments.
- See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Partly Glazed Premium Light Panel - Tempered Glass - 54" High	EVPLPGT5418	651	672	54	18	2 7/8
		EVPLPGT5424	779	800	54	24	2 7/8
		EVPLPGT5430	870	899	54	30	2 7/8
		EVPLPGT5436	972	1005	54	36	2 7/8
		EVPLPGT5442	1080	1116	54	42	2 7/8
		EVPLPGT5448	1189	1228	54	48	2 7/8
		EVPLPGT5454	1328	1375	54	54	2 7/8
		EVPLPGT5460	1465	1517	54	60	2 7/8
	Partly Glazed Premium Light Panel - Tempered Glass - 66" High	EVPLPGT6618	818	836	66	18	2 7/8
		EVPLPGT6624	981	1009	66	24	2 7/8
		EVPLPGT6630	1094	1123	66	30	2 7/8
		EVPLPGT6636	1209	1243	66	36	2 7/8
		EVPLPGT6642	1349	1385	66	42	2 7/8
		EVPLPGT6648	1487	1529	66	48	2 7/8
		EVPLPGT6654	1680	1727	66	54	2 7/8
		EVPLPGT6660	1875	1925	66	60	2 7/8




EVPXGT - FULLY GLAZED MONOLITHIC PANEL - TEMPERED GLASS

- Fully Glazed Monolithic Panels are incorporated into a solid steel frame.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Monolithic Panel - Tempered Glass - 42" High	EVPXGT4218	540	42	18	2 7/8
		EVPXGT4224	595	42	24	2 7/8
		EVPXGT4230	692	42	30	2 7/8
		EVPXGT4236	777	42	36	2 7/8
		EVPXGT4242	865	42	42	2 7/8
	Fully Glazed Monolithic Panel - Tempered Glass - 48" High	EVPXGT4818	482	48	18	2 7/8
		EVPXGT4824	616	48	24	2 7/8
		EVPXGT4830	680	48	30	2 7/8
		EVPXGT4836	839	48	36	2 7/8
		EVPXGT4842	885	48	42	2 7/8
	Fully Glazed Monolithic Panel - Tempered Glass - 54" High	EVPXGT5418	598	54	18	2 7/8
		EVPXGT5424	702	54	24	2 7/8
		EVPXGT5430	817	54	30	2 7/8
		EVPXGT5436	919	54	36	2 7/8
		EVPXGT5442	1018	554	42	2 7/8
	Fully Glazed Monolithic Panel - Tempered Glass - 66" High	EVPXGT6618	701	66	18	2 7/8
		EVPXGT6624	810	66	24	2 7/8
		EVPXGT6630	936	66	30	2 7/8
		EVPXGT6636	1052	66	36	2 7/8
		EVPXGT6642	1171	66	42	2 7/8


EVPLXGT - FULLY GLAZED MONOLITHIC LIGHT PANEL - TEMPERED GLASS

- Fully Glazed Monolithic Light Panels are incorporated into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Monolithic Light Panel - Tempered Glass - 42" High	EVPLXGT4218 EVPLXGT4224 EVPLXGT4230 EVPLXGT4236 EVPLXGT4242	513 565 656 736 822	42	18	2 7/8
	Fully Glazed Monolithic Light Panel - Tempered Glass - 48" High	EVPLXGT4818 EVPLXGT4824 EVPLXGT4830 EVPLXGT4836 EVPLXGT4842	454 585 647 799 836	48	18	2 7/8
	Fully Glazed Monolithic Light Panel - Tempered Glass - 54	EVPLXGT5418 EVPLXGT5424 EVPLXGT5430 EVPLXGT5436 EVPLXGT5442	571 669 770 870 966	54	18	2 7/8
	Fully Glazed Monolithic Light Panel - Tempered Glass - 66" High	EVPLXGT6618 EVPLXGT6624 EVPLXGT6630 EVPLXGT6636 EVPLXGT6642	668 769 890 998 1113	66	18	2 7/8
					24	2 7/8
					30	2 7/8
					36	2 7/8
					42	2 7/8

EVPGT - FULLY GLAZED SEGMENTED PANEL - TEMPERED GLASS

- Fully Glazed Segmented Panel incorporates (2) 24"H Glazed modules into a solid steel frame.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Segmented Panel - Tempered Glass - 54" High	EVPGT5418 EVPGT5424 EVPGT5430 EVPGT5436 EVPGT5442 EVPGT5448 EVPGT5454 EVPGT5460	764 937 1036 1133 1253 1398 1537 1679	54	18	2 7/8
				54	24	2 7/8
				54	30	2 7/8
				54	36	2 7/8
				54	42	2 7/8
				54	48	2 7/8
				54	54	2 7/8
				54	60	2 7/8



EVPLGT - FULLY GLAZED SEGMENTED LIGHT PANEL - TEMPERED GLASS

- Fully Glazed Segmented Light Panel incorporates (2) 24"H Glazed modules into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Segmented Light Panel Tempered Glass - 54" High	EVPLGT5418 EVPLGT5424 EVPLGT5430 EVPLGT5436 EVPLGT5442 EVPLGT5448 EVPLGT5454 EVPLGT5460	726 892 985 1075 1194 1327 1462 1594	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPGPT - FULLY GLAZED PREMIUM PANEL - TEMPERED GLASS

- Fully Glazed Premium Panel incorporates 12"H Glazed Modules into a solid steel frame.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Premium Panel - Tempered Glass - 42" High	EVPGPT4218 EVPGPT4224 EVPGPT4230 EVPGPT4236 EVPGPT4242 EVPGPT4248 EVPGPT4254 EVPGPT4260	754 923 1021 1113 1235 1372 1512 1647	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Fully Glazed Premium Panel - Tempered Glass - 54" High	EVPGPT5418 EVPGPT5424 EVPGPT5430 EVPGPT5436 EVPGPT5442 EVPGPT5448 EVPGPT5454 EVPGPT5460	953 1171 1295 1410 1568 1745 1924 2098	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Fully Glazed Premium Panel - Tempered Glass - 66" High	EVPGPT6618 EVPGPT6624 EVPGPT6630 EVPGPT6636 EVPGPT6642 EVPGPT6648 EVPGPT6654 EVPGPT6660	1154 1419 1570 1707 1895 2111 2329 2546	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPLGPT - FULLY GLAZED PREMIUM LIGHT PANEL - TEMPERED GLASS

- Fully Glazed Premium Light Panel incorporates 12"H Glazed Modules into a solid steel frame.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Fully Glazed Premium Light Panel - Tempered Glass - 42" High	EVPLGPT4218 EVPLGPT4224 EVPLGPT4230 EVPLGPT4236 EVPLGPT4242 EVPLGPT4248 EVPLGPT4254 EVPLGPT4260	730 893 988 1080 1198 1331 1467 1598	42	18	2 7/8
				42	24	2 7/8
				42	30	2 7/8
				42	36	2 7/8
				42	42	2 7/8
				42	48	2 7/8
				42	54	2 7/8
				42	60	2 7/8
	Fully Glazed Premium Light Panel - Tempered Glass - 54" High	EVPLGPT5418 EVPLGPT5424 EVPLGPT5430 EVPLGPT5436 EVPLGPT5442 EVPLGPT5448 EVPLGPT5454 EVPLGPT5460	927 1137 1253 1370 1522 1692 1863 2033	54	18	2 7/8
				54	24	2 7/8
				54	30	2 7/8
				54	36	2 7/8
				54	42	2 7/8
				54	48	2 7/8
				54	54	2 7/8
				54	60	2 7/8
	Fully Glazed Premium Light Panel - Tempered Glass - 66" High	EVPLGPT6618 EVPLGPT6624 EVPLGPT6630 EVPLGPT6636 EVPLGPT6642 EVPLGPT6648 EVPLGPT6654 EVPLGPT6660	1122 1375 1524 1655 1841 2048 2257 2469	66	18	2 7/8
				66	24	2 7/8
				66	30	2 7/8
				66	36	2 7/8
				66	42	2 7/8
				66	48	2 7/8
				66	54	2 7/8
				66	60	2 7/8



EVPHSG - RECEPTION PANEL LAMINATE

- Reception panel incorporates glazed module and pass thru module within steel frame. Glazing is clear only.
- 6" H or 12" H pass thru with sliding glass door module.
- 24" H Laminate bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Reception Panel with 12" H Pass Thru	EVPHSG2M6636 EVPHSG2M6642 EVPHSG2M6648	1546 1671 1807	66 66 66	36 42 48
					2 7/8 2 7/8 2 7/8

EVPHSG - RECEPTION PANEL LAMINATE

- Reception panel incorporates glazed module and pass thru module within steel frame. Glazing is clear only.
- 6" H pass thru with sliding glass door module.
- 30" H Laminate bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Reception Panel with 6" H Pass Thru	EVPHSG3M6636 EVPHSG3M6642 EVPHSG3M6648	1604 1724 1888	66 66 66	36 42 48
					2 7/8 2 7/8 2 7/8

EVPHSG - RECEPTION PANEL LAMINATE

- Reception panel incorporates glazed module and pass thru module within steel frame. Glazing is clear only.
- 6" H or 12" H pass thru with sliding glass door module.
- 24" H Laminate bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Reception Panel with 6" H Pass Thru	EVPHSG5M6636 EVPHSG5M6642 EVPHSG5M6648	1581 1707 1843	66 66 66	36 42 48
					2 7/8 2 7/8 2 7/8



EVPHSG - RECEPTION PANEL FABRIC

- Reception panel incorporates glazed module and pass thru module within steel frame. Glazing is clear only.
- 6" H or 12" H pass thru with sliding glass door module.
- 24" H Fabric bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Reception Panel with 12" H Pass Thru	EVPFSG2M6636 EVPFSG2M6642 EVPFSG2M6648	1382 1522 1676	1412 1560 1714	66 66 66	36 42 48	2 7/8 2 7/8 2 7/8

EVPHSG - RECEPTION PANEL FABRIC

- Reception panel incorporates glazed module and pass thru module within steel frame. Glazing is clear only.
- 6" H pass thru with sliding glass door module.
- 30" H Fabric bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Reception Panel with 6" H Pass Thru	EVPFSG3M6636 EVPFSG3M6642 EVPFSG3M6648	1458 1589 1724	1490 1627 1762	66 66 66	36 42 48	2 7/8 2 7/8 2 7/8

EVPHSG - RECEPTION PANEL FABRIC

- Reception panel incorporates glazed module and pass thru module within steel frame. Glazing is clear only.
- 6" H or 12" H pass thru with sliding glass door module.
- 24" H Fabric bottom module.
- Aluminum low profile top is included.
- Stackability: Evolve panels can be increased in height in 6", 12", 24" increments. See module listing for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Reception Panel with 6" H Pass Thru	EVPFSG5M6636 EVPFSG5M6642 EVPFSG5M6648	1405 1565 1722	1437 1601 1760	66 66 66	36 42 48	2 7/8 2 7/8 2 7/8

EVSLS - LAMINATED SHELF FOR RECEPTION PANEL

- Laminated Wood Shelf Panel Mounted.
- Shelf thickness 1".
- Available in LP.
- Includes attachment hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W	D		
	Reception Panel Shelf	EVSLS1218 EVSLS1224 EVSLS1230 EVSLS1236 EVSLS1242 EVSLS1248	277 297 315 335 354 374	1.125 1.125 1.125 1.125 1.125 1.125	18 24 30 36 42 48	12 12 12 12 12 12



EVPFSG - PASS-THRU SLIDING DOOR GLAZED PANEL - TEMPERED GLASS

- Pass-Thru Sliding Door Glazed Panel incorporates fabric modules on upper and lower positions, with Middle 12"H Pass-Thru Sliding Door module, into a solid steel frame.
- Tracks for Sliding glass door available in Tungsten only.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.

- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Pass-Thru Sliding Door Glazed Panel - Tempered Glass - 54" High	EVPFSG5424	768	802	54	24	2 7/8
	EVPFSG5430	867	909	54	30	2 7/8
	EVPFSG5436	975	1025	54	36	2 7/8
	EVPFSG5442	1094	1149	54	42	2 7/8
	EVPFSG5448	1189	1248	54	48	2 7/8
	EVPFSG5454	1334	1401	54	54	2 7/8
	EVPFSG5460	1474	1547	54	60	2 7/8
Pass-Thru Sliding Door Glazed Panel - Tempered Glass - 66" High	EVPFSG6624	830	877	66	24	2 7/8
	EVPFSG6630	947	1000	66	30	2 7/8
	EVPFSG6636	1059	1123	66	36	2 7/8
	EVPFSG6642	1197	1266	66	42	2 7/8
	EVPFSG6648	1298	1377	66	48	2 7/8
	EVPFSG6654	1450	1537	66	54	2 7/8
	EVPFSG6660	1632	1693	66	60	2 7/8
Pass-Thru Sliding Door Glazed Panel - Tempered Glass - 66" High	EVPFPSG6624	830	877	66	24	2 7/8
	EVPFPSG6630	947	1000	66	30	2 7/8
	EVPFPSG6636	1059	1123	66	36	2 7/8
	EVPFPSG6642	1197	1266	66	42	2 7/8
	EVPFPSG6648	1298	1377	66	48	2 7/8
	EVPFPSG6654	1450	1537	66	54	2 7/8
	EVPFPSG6660	1632	1693	66	60	2 7/8



EVPFSGX - FABRIC GLAZED PASS-THRU SLIDING DOOR PANEL - TEMPERED GLASS


- Pass-Thru Sliding Door Glazed Panel incorporates fabric modules with 12"H or 24"H Pass-Thru Sliding Door module, into a solid steel frame.
- Tracks for Sliding glass door available in Tungsten only.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 20% upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Fabric Glazed Pass-Thru Sliding Door Panel - Tempered Glass - 42" High	EVPFSGX4224	595	621	42	24	2 7/8
	EVPFSGX4230	674	702	42	30	2 7/8
	EVPFSGX4236	752	786	42	36	2 7/8
	EVPFSGX4242	835	873	42	42	2 7/8
	EVPFSGX4248	914	955	42	48	2 7/8
	EVPFSGX4254	1021	1065	42	54	2 7/8
	EVPFSGX4260	1127	1177	42	60	2 7/8
Fabric Glazed Pass-Thru Sliding Door Panel - Tempered Glass - 54" High	EVPFSGX5424	647	673	54	24	2 7/8
	EVPFSGX5430	752	781	54	30	2 7/8
	EVPFSGX5436	852	886	54	36	2 7/8
	EVPFSGX5442	952	988	54	42	2 7/8
	EVPFSGX5448	1038	1079	54	48	2 7/8
	EVPFSGX5454	1203	1247	54	54	2 7/8
	EVPFSGX5460	1366	1419	54	60	2 7/8
Fabric Glazed Pass-Thru Sliding Door Panel - Tempered Glass - 66" High	EVPFSGX6624	821	857	66	24	2 7/8
	EVPFSGX6630	947	988	66	30	2 7/8
	EVPFSGX6636	1078	1126	66	36	2 7/8
	EVPFSGX6642	1211	1268	66	42	2 7/8
	EVPFSGX6648	1316	1377	66	48	2 7/8
	EVPFSGX6654	1513	1580	66	54	2 7/8
	EVPFSGX6660	1712	1783	66	60	2 7/8



EVPF1S - SLATWALL PANEL - SINGLE SIDED

- Slatwall Panel incorporates fabric modules with a single 12"H or 24"H top position slatwall module, into a solid steel frame.
- 66"H panel can be configured with either a 24"H slatwall module at the top or a 12"H slatwall at the middle Position (EVPF1S66xxM)
- Opposite side is fabric covered.
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.



DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Slatwall Panel - Single Sided - 42" High	EVPF1S4218	562	588	42	18	2 7/8
		EVPF1S4224	670	702	42	24	2 7/8
		EVPF1S4230	786	820	42	30	2 7/8
		EVPF1S4236	898	937	42	36	2 7/8
		EVPF1S4242	1021	1065	42	42	2 7/8
		EVPF1S4248	1110	1162	42	48	2 7/8
		EVPF1S4254	1233	1288	42	54	2 7/8
		EVPF1S4260	1349	1412	42	60	2 7/8
	Slatwall Panel - Single Sided - 54" High	EVPF1S5418	662	689	54	18	2 7/8
		EVPF1S5424	797	831	54	24	2 7/8
		EVPF1S5430	930	971	54	30	2 7/8
		EVPF1S5436	1070	1117	54	36	2 7/8
		EVPF1S5442	1209	1266	54	42	2 7/8
		EVPF1S5448	1318	1381	54	48	2 7/8
		EVPF1S5454	1469	1536	54	54	2 7/8
		EVPF1S5460	1615	1682	54	60	2 7/8
	Slatwall Panel - Single Sided - 66" High	EVPF1S6618	840	869	66	18	2 7/8
		EVPF1S6624	1008	1056	66	24	2 7/8
		EVPF1S6630	1182	1237	66	30	2 7/8
		EVPF1S6636	1362	1419	66	36	2 7/8
		EVPF1S6642	1548	1618	66	42	2 7/8
		EVPF1S6648	1684	1754	66	48	2 7/8
		EVPF1S6654	1875	1950	66	54	2 7/8
		EVPF1S6660	2066	2148	66	60	2 7/8
	Slat Wall Panel - Single Sided - Middle Module - 66" High	EVPF1S6618M	819	858	66	18	2 7/8
		EVPF1S6624M	985	1035	66	24	2 7/8
		EVPF1S6630M	1149	1208	66	30	2 7/8
		EVPF1S6636M	1322	1392	66	36	2 7/8
		EVPF1S6642M	1505	1584	66	42	2 7/8
		EVPF1S6648M	1639	1727	66	48	2 7/8
		EVPF1S6654M	1822	1920	66	54	2 7/8
		EVPF1S6660M	2005	2114	66	60	2 7/8



EVPLF1S - SLATWALL LIGHT PANEL - SINGLE SIDED

- Slatwall Light Panel incorporates fabric modules with a single 12"H or 24"H top position slatwall module, into a solid steel frame.
- 66"H panel can be configured with either a 24"H slatwall module at the top or a 12"H slatwall at the middle Position (EVPLF1S66xxM)
- Opposite side is fabric covered
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- There is no base raceway in Light Panels to accommodate electrical.


- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D	
	Slatwall Light Panel - Single Sided- 42" High	EVPLF1S4218	549	575	42	18	2 7/8
		EVPLF1S4224	656	688	42	24	2 7/8
		EVPLF1S4230	769	803	42	30	2 7/8
		EVPLF1S4236	882	920	42	36	2 7/8
		EVPLF1S4242	998	1042	42	42	2 7/8
		EVPLF1S4248	1089	1139	42	48	2 7/8
		EVPLF1S4254	1206	1261	42	54	2 7/8
		EVPLF1S4260	1322	1385	42	60	2 7/8
	Slatwall Light Panel - Single Sided - 54" High	EVPLF1S5418	648	674	54	18	2 7/8
		EVPLF1S5424	782	815	54	24	2 7/8
		EVPLF1S5430	914	955	54	30	2 7/8
		EVPLF1S5436	1047	1094	54	36	2 7/8
		EVPLF1S5442	1185	1240	54	42	2 7/8
		EVPLF1S5448	1295	1356	54	48	2 7/8
		EVPLF1S5454	1440	1506	54	54	2 7/8
		EVPLF1S5460	1583	1649	54	60	2 7/8
	Slatwall Light Panel - Single Sided - 66" High	EVPLF1S6618	824	853	66	18	2 7/8
		EVPLF1S6624	988	1035	66	24	2 7/8
		EVPLF1S6630	1157	1210	66	30	2 7/8
		EVPLF1S6636	1334	1391	66	36	2 7/8
		EVPLF1S6642	1517	1586	66	42	2 7/8
		EVPLF1S6648	1648	1718	66	48	2 7/8
		EVPLF1S6654	1834	1909	66	54	2 7/8
		EVPLF1S6660	2025	2106	66	60	2 7/8
	Slatwall Light Panel - Single Sided - Middle Module - 66" High	EVPLF1S6618M	800	838	66	18	2 7/8
		EVPLF1S6624M	966	1014	66	24	2 7/8
		EVPLF1S6630M	1127	1184	66	30	2 7/8
		EVPLF1S6636M	1298	1367	66	36	2 7/8
		EVPLF1S6642M	1475	1554	66	42	2 7/8
		EVPLF1S6648M	1605	1692	66	48	2 7/8
		EVPLF1S6654M	1786	1883	66	54	2 7/8
		EVPLF1S6660M	1964	2068	66	60	2 7/8




EVPF2S - SLATWALL PANEL - DOUBLE SIDED

- Slatwall Panel incorporates fabric modules with a single 12"H or 24"H top position slatwall module, into a solid steel frame.
- 66"H panel can be configured with either a 24"H slatwall module at the top or a 12"H slatwall at the middle Position (EVPF2S66xxM)
- Slatwall module has slatwall on both sides.
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Slatwall Panel - Double Sided - 42" High	EVPF2S4218	630	650	42	18	2 7/8
		EVPF2S4224	760	787	42	24	2 7/8
		EVPF2S4230	894	923	42	30	2 7/8
		EVPF2S4236	1043	1077	42	36	2 7/8
		EVPF2S4242	1189	1227	42	42	2 7/8
		EVPF2S4248	1331	1372	42	48	2 7/8
		EVPF2S4254	1465	1509	42	54	2 7/8
		EVPF2S4260	1593	1646	42	60	2 7/8
	Slatwall Panel - Double Sided - 54" High	EVPF2S5418	735	755	54	18	2 7/8
		EVPF2S5424	899	926	54	24	2 7/8
		EVPF2S5430	1062	1091	54	30	2 7/8
		EVPF2S5436	1240	1274	54	36	2 7/8
		EVPF2S5442	1418	1456	54	42	2 7/8
		EVPF2S5448	1592	1633	54	48	2 7/8
		EVPF2S5454	1751	1795	54	54	2 7/8
		EVPF2S5460	1906	1958	54	60	2 7/8
	Slatwall Panel - Double Sided - 66" High	EVPF2S6618	952	978	66	18	2 7/8
		EVPF2S6624	1171	1207	66	24	2 7/8
		EVPF2S6630	1386	1427	66	30	2 7/8
		EVPF2S6636	1609	1656	66	36	2 7/8
		EVPF2S6642	1842	1897	66	42	2 7/8
		EVPF2S6648	2066	2125	66	48	2 7/8
		EVPF2S6654	2281	2345	66	54	2 7/8
		EVPF2S6660	2488	2562	66	60	2 7/8
	Slatwall Panel - Double Sided - Middle Module - 66" High	EVPF2S6618M	927	963	66	18	2 7/8
		EVPF2S6624M	1138	1185	66	24	2 7/8
		EVPF2S6630M	1349	1402	66	30	2 7/8
		EVPF2S6636M	1566	1625	66	36	2 7/8
		EVPF2S6642M	1788	1857	66	42	2 7/8
		EVPF2S6648M	2005	2085	66	48	2 7/8
		EVPF2S6654M	2218	2305	66	54	2 7/8
		EVPF2S6660M	2422	2517	66	60	2 7/8

EVPLF2S - SLATWALL LIGHT PANEL - DOUBLE SIDED




- Slatwall Light Panel incorporates fabric modules with a single 12"H or 24"H top position slatwall module, into a solid steel frame.
- 66"H panel can be configured with either a 24"H slatwall module at the top or a 12"H slatwall at the middle Position (EVPLF2S66xxM)
- Slatwall module has slatwall on both sides.
- Slatwall is made of aluminum.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments.
- See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D	
	Slatwall Light Panel - Double Sided - 42" High	EVPLF2S4218	617	635	42	18	2 7/8
		EVPLF2S4224	745	771	42	24	2 7/8
		EVPLF2S4230	879	906	42	30	2 7/8
		EVPLF2S4236	1023	1057	42	36	2 7/8
		EVPLF2S4242	1165	1203	42	42	2 7/8
		EVPLF2S4248	1305	1344	42	48	2 7/8
		EVPLF2S4254	1435	1477	42	54	2 7/8
		EVPLF2S4260	1559	1612	42	60	2 7/8
	Slatwall Light Panel - Double Sided - 54" High	EVPLF2S5418	722	740	54	18	2 7/8
		EVPLF2S5424	885	908	54	24	2 7/8
		EVPLF2S5430	1043	1071	54	30	2 7/8
		EVPLF2S5436	1215	1248	54	36	2 7/8
		EVPLF2S5442	1387	1423	54	42	2 7/8
		EVPLF2S5448	1558	1599	54	48	2 7/8
		EVPLF2S5454	1717	1759	54	54	2 7/8
		EVPLF2S5460	1869	1921	54	60	2 7/8
	Slatwall Light Panel - Double Sided - 66" High	EVPLF2S6618	934	961	66	18	2 7/8
		EVPLF2S6624	1148	1184	66	24	2 7/8
		EVPLF2S6630	1362	1401	66	30	2 7/8
		EVPLF2S6636	1577	1624	66	36	2 7/8
		EVPLF2S6642	1806	1859	66	42	2 7/8
		EVPLF2S6648	2025	2082	66	48	2 7/8
		EVPLF2S6654	2233	2297	66	54	2 7/8
		EVPLF2S6660	2440	2511	66	60	2 7/8
	Slatwall Light Panel - Double Sided - 66" High	EVPLF2S6618M	899	941	66	18	2 7/8
		EVPLF2S6624M	1115	1162	66	24	2 7/8
		EVPLF2S6630M	1322	1375	66	30	2 7/8
		EVPLF2S6636M	1534	1592	66	36	2 7/8
		EVPLF2S6642M	1753	1820	66	42	2 7/8
		EVPLF2S6648M	1964	2039	66	48	2 7/8
		EVPLF2S6654M	2173	2260	66	54	2 7/8
		EVPLF2S6660M	2375	2470	66	60	2 7/8



EVPBSFA - FRAMELESS SLATWALL BELTLINE POWERED PANEL - DOUBLE SIDED ONLY

- Frameless Slatwall Beltline Powered Panel incorporates fabric modules with a single 6"H slatwall module above a power beltline raceway, into a solid steel frame.
- Slatwall module has slatwall on both sides only, and is not available Single Sided.
- Slatwall is made of aluminum.
- Slatwall is not encompassed within a frame.
- A Chimney Panel is required to run electric and data from the base to belt
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Frameless Slatwall Beltline Powered Panel - Double Sided Only - 42" High	EVPBSFA4224 EVPBSFA4230 EVPBSFA4236 EVPBSFA4242 EVPBSFA4248 EVPBSFA4254 EVPBSFA4260	557 648 756 850 936 1029 1118	583 675 788 888 977 1073 1168	42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Frameless Slatwall Beltline Powered Panel - Double Sided Only - 54" High	EVPBSFA5424 EVPBSFA5430 EVPBSFA5436 EVPBSFA5442 EVPBSFA5448 EVPBSFA5454 EVPBSFA5460	703 819 966 1080 1189 1292 1406	737 860 1013 1133 1250 1359 1479	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Frameless Slatwall Beltline Powered Panel - Double Sided Only - 66" High	EVPBSFA6624 EVPBSFA6630 EVPBSFA6636 EVPBSFA6642 EVPBSFA6648 EVPBSFA6654 EVPBSFA6660	785 909 1050 1180 1302 1427 1550	827 964 1111 1250 1381 1514 1644	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



EVPBLSFA - FRAMELESS SLATWALL BELTLINE POWERED LIGHT PANEL - DOUBLE SIDED ONLY




- Frameless Slatwall Beltline Powered Light Panel incorporates fabric modules with a single 6"H slatwall module above a power beltline raceway, into a solid steel frame.
- Slatwall module has slatwall on both sides only, and is not available Single Sided.
- Slatwall is made of aluminum.
- Slatwall is not encompassed within a frame.
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Beltline Panel Connectors must be used in conjunction with Light Beltline Panels.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Frameless Slatwall Beltline Powered Light Panel - Double Sided Only- 42" High	EVPBLSFA4224	532	558	42	24	2 7/8
		EVPBLSFA4230	617	645	42	30	2 7/8
		EVPBLSFA4236	722	754	42	36	2 7/8
		EVPBLSFA4242	806	842	42	42	2 7/8
		EVPBLSFA4248	893	934	42	48	2 7/8
		EVPBLSFA4254	984	1028	42	54	2 7/8
		EVPBLSFA4260	1069	1117	42	60	2 7/8
	Frameless Slatwall Beltline Powered Light Panel - Double Sided Only- 54" High	EVPBLSFA5424	654	688	54	24	2 7/8
		EVPBLSFA5430	714	801	54	30	2 7/8
		EVPBLSFA5436	852	946	54	36	2 7/8
		EVPBLSFA5442	1006	1059	54	42	2 7/8
		EVPBLSFA5448	1107	1168	54	48	2 7/8
		EVPBLSFA5454	1201	1267	54	54	2 7/8
		EVPBLSFA5460	1310	1381	54	60	2 7/8
	Frameless Slatwall Beltline Powered Light Panel - Double Sided Only - 66" High	EVPBLSFA6624	726	767	66	24	2 7/8
		EVPBLSFA6630	839	894	66	30	2 7/8
		EVPBLSFA6636	974	1035	66	36	2 7/8
		EVPBLSFA6642	1090	1161	66	42	2 7/8
		EVPBLSFA6648	1203	1282	66	48	2 7/8
		EVPBLSFA6654	1321	1407	66	54	2 7/8
		EVPBLSFA6660	1435	1529	66	60	2 7/8




EVPBCSFA - FRAMELESS SLATWALL BELTLINE POWERED CHIMNEY PANEL - DOUBLE SIDED ONLY

- Frameless Slatwall Beltline Powered Chimney Panel incorporates fabric modules with a single 6"H slatwall module above a power beltline raceway, into a solid steel frame.
- Slatwall module has slatwall on both sides only, and is not available Single Sided.
- Slatwall is made of aluminum.
- Slatwall is not encompassed within a frame.
- A Chimney Panel is required to run electric and data from the base to belt.
- Separate electric harness required to go from base to belt (see EVE8CPCP).
- 6"H power beltline raceway, to accommodate electrical, is metal with knockouts on both sides.
- Beltline Connectors must be used in conjunction with beltline panels.
- Accessories can be used on slatwall modules. Please see accessory section for additional details.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Frameless Slatwall Beltline Powered - Chimney Panel - Double Sided Only - 42" High	EVPBCSFA4236 EVPBCSFA4242	835 929	867 967	42	36	2 7/8 2 7/8
	Frameless Slatwall Beltline Powered - Chimney Panel - Double Sided Only- 54" High	EVPBCSFA5436 EVPBCSFA5442	1047 1161	1094 1214	54	36	2 7/8 2 7/8
	Frameless Slatwall Beltline Powered - Chimney Panel - Double Sided Only - 66" High	EVPBCSFA6636 EVPBCSFA6642	1134 1259	1195 1329	66	36	2 7/8 2 7/8

EVE8CPCP - CHIMNEY PANEL JUMPER CABLE KIT

- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately)

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			H	W	D		
	Chimney Panel Jumper Cable Kit	EVE8CPCP		365			



EVPF1W - WRITE BOARD PANEL - SINGLE SIDED

- Write Board Panel incorporates fabric modules with a single 24" H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6" H, 12" H, 18" H or 24" H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Write Board Panel - Single Sided - 54" High	EVPF1W5418	548	568	54	18	2 7/8
		EVPF1W5424	679	713	54	24	2 7/8
		EVPF1W5430	820	861	54	30	2 7/8
		EVPF1W5436	907	955	54	36	2 7/8
		EVPF1W5442	1021	1076	54	42	2 7/8
		EVPF1W5448	1150	1211	54	48	2 7/8
		EVPF1W5454	1278	1322	54	54	2 7/8
		EVPF1W5460	1408	1479	54	60	2 7/8
	Write Board Panel - Single Sided - 66" High	EVPF1W6618	695	724	66	18	2 7/8
		EVPF1W6624	856	900	66	24	2 7/8
		EVPF1W6630	1017	1069	66	30	2 7/8
		EVPF1W6636	1133	1196	66	36	2 7/8
		EVPF1W6642	1279	1349	66	42	2 7/8
		EVPF1W6648	1429	1508	66	48	2 7/8
		EVPF1W6654	1588	1679	66	54	2 7/8
		EVPF1W6660	1752	1849	66	60	2 7/8

EVPLF1W - WRITE BOARD LIGHT PANEL - SINGLE SIDED

- Write Board Panel incorporates fabric modules with a single 24" H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- Fabric covered modules are tackable and acoustical.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Light panel connectors must be used for Light Panels.
- There is no base raceway in Light Panels to accommodate electrical.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6" H, 12" H, 18" H or 24" H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Write Board Light Panel - Single Sided - 54" High	EVPLF1W5418	532	553	54	18	2 7/8
		EVPLF1W5424	659	693	54	18	2 7/8
		EVPLF1W5430	796	835	54	18	2 7/8
		EVPLF1W5436	880	924	54	18	2 7/8
		EVPLF1W5442	988	1041	54	18	2 7/8
		EVPLF1W5448	1115	1174	54	18	2 7/8
		EVPLF1W5454	1242	1283	54	18	2 7/8
		EVPLF1W5460	1366	1436	54	18	2 7/8
	Write Board Light Panel - Single Sided - 66" High	EVPLF1W6618	677	704	66	18	2 7/8
		EVPLF1W6624	830	872	66	24	2 7/8
		EVPLF1W6630	985	1035	66	30	2 7/8
		EVPLF1W6636	1094	1155	66	36	2 7/8
		EVPLF1W6642	1243	1310	66	42	2 7/8
		EVPLF1W6648	1385	1460	66	48	2 7/8
		EVPLF1W6654	1538	1626	66	54	2 7/8
		EVPLF1W6660	1699	1794	66	60	2 7/8



EVPF2W - WRITE BOARD PANEL - DOUBLE SIDED

- Write Board Panel incorporates fabric modules with a single 24"H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Write Board Panel - Double Sided - 54" High	EVPF2W5418	593	613	54	18	2 7/8
		EVPF2W5424	742	763	54	24	2 7/8
		EVPF2W5430	925	953	54	30	2 7/8
		EVPF2W5436	998	1032	54	36	2 7/8
		EVPF2W5442	1134	1172	54	42	2 7/8
		EVPF2W5448	1326	1367	54	48	2 7/8
		EVPF2W5454	1472	1516	54	54	2 7/8
		EVPF2W5460	1622	1675	54	60	2 7/8
	Write Board Panel - Double Sided - 66" High	EVPF2W6618	736	763	66	18	2 7/8
		EVPF2W6624	917	951	66	24	2 7/8
		EVPF2W6630	1122	1164	66	30	2 7/8
		EVPF2W6636	1227	1275	66	36	2 7/8
		EVPF2W6642	1388	1443	66	42	2 7/8
		EVPF2W6648	1598	1656	66	48	2 7/8
		EVPF2W6654	1783	1850	66	54	2 7/8
		EVPF2W6660	1964	2037	66	60	2 7/8

EVPLF2W - WRITE BOARD LIGHT PANEL - DOUBLE SIDED



- Write Board Light Panel incorporates fabric modules with a single 24"H top position write board module, into a solid steel frame.
- Use erasable writeboard markers only.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Write Board Light Panel - Double Sided - 54" High	EVPLF2W5418	575	592	54	18	2 7/8
		EVPLF2W5424	721	742	54	18	2 7/8
		EVPLF2W5430	894	922	54	18	2 7/8
		EVPLF2W5436	972	1005	54	18	2 7/8
		EVPLF2W5442	1098	1136	54	18	2 7/8
		EVPLF2W5448	1283	1322	54	18	2 7/8
		EVPLF2W5454	1428	1472	54	18	2 7/8
		EVPLF2W5460	1573	1623	54	18	2 7/8
	Write Board Light Panel - Double Sided - 66" High	EVPLF2W6618	715	741	66	18	2 7/8
		EVPLF2W6624	889	923	66	24	2 7/8
		EVPLF2W6630	1087	1129	66	30	2 7/8
		EVPLF2W6636	1191	1238	66	36	2 7/8
		EVPLF2W6642	1349	1402	66	42	2 7/8
		EVPLF2W6648	1550	1608	66	48	2 7/8
		EVPLF2W6654	1730	1796	66	54	2 7/8
		EVPLF2W6660	1975	1975	66	60	2 7/8



EVPH1S - LAMINATE PANEL - SINGLE SIDED



- Laminate Panel incorporates single sided laminate modules, into a solid steel frame.
- Opposite side is fabric covered.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Laminate Panel - Single Sided - 30" High	EVPH1S3018 EVPH1S3024 EVPH1S3030 EVPH1S3036 EVPH1S3042 EVPH1S3048 EVPH1S3054 EVPH1S3060	452 540 629 715 815 885 974 1070	463 554 646 734 832 903 997 1093	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
 Laminate Panel - Single Sided - 42" High	EVPH1S4218 EVPH1S4224 EVPH1S4230 EVPH1S4236 EVPH1S4242 EVPH1S4248 EVPH1S4254 EVPH1S4260	538 639 748 856 972 1056 1171 1283	553 659 771 884 1001 1088 1207 1322	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
 Laminate Panel - Single Sided - 54" High	EVPH1S5418 EVPH1S5424 EVPH1S5430 EVPH1S5436 EVPH1S5442 EVPH1S5448 EVPH1S5454 EVPH1S5460	630 758 889 1018 1153 1258 1399 1536	645 785 917 1050 1191 1299 1443 1586	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
 Laminate Panel - Single Sided - 66" High	EVPH1S6618 EVPH1S6624 EVPH1S6630 EVPH1S6636 EVPH1S6642 EVPH1S6648 EVPH1S6654 EVPH1S6660	779 936 1093 1262 1434 1559 1738 1912	802 968 1129 1303 1478 1611 1795 1973	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8






EVPLH1S - LAMINATE LIGHT PANEL - SINGLE SIDED

- Laminate Panel incorporates single sided laminate modules, into a solid steel frame.
- Opposite side is fabric covered.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Laminate Light Panel - Single Sided - 30" High	EVPLH1S3018 EVPLH1S3024 EVPLH1S3030 EVPLH1S3036 EVPLH1S3042 EVPLH1S3048 EVPLH1S3054 EVPLH1S3060	440 526 610 694 787 858 944 1036	448 537 619 713 801 872 969 1057	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Light Panel - Single Sided - 42" High	EVPLH1S4218 EVPLH1S4224 EVPLH1S4230 EVPLH1S4236 EVPLH1S4242 EVPLH1S4248 EVPLH1S4254 EVPLH1S4260	523 618 725 830 941 1027 1137 1245	537 638 751 858 970 1056 1171 1283	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Light Panel - Single Sided - 54" High	EVPLH1S5418 EVPLH1S5424 EVPLH1S5430 EVPLH1S5436 EVPLH1S5442 EVPLH1S5448 EVPLH1S5454 EVPLH1S5460	611 735 864 986 1118 1219 1356 1490	625 761 891 1019 1152 1260 1400 1540	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate Light Panel - Single Sided - 66" High	EVPLH1S6618 EVPLH1S6624 EVPLH1S6630 EVPLH1S6636 EVPLH1S6642 EVPLH1S6648 EVPLH1S6654 EVPLH1S6660	756 909 1059 1222 1388 1516 1684 1854	782 938 1093 1261 1432 1564 1741 1915	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPH2S - LAMINATE PANEL - DOUBLE SIDED

- Laminate Panel incorporates double sided laminate modules, into a solid steel frame.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Laminate Panel - Double Sided - 30" High	EVPH2S3018 EVPH2S3024 EVPH2S3030 EVPH2S3036 EVPH2S3042 EVPH2S3048 EVPH2S3054 EVPH2S3060	616 616 726 830 944 1053 1169 1262	30	18	2 7/8
	Laminate Panel - Double Sided - 42" High	EVPH2S4218 EVPH2S4224 EVPH2S4230 EVPH2S4236 EVPH2S4242 EVPH2S4248 EVPH2S4254 EVPH2S4260	598 726 855 995 1134 1268 1396 1517	42	18	2 7/8
	Laminate Panel - Double Sided - 54" High	EVPH2S5418 EVPH2S5424 EVPH2S5430 EVPH2S5436 EVPH2S5442 EVPH2S5448 EVPH2S5454 EVPH2S5460	701 858 1017 1181 1348 1516 1670 1816	54	18	2 7/8
	Laminate Panel - Double Sided - 66" High	EVPH2S6618 EVPH2S6624 EVPH2S6630 EVPH2S6636 EVPH2S6642 EVPH2S6648 EVPH2S6654 EVPH2S6660	885 1085 1283 1490 1705 1912 2109 2304	66	18	2 7/8






EVPLH2S - LAMINATE LIGHT PANEL - DOUBLE SIDED

- Laminate Panel incorporates double sided laminate modules, into a solid steel frame.
- Laminate faces on all modules provide durable, washable surfaces on Single Sided of the panel.
- Available in high pressure laminate only
- If wood grain is selected, grain runs horizontally.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Laminate Light Panel - Double Sided - 30" High	EVPLH2S3018	596	30	18	2 7/8
	EVPLH2S3024	596	30	24	2 7/8
	EVPLH2S3030	703	30	30	2 7/8
	EVPLH2S3036	804	30	36	2 7/8
	EVPLH2S3042	919	30	42	2 7/8
	EVPLH2S3048	1024	30	48	2 7/8
	EVPLH2S3054	1135	30	54	2 7/8
	EVPLH2S3060	1222	30	60	2 7/8
 Laminate Light Panel - Double Sided - 42" High	EVPLH2S4218	582	42	18	2 7/8
	EVPLH2S4224	703	42	24	2 7/8
	EVPLH2S4230	829	42	30	2 7/8
	EVPLH2S4236	966	42	36	2 7/8
	EVPLH2S4242	1098	42	42	2 7/8
	EVPLH2S4248	1233	42	48	2 7/8
	EVPLH2S4254	1352	42	54	2 7/8
	EVPLH2S4260	1472	42	60	2 7/8
 Laminate Light Panel - Double Sided - 54" High	EVPLH2S5418	680	54	18	2 7/8
	EVPLH2S5424	831	54	24	2 7/8
	EVPLH2S5430	985	54	30	2 7/8
	EVPLH2S5436	1144	54	36	2 7/8
	EVPLH2S5442	1306	54	42	2 7/8
	EVPLH2S5448	1471	54	48	2 7/8
	EVPLH2S5454	1619	54	54	2 7/8
	EVPLH2S5460	1759	54	60	2 7/8
 Laminate Light Panel - Double Sided - 66" High	EVPLH2S6618	756	66	18	2 7/8
	EVPLH2S6624	1051	66	24	2 7/8
	EVPLH2S6630	1245	66	30	2 7/8
	EVPLH2S6636	1444	66	36	2 7/8
	EVPLH2S6642	1653	66	42	2 7/8
	EVPLH2S6648	1854	66	48	2 7/8
	EVPLH2S6654	2046	66	54	2 7/8
	EVPLH2S6660	2235	66	60	2 7/8

EVPFAF - AIRFLOW PANEL




- Airflow Panel incorporates bottom 24"H airflow module with individual fabric modules, within a steel frame.
- The 24"H Metal airflow module is positioned in the base section to provide air circulation.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Panel - 30" High	EVPFAF3024 EVPFAF3030 EVPFAF3036 EVPFAF3042 EVPFAF3048 EVPFAF3054 EVPFAF3060	517 615 680 756 852 976 1102		30 30 30 30 30 30 30	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Airflow Panel - 42" High	EVPFAF4224 EVPFAF4230 EVPFAF4236 EVPFAF4242 EVPFAF4248 EVPFAF4254 EVPFAF4260	659 779 867 963 1089 1240 1258	673 796 887 983 1110 1266 1285	42 42 42 42 42 42 42	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Airflow Panel - 54" High	EVPFAF5424 EVPFAF5430 EVPFAF5436 EVPFAF5442 EVPFAF5448 EVPFAF5454 EVPFAF5460	739 851 951 1059 1191 1386 1512	765 879 984 1097 1232 1434 1562	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Airflow Panel - 66" High	EVPFAF6624 EVPFAF6630 EVPFAF6636 EVPFAF6642 EVPFAF6648 EVPFAF6654 EVPFAF6660	863 1017 1138 1268 1429 1615 1797	897 1058 1186 1321 1488 1682 1870	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8





EVPLFAF - AIRFLOW LIGHT PANEL

- Airflow Light Panel incorporates bottom 24"H airflow module with individual fabric modules, within a steel frame.
- The 24"H Metal airflow module is positioned in the base section to provide air circulation.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Module listings for part numbers

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Airflow Light Panel - 30" High	EVPLFAF3024	503		30	18	2 7/8
	EVPLFAF3030	595		30	30	2 7/8
	EVPLFAF3036	660		30	36	2 7/8
	EVPLFAF3042	732		30	42	2 7/8
	EVPLFAF3048	824		30	48	2 7/8
	EVPLFAF3054	949		30	54	2 7/8
	EVPLFAF3060	1072		30	60	2 7/8
 Airflow Light Panel - 42" High	EVPLFAF4224	640	651	42	18	2 7/8
	EVPLFAF4230	756	774	42	30	2 7/8
	EVPLFAF4236	840	860	42	36	2 7/8
	EVPLFAF4242	932	953	42	42	2 7/8
	EVPLFAF4248	1053	1074	42	48	2 7/8
	EVPLFAF4254	1200	1226	42	54	2 7/8
	EVPLFAF4260	1219	1247	42	60	2 7/8
 Airflow Light Panel - 54" High	EVPLFAF5424	718	741	54	18	2 7/8
	EVPLFAF5430	823	852	54	30	2 7/8
	EVPLFAF5436	925	958	54	36	2 7/8
	EVPLFAF5442	1029	1067	54	42	2 7/8
	EVPLFAF5448	1154	1195	54	48	2 7/8
	EVPLFAF5454	1345	1386	54	54	2 7/8
	EVPLFAF5460	1467	1515	54	60	2 7/8
 Airflow Light Panel - 66" High	EVPLFAF6624	834	867	66	18	2 7/8
	EVPLFAF6630	985	1026	66	30	2 7/8
	EVPLFAF6636	1105	1152	66	36	2 7/8
	EVPLFAF6642	1233	1285	66	42	2 7/8
	EVPLFAF6648	1385	1443	66	48	2 7/8
	EVPLFAF6654	1568	1629	66	54	2 7/8
	EVPLFAF6660	1745	1815	30	60	2 7/8


EVPFPAF - AIRFLOW PREMIUM PANEL

- Airflow Premium Panel incorporates bottom 24"H airflow module with individual fabric modules, within a steel frame.
- The 24"H Metal airflow module is positioned in the base section to provide air circulation.
- Premium panels incorporate 12"H acoustic modules above 30"H base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Premium Panel - 54" High	EVPFPAF5424	821	844	54	24	2 7/8
		EVPFPAF5430	940	969	54	30	2 7/8
		EVPFPAF5436	1051	1083	54	36	2 7/8
		EVPFPAF5442	1168	1206	54	42	2 7/8
		EVPFPAF5448	1322	1364	54	48	2 7/8
		EVPFPAF5454	1494	1541	54	54	2 7/8
		EVPFPAF5460	1674	1724	54	60	2 7/8
	Airflow Premium Panel - 66" High	EVPFPAF6624	941	975	66	24	2 7/8
		EVPFPAF6630	1105	1146	66	30	2 7/8
		EVPFPAF6636	1236	1284	66	36	2 7/8
		EVPFPAF6642	1372	1425	66	42	2 7/8
		EVPFPAF6648	1558	1619	66	48	2 7/8
		EVPFPAF6654	1754	1821	66	54	2 7/8
		EVPFPAF6660	1958	2029	66	60	2 7/8

EVPLPAF -AIRFLOW PREMIUM LIGHT PANEL

- Airflow Premium Light Panel incorporates bottom 24"H airflow module with individual 12"H fabric modules, within a steel frame.
- The 24"H Metal airflow module is positioned in the base section to provide air circulation.
- Premium panels incorporate 12"H acoustic modules above 30"H base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Airflow Premium Light Panel - 54" High	EVPLPAF5424	797	820	54	18	2 7/8
		EVPLPAF5430	914	941	54	30	2 7/8
		EVPLPAF5436	1021	1050	54	36	2 7/8
		EVPLPAF5442	1134	1170	54	42	2 7/8
		EVPLPAF5448	1280	1319	54	48	2 7/8
		EVPLPAF5454	1451	1492	54	54	2 7/8
		EVPLPAF5460	1622	1670	54	60	2 7/8
	Airflow Premium Light Panel - 66" High	EVPLPAF6624	915	947	66	18	2 7/8
		EVPLPAF6630	1074	1113	66	30	2 7/8
		EVPLPAF6636	1199	1247	66	36	2 7/8
		EVPLPAF6642	1331	1383	66	42	2 7/8
		EVPLPAF6648	1513	1572	66	48	2 7/8
		EVPLPAF6654	1703	1764	66	54	2 7/8
		EVPLPAF6660	1898	1968	66	60	2 7/8



EVPM1S - METAL SKIN PANEL - SINGLE SIDED

- Metal Skin Panel incorporates single sided metal skin modules, into a solid steel frame.
- Opposite side is fabric covered.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Metal Skin Panel - Single Sided 30" High	EVPM1S3018 EVPM1S3024 EVPM1S3030 EVPM1S3036 EVPM1S3042 EVPM1S3048 EVPM1S3054 EVPM1S3060	586 701 817 928 1052 1146 1266 1386	597 716 831 946 1073 1167 1287 1412	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Panel - Single Sided 42" High	EVPM1S4218 EVPM1S4224 EVPM1S4230 EVPM1S4236 EVPM1S4242 EVPM1S4248 EVPM1S4254 EVPM1S4260	695 828 972 1111 1262 1371 1523 1671	710 846 995 1139 1290 1404 1557 1710	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Panel - Single Sided 54" High	EVPM1S5418 EVPM1S5424 EVPM1S5430 EVPM1S5436 EVPM1S5442 EVPM1S5448 EVPM1S5454 EVPM1S5460	819 985 1153 1318 1495 1633 1816 1996	837 1008 1180 1352 1533 1674 1863 2046	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Panel - Single Sided 66" High	EVPM1S6618 EVPM1S6624 EVPM1S6630 EVPM1S6636 EVPM1S6642 EVPM1S6648 EVPM1S6654 EVPM1S6660	1008 1216 1420 1639 1862 2027 2254 2483	1034 1245 1456 1680 1906 2079 2311 2546	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



EVPLM1S - METAL SKIN LIGHT PANEL - SINGLE SIDED

- Metal Skin Light Panel incorporates single sided metal skin modules, into a solid steel frame.
- Opposite side is fabric covered.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Metal Skin Light Panel - Single Sided - 30" High	EVPLM1S3018 EVPLM1S3024 EVPLM1S3030 EVPLM1S3036 EVPLM1S3042 EVPLM1S3048 EVPLM1S3054 EVPLM1S3060	571 680 788 899 1023 1111 1231 1345	580 692 800 918 1038 1130 1246 1368	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
 Metal Skin Light Panel - Single Sided - 42" High	EVPLM1S4218 EVPLM1S4224 EVPLM1S4230 EVPLM1S4236 EVPLM1S4242 EVPLM1S4248 EVPLM1S4254 EVPLM1S4260	677 801 941 1079 1222 1329 1475 1620	691 819 964 1106 1250 1362 1509 1658	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
 Metal Skin Light Panel - Single Sided - 54" High	EVPLM1S5418 EVPLM1S5424 EVPLM1S5430 EVPLM1S5436 EVPLM1S5442 EVPLM1S5448 EVPLM1S5454 EVPLM1S5460	791 953 1118 1278 1452 1585 1759 1935	809 974 1144 1311 1488 1624 1807 1985	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
 Metal Skin Light Panel - Single Sided - 66" High	EVPLM1S6618 EVPLM1S6624 EVPLM1S6630 EVPLM1S6636 EVPLM1S6642 EVPLM1S6648 EVPLM1S6654 EVPLM1S6660	981 1181 1377 1588 1807 1964 2188 2408	1007 1209 1413 1629 1851 2016 2243 2469	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPM2S - METAL SKIN PANEL - DOUBLE SIDED

- Metal Skin Panel incorporates double sided metal skin modules, into a solid steel frame.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	W	D
	Metal Skin Panel - Double Sided - 30" High	EVPM2S3018 EVPM2S3024 EVPM2S3030 EVPM2S3036 EVPM2S3042 EVPM2S3048 EVPM2S3054 EVPM2S3060	863 863 1015 1161 1161 1318 1474 1761	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Panel - Double Sided - 42" High	EVPM2S4218 EVPM2S4224 EVPM2S4230 EVPM2S4236 EVPM2S4242 EVPM2S4248 EVPM2S4254 EVPM2S4260	834 1015 1195 1388 1583 1776 1950 2122	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Panel - Double Sided - 54" High	EVPM2S5418 EVPM2S5424 EVPM2S5430 EVPM2S5436 EVPM2S5442 EVPM2S5448 EVPM2S5454 EVPM2S5460	981 1199 1419 1648 1886 2119 2331 2542	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Metal Skin Panel - Double Sided - 66" High	EVPM2S6618 EVPM2S6624 EVPM2S6630 EVPM2S6636 EVPM2S6642 EVPM2S6648 EVPM2S6654 EVPM2S6660	1234 1517 1796 2086 2383 2674 2949 3228	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8





EVPLM2S - METAL SKIN LIGHT PANEL - DOUBLE SIDED

- Metal Skin Light Panel incorporates double sided metal skin modules, into a solid steel frame.
- Metal faces on all modules provide durable, washable and magnetic surfaces on Single Sided of the panel.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Metal Skin Light Panel - Double Sided - 30" High	EVPLM2S3018	834	30	18
		EVPLM2S3024	834	30	24
		EVPLM2S3030	984	30	30
		EVPLM2S3036	1127	30	36
		EVPLM2S3042	1127	30	42
		EVPLM2S3048	1278	30	48
		EVPLM2S3054	1429	30	54
		EVPLM2S3060	1710	30	60
	Metal Skin Light Panel - Double Sided - 42" High	EVPLM2S4218	810	42	18
		EVPLM2S4224	984	42	24
		EVPLM2S4230	1157	42	30
		EVPLM2S4236	1349	42	36
		EVPLM2S4242	1534	42	42
		EVPLM2S4248	1721	42	48
		EVPLM2S4254	1892	42	54
		EVPLM2S4260	2058	42	60
	Metal Skin Light Panel - Double Sided - 54" High	EVPLM2S5418	950	54	18
		EVPLM2S5424	1164	54	24
		EVPLM2S5430	1375	54	30
		EVPLM2S5436	1599	54	36
		EVPLM2S5442	1829	54	42
		EVPLM2S5448	2055	54	48
		EVPLM2S5454	2259	54	54
		EVPLM2S5460	2466	54	60
	Metal Skin Light Panel - Double Sided - 66" High	EVPLM2S6618	1197	66	18
		EVPLM2S6624	1472	66	24
		EVPLM2S6630	1742	66	30
		EVPLM2S6636	2024	66	36
		EVPLM2S6642	2310	66	42
		EVPLM2S6648	2595	66	48
		EVPLM2S6654	2858	66	54
		EVPLM2S6660	3160	66	60

EVPFOL - OPEN BOTTOM PANEL


- Open Bottom Panel incorporates bottom 24"H open module with individual fabric modules, within a steel frame.
- The 24"H open bottom module in the base section is to provide air circulation and access to electrical or data.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Bottom Panel - 30" High	EVPFOL3018 EVPFOL3024 EVPFOL3030 EVPFOL3036 EVPFOL3042 EVPFOL3048 EVPFOL3054 EVPFOL3060	299 340 384 421 462 498 539 577		30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Panel - 42" High	EVPFOL4218 EVPFOL4224 EVPFOL4230 EVPFOL4236 EVPFOL4242 EVPFOL4248 EVPFOL4254 EVPFOL4260	445 511 577 647 718 772 851 923	455 525 594 667 739 793 872 949	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Panel - 54" High	EVPFOL5418 EVPFOL5424 EVPFOL5430 EVPFOL5436 EVPFOL5442 EVPFOL5448 EVPFOL5454 EVPFOL5460	502 572 655 733 818 885 969 1047	522 598 682 767 856 926 1013 1100	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Panel - 66" High	EVPFOL6618 EVPFOL6624 EVPFOL6630 EVPFOL6636 EVPFOL6642 EVPFOL6648 EVPFOL6654 EVPFOL6660	651 748 855 960 1078 1154 1275 1388	679 784 896 1007 1135 1213 1341 1462	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8




EVPLFOL - OPEN BOTTOM LIGHT PANEL

- Open Bottom Light Panel incorporates bottom 24"H open module with individual fabric modules, within a steel frame.
- The 24"H open bottom module in the base section is to provide air circulation and access to electrical or data.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	Open Bottom Light Panel - 30" High	EVPLFOL3018 EVPLFOL3024 EVPLFOL3030 EVPLFOL3036 EVPLFOL3042 EVPLFOL3048 EVPLFOL3054 EVPLFOL3060	288 326 373 409 448 477 525 560	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Light Panel - 42" High	EVPLFOL4218 EVPLFOL4224 EVPLFOL4230 EVPLFOL4236 EVPLFOL4242 EVPLFOL4248 EVPLFOL4254 EVPLFOL4260	430 495 560 629 695 753 823 893	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Light Panel - 54" High	EVPLFOL5418 EVPLFOL5424 EVPLFOL5430 EVPLFOL5436 EVPLFOL5442 EVPLFOL5448 EVPLFOL5454 EVPLFOL5460	482 548 630 703 784 850 929 1006	502 574 656 736 820 891 971 1058	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Open Bottom Premium Panel - 66" High	EVPLFOL6618 EVPLFOL6624 EVPLFOL6630 EVPLFOL6636 EVPLFOL6642 EVPLFOL6648 EVPLFOL6654 EVPLFOL6660	624 721 821 923 1035 1107 1222 1336	651 755 860 967 1090 1166 1285 1406	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8


EVPPOL - OPEN BOTTOM PREMIUM PANEL

- Open Bottom Premium Panel incorporates bottom 24"H open module with individual fabric modules, within a steel frame.
- The 24"H open bottom module in the base section is to provide air circulation and access to electrical or data.
- Premium panels incorporate 12"H fabric modules above 30"H base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Open Bottom Premium Panel - 54" High	EVPPOL5418	593	613	54	18	2 7/8
		EVPPOL5424	679	705	54	24	2 7/8
		EVPPOL5430	776	803	54	30	2 7/8
		EVPPOL5436	870	903	54	36	2 7/8
		EVPPOL5442	981	1017	54	42	2 7/8
		EVPPOL5448	1051	1092	54	48	2 7/8
		EVPPOL5454	1156	1203	54	54	2 7/8
		EVPPOL5460	1267	1315	54	60	2 7/8
	Open Bottom Premium Panel - 66" High	EVPPOL6618	742	770	66	18	2 7/8
		EVPPOL6624	856	892	66	24	2 7/8
		EVPPOL6630	973	1014	66	30	2 7/8
		EVPPOL6636	1098	1146	66	36	2 7/8
		EVPPOL6642	1240	1293	66	42	2 7/8
		EVPPOL6648	1327	1388	66	48	2 7/8
		EVPPOL6654	1471	1538	66	54	2 7/8
		EVPPOL6660	1612	1685	66	60	2 7/8

EVPLFPOL - OPEN BOTTOM PREMIUM LIGHT PANEL


- Open Bottom Premium Light Panel incorporates bottom 24"H open module with individual fabric modules, within a steel frame.
- The 24"H open bottom module in the base section is to provide air circulation and access to electrical or data.
- Premium panels incorporate 12"H fabric modules above 30"H base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Open Bottom Premium Light Panel - 54" High	EVPLFPOL5418	569	589	54	18	2 7/8
		EVPLFPOL5424	651	678	54	24	2 7/8
		EVPLFPOL5430	745	771	54	30	2 7/8
		EVPLFPOL5436	835	867	54	36	2 7/8
		EVPLFPOL5442	940	974	54	42	2 7/8
		EVPLFPOL5448	1008	1047	54	48	2 7/8
		EVPLFPOL5454	1110	1154	54	54	2 7/8
		EVPLFPOL5460	1218	1265	54	60	2 7/8
	Open Bottom Premium Light Panel - 66" High	EVPLFPOL6618	713	740	60	18	2 7/8
		EVPLFPOL6624	822	856	60	24	2 7/8
		EVPLFPOL6630	932	973	60	30	2 7/8
		EVPLFPOL6636	1052	1099	60	36	2 7/8
		EVPLFPOL6642	1189	1241	60	42	2 7/8
		EVPLFPOL6648	1274	1335	60	48	2 7/8
		EVPLFPOL6654	1410	1474	60	54	2 7/8
		EVPLFPOL6660	1548	1619	60	60	2 7/8





EVPO - OPEN MIDDLE PANEL - 12"H OPENING

- Open Middle Panel incorporates a 12"H middle position open module with fabric modules, within a steel frame.
- Open Middle Panel Incorporates a 12"H opening above 30"H base module to provide pass-through convenience.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules or part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	EVPO5418	600	629	54	18	2 7/8
	EVPO5424	698	734	54	24	2 7/8
	EVPO5430	803	844	54	30	2 7/8
	EVPO5436	914	962	54	36	2 7/8
	EVPO5442	1029	1082	54	42	2 7/8
	EVPO5448	1110	1171	54	48	2 7/8
	EVPO5454	1231	1297	54	54	2 7/8
	EVPO5460	1345	1418	54	60	2 7/8
	EVPO6618	662	698	66	18	2 7/8
	EVPO6624	764	812	66	24	2 7/8
	EVPO6630	880	932	66	30	2 7/8
	EVPO6636	998	1061	66	36	2 7/8
	EVPO6642	1126	1195	66	42	2 7/8
	EVPO6648	1215	1295	66	48	2 7/8
	EVPO6654	1348	1436	66	54	2 7/8
	EVPO6660	1472	1570	66	60	2 7/8

EVPLFO - OPEN MIDDLE LIGHT PANEL - 12"H OPENING


- Open Middle Light Panel incorporates a 12"H middle position open module with fabric modules, within a steel frame.
- Open Middle Light Panel Incorporates a 12"H opening above 30"H base module to provide pass-through convenience.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
	EVPLFO5418	572	599	54	18	2 7/8
	EVPLFO5424	665	699	54	24	2 7/8
	EVPLFO5430	764	803	54	30	2 7/8
	EVPLFO5436	867	911	54	36	2 7/8
	EVPLFO5442	976	1029	54	42	2 7/8
	EVPLFO5448	1053	1110	54	48	2 7/8
	EVPLFO5454	1168	1232	54	54	2 7/8
	EVPLFO5460	1278	1348	54	60	2 7/8
	EVPLFO6618	630	664	60	18	2 7/8
	EVPLFO6624	726	768	60	24	2 7/8
	EVPLFO6630	834	886	60	30	2 7/8
	EVPLFO6636	950	1008	60	36	2 7/8
	EVPLFO6642	1070	1136	60	42	2 7/8
	EVPLFO6648	1154	1228	60	48	2 7/8
	EVPLFO6654	1279	1360	60	54	2 7/8
	EVPLFO6660	1399	1492	60	60	2 7/8




EVPFPO - OPEN MIDDLE PREMIUM PANEL - 12"H OPENING

- Open Middle Premium Panel incorporates a 12"H middle position open module with fabric modules, within a steel frame.
- Open Middle Premium Panel Incorporates a 12"H opening above 30"H base module to provide pass-through convenience.
- Premium panels incorporate 12"H modules above 30"H base section.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Open Middle Premium Panel - 12"H Opening - 66" High	EVPFPO6618	753	789	66	18	2 7/8
		EVPFPO6624	870	917	66	24	2 7/8
		EVPFPO6630	1001	1056	66	30	2 7/8
		EVPFPO6636	1134	1195	66	36	2 7/8
		EVPFPO6642	1289	1359	66	42	2 7/8
		EVPFPO6648	1385	1465	66	48	2 7/8
		EVPFPO6654	1536	1623	66	54	2 7/8
		EVPFPO6660	1691	1789	66	60	2 7/8

EVPLFPO - OPEN MIDDLE PREMIUM LIGHT PANEL - 12" OPENING


- Open Middle Premium Light Panel incorporates a 12"H middle position open module with fabric modules, within a steel frame.
- Open Middle Premium Light Panel Incorporates a 12"H opening above 30"H base module to provide pass-through convenience.
- Premium panels incorporate 12"H modules above 30"H base section.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H or 24"H increments. See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Open Middle Premium Light Panel - 12"H Opening - 66" High	EVPLFPO6618	714	748	66	18	2 7/8
		EVPLFPO6624	829	871	66	24	2 7/8
		EVPLFPO6630	951	1001	66	30	2 7/8
		EVPLFPO6636	1077	1135	66	36	2 7/8
		EVPLFPO6642	1225	1291	66	42	2 7/8
		EVPLFPO6648	1317	1391	66	48	2 7/8
		EVPLFPO6654	1459	1541	66	54	2 7/8
		EVPLFPO6660	1607	1700	66	60	2 7/8





EVPOX - OPEN MIDDLE PANEL - 24" H OPENING

- Open Middle Panel incorporates a 24" H middle position open module with fabric modules, within a steel frame.
- Open Middle Panel Incorporates a 24" H opening above 30" H base module to provide pass-through convenience.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6" H, 12" H, 18" H or 24" H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Panel - 24" H Opening - 54" High	EVPOX5418	502	522	54	18	2 7/8
		EVPOX5424	572	598	54	24	2 7/8
		EVPOX5430	655	682	54	30	2 7/8
		EVPOX5436	733	767	54	36	2 7/8
		EVPOX5442	817	855	54	42	2 7/8
		EVPOX5448	880	921	54	48	2 7/8
		EVPOX5454	966	1010	54	54	2 7/8
		EVPOX5460	1047	1100	54	60	2 7/8
	Open Middle Panel - 24" H Opening - 66" High	EVPOX6618	651	679	66	18	2 7/8
		EVPOX6624	748	784	66	24	2 7/8
		EVPOX6630	880	921	66	30	2 7/8
		EVPOX6636	960	1007	66	36	2 7/8
		EVPOX6642	1078	1135	66	42	2 7/8
		EVPOX6648	1154	1213	66	48	2 7/8
		EVPOX6654	1275	1341	66	54	2 7/8
		EVPOX6660	1388	1462	66	60	2 7/8





EVPLFOX - OPEN MIDDLE LIGHT PANEL - 24" H OPENING

- Open Middle Panel incorporates a 24" H middle position open module with fabric modules, within a steel frame.
- Open Middle Panel Incorporates a 24" H opening above 30" H base module to provide pass-through convenience.
- There is no base raceway in Light Panels to accommodate electrical.
- Light Panel Connectors must be used in conjunction with Light Panels.
- Opposite sides of each panel may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- An aluminum low profile top cap is included.
- Stackability: Evolve panels can be increased in height in 6" H, 12" H, 18" H or 24" H increments. See Extension Modules for part numbers.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Open Middle Light Panel - 24" H Opening - 54" High	EVPLFOX5418	477	495	54	18	2 7/8
		EVPLFOX5424	541	567	54	24	2 7/8
		EVPLFOX5430	622	648	54	30	2 7/8
		EVPLFOX5436	698	731	54	36	2 7/8
		EVPLFOX5442	770	806	54	42	2 7/8
		EVPLFOX5448	834	873	54	48	2 7/8
		EVPLFOX5454	919	961	54	54	2 7/8
		EVPLFOX5460	996	1044	54	60	2 7/8
	Open Middle Light Panel - 24" H Opening - 66" High	EVPLFOX6618	618	645	66	18	2 7/8
		EVPLFOX6624	712	746	66	24	2 7/8
		EVPLFOX6630	834	873	66	30	2 7/8
		EVPLFOX6636	911	958	66	36	2 7/8
		EVPLFOX6642	1024	1076	66	42	2 7/8
		EVPLFOX6648	1094	1152	66	48	2 7/8
		EVPLFOX6654	1210	1273	66	54	2 7/8
		EVPLFOX6660	1322	1392	66	60	2 7/8

EVPFANR - SEGMENTED NO RACEWAY PANEL

- Segmented No Raceway panel incorporates fabric modules within steel frame.
- There is no base raceway in No Raceway Panels to accommodate electric.
- No Raceway connectors to be used.
- Fabric covered modules are tackable and acoustical.
- Each side of fabric module may have different fabric within the same grade at no charge.
- If different grades of fabric are used, the entire module must be price at highest grade.
- Aluminum low profile top and bottom cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H, 24"H increments. See module listing for part numbers See Extension Modules for part numbers.





	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Segmented NR Panel - 30" High	EVPFA3018NR EVPFA3024NR EVPFA3030NR EVPFA3036NR EVPFA3042NR EVPFA3048NR EVPFA3054NR EVPFA3060NR	397 412 463 499 534 587 636 681	416 439 489 531 573 631 683 734	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented NR Panel - 42" High	EVPFA4218NR EVPFA4224NR EVPFA4230NR EVPFA4236NR EVPFA4242NR EVPFA4248NR EVPFA4254NR EVPFA4260NR	440 467 540 580 665 713 789 866	469 501 582 631 717 776 858 941	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented NR Panel - 48" High	EVPFA4818NR EVPFA4824NR EVPFA4830NR EVPFA4836NR EVPFA4842NR EVPFA4848NR EVPFA4854NR EVPFA4860NR	473 515 592 659 744 829 898 965	502 544 621 688 773 858 927 994	48 48 48 48 48 48 48 48	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented NR Panel - 54" High	EVPFA5418NR EVPFA5424NR EVPFA5430NR EVPFA5436NR EVPFA5442NR EVPFA5448NR EVPFA5454NR EVPFA5460NR	473 515 592 659 744 829 898 965	511 563 646 723 818 911 986 1060	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Segmented NR Panel - 66" High	EVPFA6618NR EVPFA6624NR EVPFA6630NR EVPFA6636NR EVPFA6642NR EVPFA6648NR EVPFA6654NR EVPFA6660NR	595 639 711 831 936 1006 1091 1182	642 697 777 912 1027 1107 1204 1306	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



EVPFAMNR - MONOLITHIC NO RACEWAY PANEL



- Monolithic No Raceway panel incorporates fabric modules within steel frame.
- There is no base raceway in No Raceway Panels to accommodate electric.
- No Raceway connectors to be used.
- Fabric covered modules are tackable and acoustical.
- Each side of fabric module may have different fabric within the same grade at no charge.

- If different grades of fabric are used, the entire module must be price at highest grade.
- Aluminum low profile top and bottom cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H, 24"H increments. See module listing for part numbers See Extension Modules for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Monolithic NR Panel 42" High	EVPFAM4218NR EVPFAM4224NR EVPFAM4230NR EVPFAM4236NR EVPFAM4242NR EVPFAM4248NR EVPFAM4254NR EVPFAM4260NR	410 436 502 534 592 642 705 764	448 483 601 598 671 730 799 865	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic NR Panel - 48" High	EVPFAM4818NR EVPFAM4824NR EVPFAM4830NR EVPFAM4836NR EVPFAM4842NR EVPFAM4848NR EVPFAM4854NR EVPFAM4860NR	416 455 528 574 639 694 768 834	454 506 583 638 714 777 863 936	48 48 48 48 48 48 48 48	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic NR Panel - 54" High	EVPFAM5418NR EVPFAM5424NR EVPFAM5430NR EVPFAM5436NR EVPFAM5442NR EVPFAM5448NR EVPFAM5454NR EVPFAM5460NR	421 463 537 595 666 724 789 867	459 511 594 664 740 806 888 970	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic NR Panel - 66" High	EVPFAM6618NR EVPFAM6624NR EVPFAM6630NR EVPFAM6636NR EVPFAM6642NR EVPFAM6648NR EVPFAM6654NR EVPFAM6660NR	517 570 639 744 834 904 1006 1106	556 620 698 810 909 987 1097 1207	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Monolithic NR Panel - 90" High	EVPFAM9018NR EVPFAM9024NR EVPFAM9030NR EVPFAM9036NR	909 984 1094 1274	976 1065 1197 1387	90 90 90 90	18 24 30 36	2 7/8 2 7/8 2 7/8 2 7/8

EVPH1SNR - LAMINATE NO RACEWAY - PANEL SINGLE SIDED



- Laminate No Raceway panel incorporates single sided laminate modules within steel frame.
- Opposite side is fabric covered.
- Laminate faces on all modules provide durable, washable surfaces on One Side of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- There is no base raceway in No Raceway Panels to accommodate electric.
- No Raceway connectors to be used.
- If different grades of fabric are used, the entire module must be priced at highest grade.
- An aluminum low profile top and bottom cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H, 24"H increments. See module listing for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Laminate NR Panel - Single Sided - 30" High	EVPH1S3018NR EVPH1S3024NR EVPH1S3030NR EVPH1S3036NR EVPH1S3042NR EVPH1S3048NR EVPH1S3054NR EVPH1S3060NR	488 585 679 772 879 954 1052 1157	497 597 692 790 893 973 1078 1181	30 30 30 30 30 30 30 30	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate NR Panel - Single Sided - 42" High	EVPH1S4218NR EVPH1S4224NR EVPH1S4230NR EVPH1S4236NR EVPH1S4242NR EVPH1S4248NR EVPH1S4254NR EVPH1S4260NR	582 691 810 927 1050 1142 1266 1387	596 712 831 955 1080 1175 1304 1429	42 42 42 42 42 42 42 42	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate NR Panel - Single Sided - 54" High	EVPH1S5418NR EVPH1S5424NR EVPH1S5430NR EVPH1S5436NR EVPH1S5442NR EVPH1S5448NR EVPH1S5454NR EVPH1S5460NR	680 821 962 1100 1245 1362 1512 1662	695 848 991 1132 1286 1406 1559 1715	54 54 54 54 54 54 54 54	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Laminate NR Panel - Single Sided - 66" High	EVPH1S6618NR EVPH1S6624NR EVPH1S6630NR EVPH1S6636NR EVPH1S6642NR EVPH1S6648NR EVPH1S6654NR EVPH1S6660NR	842 1012 1183 1365 1550 1550 1880 2067	869 1045 1222 1407 1598 1598 1937 2133	66 66 66 66 66 66 66 66	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



EVPH2SNR - LAMINATE NO RACEWAY - PANEL DOUBLE SIDED

- Laminate No Raceway panel incorporates double sided laminate modules, within steel frame.
- Laminate faces on all modules provide durable, washable surfaces on both sides of the panel.
- Available in high pressure laminate only.
- If wood grain is selected, grain runs horizontally.
- There is no base raceway in No Raceway Panels to accommodate electric.
- No Raceway connectors to be used.
- If different grades of fabric are used, the entire module must be priced at highest grade.
- An aluminum low profile top and bottom cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H, 24"H increments. See module listing for part numbers.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Laminate NR Panel - Double Sided - 30" High	EVPH2S3018NR	666	30	18	2 7/8
	EVPH2S3024NR	666	30	24	2 7/8
	EVPH2S3030NR	786	30	30	2 7/8
	EVPH2S3036NR	898	30	36	2 7/8
	EVPH2S3042NR	1021	30	42	2 7/8
	EVPH2S3048NR	1141	30	48	2 7/8
	EVPH2S3054NR	1264	30	54	2 7/8
	EVPH2S3060NR	1365	30	60	2 7/8
 Laminate NR Panel - Double Sided - 42" High	EVPH2S4218NR	647	42	18	2 7/8
	EVPH2S4224NR	786	42	24	2 7/8
	EVPH2S4230NR	926	42	30	2 7/8
	EVPH2S4236NR	1075	42	36	2 7/8
	EVPH2S4242NR	1225	42	42	2 7/8
	EVPH2S4248NR	1372	42	48	2 7/8
	EVPH2S4254NR	1509	42	54	2 7/8
	EVPH2S4260NR	1641	42	60	2 7/8
 Laminate NR Panel - Double Sided - 54" High	EVPH2S5418NR	758	54	18	2 7/8
	EVPH2S5424NR	928	54	24	2 7/8
	EVPH2S5430NR	1099	54	30	2 7/8
	EVPH2S5436NR	1276	54	36	2 7/8
	EVPH2S5442NR	1458	54	42	2 7/8
	EVPH2S5448NR	1639	54	48	2 7/8
	EVPH2S5454NR	1806	54	54	2 7/8
	EVPH2S5460NR	1963	54	60	2 7/8
 Laminate NR Panel - Double Sided - 66" High	EVPH2S6618NR	954	66	18	2 7/8
	EVPH2S6624NR	1172	66	24	2 7/8
	EVPH2S6630NR	1387	66	30	2 7/8
	EVPH2S6636NR	1610	66	36	2 7/8
	EVPH2S6642NR	1844	66	42	2 7/8
	EVPH2S6648NR	2067	66	48	2 7/8
	EVPH2S6654NR	2282	66	54	2 7/8
	EVPH2S6660NR	2491	66	60	2 7/8



EVPGTNR - FULLY GLAZED SEGMENTED NO RACEWAY PANEL


- Fully Glazed Segmented No Raceway Panels are incorporated in solid steel frame
- There is no base raceway in No Raceway Panels to accommodate electric
- No Raceway connectors to be used
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge
- Aluminum low profile top and bottom cap is included
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H, 24"H increments. See module listing for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Glazed Segmented NR Panel 48" H	EVPGT4818NR	801	48	18	2 7/8
	EVPGT4824NR	984	48	24	2 7/8
	EVPGT4830NR	1089	48	30	2 7/8
	EVPGT4836NR	1188	48	36	2 7/8
	EVPGT4842NR	1316	48	42	2 7/8
	EVPGT4848NR	1467	48	48	2 7/8
	EVPGT4854NR	1615	48	54	2 7/8
	EVPGT4860NR	1762	48	60	2 7/8

**EVPGXTNR - FULLY GLAZED MONOLITHIC NO RACEWAY PANEL**

- Fully Glazed Monolithic No Raceway Panels are incorporated in solid steel frame.
- There is no base raceway in No Raceway Panels to accomodate electric.
- No Raceway connectors to be used.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge.
- Size 90"x36"W is maximum size allowed.
- Panel height to align with standard door height.
- Aluminum low profile top and bottom cap is included.
- Stackability: Evolve panels can be increased in height in 6"H, 12"H, 18"H, 24"H increments. See module listing for part numbers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Glazed Monolithic NR Panel 90" High	EVPGXT9018NR	1018	90	18	2 7/8
	EVPGXT9024NR	1161	90	24	2 7/8
	EVPGXT9030NR	1317	90	30	2 7/8
	EVPGXT9036NR	1424	90	36	2 7/8



EVPICNR - INLINE CONNECTOR NO RACEWAY PANEL

- Connects two No Raceway Panels in a straight run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors are available without slots, as a special at no extra charge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Inline Connector No Raceway Panel To be used only with 90" H NR Glazed Panels	EVPIC30NR EVPIC42NR EVPIC48NR EVPIC54NR EVPIC66NR	83 97 101 104 116	30 42 48 54 66	2 2 2 2 2	


EVPICPNR - INLINE CONNECTOR PANEL - NO RACEWAY PANEL

- Connects Panel to No Raceway panel in straight run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors are available without slots, as a special at no extra charge. Contact Customer Support.
- Note: Allows to connect panel to NR panel in straight run.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Inline Connector Panel - No Raceway Panel	EVPIC30PNR EVPIC42PNR EVPIC48PNR EVPIC54PNR EVPIC66PNR	80 93 97 99 110	30 42 48 54 66	2 2 2 2 2	

EVPIC90NR - INLINE CONNECTOR NO RACEWAY PANEL

- Connects two 90" H No Raceway panel in straight run.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors are without slots
- To be used only with 90" H NR Glazed Panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Connector No Raceway Panel	EVPIC90NR	174	90	2

EVPIC90PNR - INLINE CONNECTOR PANEL - NO RACEWAY PANEL

- Connects 90" H No Raceway panel to 90" H door in straight run.
- Includes one non slotted connector with leveling glide and connecting hardware
- Connectors are without slots.
- Note: To be used only with 90" H NR Glazed Panels and 90" H door

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPIC90PNR	174	90	2	

EVPVCNR - INLINE VARIABLE HEIGHT CONNECTOR NO RACEWAY PANEL

- Connects two No Raceway panels of differing height in straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel height.
- Variable height trim must be ordered separately (see EVPTVA).
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors are available without slots, as a special at no extra charge. Contact customer support..

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPV42NR	104	42	2	
	EVPV48NR	106	48	2	
	EVPV54NR	109	54	2	
	EVPV66NR	117	66	2	

EVPVCPNR - INLINE VARIABLE HEIGHT CONNECTOR PANEL - NO RACEWAY PANEL


- Connects Panel to No Raceway panels of differing height in straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel height.
- Variable height trim must be ordered separately (see EVPTVA).
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.
- Note: Allows to connect panel to NR panel in straight run

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPV42PNR	110	42	2	
	EVPV48PNR	117	48	2	
	EVPV54PNR	132	54	2	
	EVPV66PNR	146	66	2	




EVPERANR - END OF RUN POST KIT FOR NO RACEWAY PANEL

- Connects at end of No Raceway panel and can attach to a panel to fixed wall.
- Adds 1" to width of panel run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide and connecting hardware and glide and connecting hardware and trim kit.
- Can be attached to face of another panel to provide off modular connection.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	End End of Run Post Kit No Raceway Panel	EVPERA30NR EVPERA42NR EVPERA48NR EVPERA54NR EVPERA66NR	101 116 122 137 152	30 42 48 54 66	2 2 2 2 2


EVPERA90NR - END OF RUN POST KIT FOR NO RACEWAY PANEL

- Connects two 90" H No Raceway panel and can attach to a panel to fixed wall.
- Adds 1" to width of panel run.
- Includes Non-Slotted connector with leveling glide and connecting hardware and trim kit.
- Can be attached to face of another panel to provide off modular connection.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	End End of Run Post Kit To be used only with 90" H NR Glazed Panels	EVPERA90NR	218	66	2


EVPCPA1NR - ONE WAY CORNER POST NO RACEWAY PANEL

- Connects at end of No Raceway panel run in place of EVPERA- End of run post kit.
- Should not be used to attach panel to fixed wall.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One Way Corner Post No Raceway Panel				
	EVPCPA130NR	134	30	2 7/8	
	EVPCPA142NR	152	42	2 7/8	
	EVPCPA148NR	179	48	2 7/8	
	EVPCPA154NR	204	54	2 7/8	
	EVPCPA166NR	250	66	2 7/8	

EVPCPA190NR - ONE WAY CORNER POST NO RACEWAY PANEL

- Connects at end of 90" H No Raceway panel run in place of EVPERA - End of run post kit.
- Should not be used to attach panel to fixed wall.
- Post and connecting hardware add 3.25" to power beam run.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One Way Corner Post No Raceway Panel To be used only with 90" H NR Glazed Panels	EVPCPA190NR	369	90	2 7/8



EVPIPA2NR - INLINE TWO WAY CORNER POST NO RACEWAY PANEL


- Connects two No Raceway panel of equal height in straight run.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.

- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPIPA230NR	183	30	2 7/8	
Inline Two Way Corner Post No Raceway Panel	EVPIPA242NR	232	42	2 7/8	
	EVPIPA248NR	253	48	2 7/8	
	EVPIPA254NR	277	54	2 7/8	
	EVPIPA266NR	328	66	2 7/8	


EVPIPA290NR - INLINE TWO WAY CORNER POST NO RACEWAY PANEL

- Connects two No Raceway panel of equal height in a straight run.
- Post and connecting hardware add 3.25" to power beam run.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPIPA290NR	493	90	2 7/8	
Inline Two Way Corner Post No Raceway Panel To be used only with 90" H NR Glazed Panels					


EVPCPA2PNR - TWO WAY CORNER POST NO RACEWAY PANEL-PANEL

- Connects No Raceway panel and Raceway Panel of equal height in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two Way Corner Post No Raceway Panel	EVPCPA230PNR EVPCPA242PNR EVPCPA248PNR EVPCPA254PNR EVPCPA266PNR	188 235 250 289 344	30 42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPCPA290NR - TWO WAY CORNER POST NO RACEWAY PANEL


- Connects two 90" H No Raceway panels of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two Way Corner Post No Raceway Panel To be used only with 90" H NR Glazed Panels	EVPCPA290NR	494	90	2 7/8




EVPCA3PNR - THREE WAY CORNER POST NO RACEWAY PANEL-PANEL-NO RACEWAY PANEL

- Connects two No Raceway panels and Raceway Panels of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three Way Corner Post No Raceway Panel	EVPCA330PNR EVPCA342PNR EVPCA348PNR EVPCA354PNR EVPCA366PNR	234 312 344 377 445	30 42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8


EVPCA3PNRP - THREE WAY CORNER POST PANEL-NO RACEWAY PANEL-PANEL

- Connects two panels and No raceway Panel of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors available without slots, as a special at no extra charge. Contact CustomerCare

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three Way Corner Post No Raceway Panel	EVPCA330PNRP EVPCA342PNRP EVPCA348PNRP EVPCA354PNRP EVPCA366PNRP	234 312 344 377 445	30 42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8


EVPCA390NR - THREE WAY CORNER POST NO RACEWAY PANEL

- Connects two 90" H No Raceway panels of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three Way Corner Post No Raceway Panel To be used only with 90" H NR Glazed Panels	EVPCA390NR	623	90	2 7/8


EVPCPA4PNR - FOUR WAY CORNER POST NO RACEWAY PANEL-PANEL-NO RACEWAY PANEL-PANEL

- Connects two No Raceway panels and two Raceway panels of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPCPA430PNR	286	30	2 7/8	
Four Way Corner Post No Raceway Panel	EVPCPA442PNR	365	42	2 7/8	
	EVPCPA448PNR	405	48	2 7/8	
	EVPCPA454PNR	441	54	2 7/8	
	EVPCPA466PNR	517	66	2 7/8	

EVPCPA490NR - FOUR WAY CORNER POST NO RACEWAY PANEL

- Connects four 90" H No Raceway panels of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are without slots.
- To be used only with 90" H NR Glazed Panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPCPA490NR	715	90	2 7/8	
Four Way Corner Post No Raceway Panel To be used only with 90" H NR Glazed Panels					



EVLEPDSNC - LAMINATE DOUBLE SIDED GALLERY PANEL, FINISHED ENDS

- Attaches to end of run connector with "U" channel.
- To be installed at end of panel run.
- Finished in thermally fused laminate.
- No connection on both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Double Sided Gallery Panel Finished Ends - 42" High	EVLEPDS4251NC	741	42	51	1
	EVLEPDS4263NC	965	42	63	1
	EVLEPDS4275NC	1188	42	75	1
Laminate Double Sided Gallery Panel Finished Ends - 48" High	EVLEPDS4851NC	807	48	51	1
	EVLEPDS4863NC	1069	48	63	1
	EVLEPDS4875NC	1299	48	75	1
Laminate Double Sided Gallery Panel Finished Ends - 54" High	EVLEPDS5451NC	937	54	51	1
	EVLEPDS5463NC	1224	54	63	1
	EVLEPDS5475NC	1415	54	75	1

EVLEPDS - LAMINATE DOUBLE SIDED GALLERY PANEL, CONNECTOR ENDS

- Attaches to end of run connector with "U" channel.
- To be installed at end of panel run.
- Finished in thermally fused laminate.
- Locking connection both sides.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Double Sided Gallery Panel - Connector Ends - 42" High	EVLEPDS4251	741	42	51	1
	EVLEPDS4263	965	42	63	1
	EVLEPDS4275	1188	42	75	1
Laminate Double Sided Gallery Panel - Connector Ends - 48" High	EVLEPDS4851	807	48	51	1
	EVLEPDS4863	1069	48	63	1
	EVLEPDS4875	1299	48	75	1
Laminate Double Sided Gallery Panel - Connector Ends - 54" High	EVLEPDS5451	937	54	51	1
	EVLEPDS5463	1224	54	63	1
	EVLEPDS5475	1415	54	75	1

EVLEPSSNC - LAMINATE SINGLE SIDED GALLERY PANEL, FINISHED ENDS

- Attaches to end of run connector with "U" channel.
- To be installed at end of panel run on one side.
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Single Sided Gallery Panel - Finished Ends - 42" High	EVLEPSSL4227NC	482	42	27	1
	EVLEPSSL4233NC	538	42	33	1
	EVLEPSSL4239NC	604	42	39	1
	EVLEPSSL4245NC	692	42	45	1
	EVLEPSSL4251NC	741	42	51	1
Laminate Single Sided Gallery Panel - Finished Ends - 48" High	EVLEPSSL4827NC	527	48	27	1
	EVLEPSSL4833NC	598	48	33	1
	EVLEPSSL4839NC	669	48	39	1
	EVLEPSSL4845NC	741	48	45	1
	EVLEPSSL4851NC	839	48	51	1
Laminate Single Sided Gallery Panel - Finished Ends - 54" High	EVLEPSSL5427NC	579	54	27	1
	EVLEPSSL5433NC	662	54	33	1
	EVLEPSSL5439NC	754	54	39	1
	EVLEPSSL5445NC	882	54	45	1
	EVLEPSSL5451NC	937	54	51	1
Laminate Single Sided Gallery Panel - Finished Ends - 42" High	EVLEPSSR4227NC	482	42	27	1
	EVLEPSSR4233NC	538	42	33	1
	EVLEPSSR4239NC	604	42	39	1
	EVLEPSSR4245NC	692	42	45	1
	EVLEPSSR4251NC	741	42	51	1
Laminate Single Sided Gallery Panel - Finished Ends - 48" High	EVLEPSSR4827NC	527	48	27	1
	EVLEPSSR4833NC	598	48	33	1
	EVLEPSSR4839NC	669	48	39	1
	EVLEPSSR4845NC	741	48	45	1
	EVLEPSSR4851NC	839	48	51	1
Laminate Single Sided Gallery Panel - Finished Ends - 54" High	EVLEPSSR5427NC	807	54	27	1
	EVLEPSSR5433NC	662	54	33	1
	EVLEPSSR5439NC	754	54	39	1
	EVLEPSSR5445NC	882	54	45	1
	EVLEPSSR5451NC	937	54	51	1



EVLEPSS - LAMINATE SINGLE SIDED GALLERY PANEL, CONNECTOR END

- Attaches to end of run connector with "U" channel.
- To be installed at end of panel run on one side.
- Finished in thermally fused laminate.
- Locking connection on one side.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.

- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Single Sided Gallery Panel - Connector Ends - 42" High	EVLEPSSL4227	482	42	27	1
	EVLEPSSL4233	538	42	33	1
	EVLEPSSL4239	604	42	39	1
	EVLEPSSL4245	692	42	45	1
	EVLEPSSL4251	741	42	51	1
Laminate Single Sided Gallery Panel - Connector Ends - 48" High	EVLEPSSL4827	527	48	27	1
	EVLEPSSL4833	598	48	33	1
	EVLEPSSL4839	669	48	39	1
	EVLEPSSL4845	741	42	45	1
	EVLEPSSL4851	839	42	51	1
Laminate Single Sided Gallery Panel - Connector Ends - 54" High	EVLEPSSL5427	579	54	27	1
	EVLEPSSL5433	662	54	33	1
	EVLEPSSL5439	754	42	39	1
	EVLEPSSL5445	882	54	45	1
	EVLEPSSL5451	937	42	51	1
Laminate Single Sided Gallery Panel - Connector Ends - 42" High	EVLEPSSR4227	482	42	27	1
	EVLEPSSR4233	538	42	33	1
	EVLEPSSR4239	604	42	39	1
	EVLEPSSR4245	692	42	45	1
	EVLEPSSR4251	741	42	51	1
Laminate Single Sided Gallery Panel - Connector Ends - 48" High	EVLEPSSR4827	527	48	27	1
	EVLEPSSR4833	598	48	33	1
	EVLEPSSR4839	669	48	39	1
	EVLEPSSR4845	741	42	45	1
	EVLEPSSR4851	839	42	51	1
Laminate Single Sided Gallery Panel - Connector Ends - 54" High	EVLEPSSR5427	579	54	27	1
	EVLEPSSR5433	662	54	33	1
	EVLEPSSR5439	754	54	39	1
	EVLEPSSR5445	882	42	45	1
	EVLEPSSR5451	937	42	51	1

EVLEPDCNC - LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, BASE POWER, FINISHED ENDS

- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two panels in straight run.
- Finished in thermally fused laminate.
- Locking connection on both side.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Double Sided Gallery Panel Finished Ends - 42" High	EVLEPDC4251NC	937	42	51	1
	EVLEPDC4263NC	965	42	63	1
	EVLEPDC4275NC	1188	42	75	1
Laminate Double Sided Gallery Panel Finished Ends - 48" High	EVLEPDC4851NC	807	48	51	1
	EVLEPDC4863NC	1069	48	63	1
	EVLEPDC4875NC	1299	48	75	1
Laminate Double Sided Gallery Panel Finished Ends - 54" High	EVLEPDC4851NC	807	54	51	1
	EVLEPDC4863NC	1069	54	63	1
	EVLEPDC4875NC	1299	54	75	1

EVICLXPNC - LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, BELTLINE POWER, FINISHED ENDS

- Attaches in middle of panel run with connector with "U" channel
- To be installed in middle between two beltline panels in straight run.
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Double Sided Middle Gallery Panel - Finished Ends - 42" High	EVICLXP4251NC	741	42	51	1
	EVICLXP4263NC	965	42	63	1
	EVICLXP4275NC	1188	42	75	1
Laminate Double Sided Middle Gallery Panel - Finished Ends - 48" High	EVICLXP4851NC	807	48	51	1
	EVICLXP4863NC	1069	48	63	1
	EVICLXP4875NC	1299	48	75	1
Laminate Double Sided Middle Gallery Panel - Finished Ends - 54" High	EVICLXP5451NC	937	54	51	1
	EVICLXP5463NC	1224	54	63	1
	EVICLXP5475NC	1415	54	75	1



EVLEPDC - LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, BASE POWER, CONNECTOR ENDS

- Attaches to end of run connector with "U" channel.
- To be installed in middle between two panels in straight run.
- Finished in thermally fused laminate.
- Locking connection both sides.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Double Sided Middle Gallery Panel - Connector End - 42" High	EVLEPDC4251	741	42	51	1
	EVLEPDC4263	965	42	63	1
	EVLEPDC4275	1188	42	75	1
Laminate Single Sided Middle Gallery Panel - Connector End - 48" High	EVLEPDC4851	807	48	51	1
	EVLEPDC4863	1069	48	63	1
	EVLEPDC4875	1299	48	75	1
Laminate Single Sided Middle Gallery Panel - Connector End - 54" High	EVLEPDC5451	937	54	51	1
	EVLEPDC5463	1224	54	63	1
	EVLEPDC5475	1415	54	75	1

EVICLXP - LAMINATE DOUBLE SIDED MIDDLE GALLERY PANEL, BELTLINE POWER, CONNECTOR ENDS

- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two panels in straight run on one side.
- Finished in thermally fused laminate.
- Locking connection on both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Double Sided Gallery Panel Connector Ends - 42" High	EVICLXP4251	741	42	51	1
	EVICLXP4263	965	42	63	1
	EVICLXP4275	1188	42	75	1
Laminate Double Sided Gallery Panel Connector Ends - 48" High	EVICLXP4851	807	48	51	1
	EVICLXP4863	1069	48	63	1
	EVICLXP4875	1299	48	75	1
Laminate Double Sided Gallery Panel Connector Ends - 54" High	EVICLXP5451	937	54	51	1
	EVICLXP5463	1224	54	63	1
	EVICLXP5475	1415	42	75	1

EVLEPSCNC - LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, BASE POWER, FINISHED ENDS

- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two panels in straight run on one side.
- Cut out for electrics at base height.
- Finished in thermally fused laminate.
- No connection both sides.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Single Sided Gallery Panel - Finished End - 42" High	EVLEPSC4227NC	482	42	27	1
	EVLEPSC4233NC	538	42	33	1
	EVLEPSC4239NC	604	42	39	1
	EVLEPSC4245NC	692	42	45	1
	EVLEPSC4251NC	741	42	51	1
Laminate Single Sided Gallery Panel - Finished End - 48" High	EVLEPSC4827NC	527	48	27	1
	EVLEPSC4833NC	598	48	33	1
	EVLEPSC4839NC	669	48	39	1
	EVLEPSC4845NC	741	48	45	1
	EVLEPSC4851NC	839	48	51	1
Laminate Single Sided Gallery Panel - Finished End - 54" High	EVLEPSC5427NC	579	54	27	1
	EVLEPSC5433NC	662	54	33	1
	EVLEPSC5439NC	754	54	39	1
	EVLEPSC5445NC	882	54	45	1
	EVLEPSC5451NC	937	54	51	1

EVLEPSC - LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, BASE POWER, CONNECTOR END

- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two panels in straight run on one side.
- Finished in thermally fused laminate.
- Locking connection on one side.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Single Sided Middle Gallery Panel - Connector Ends - 42" High	EVLEPSC4227	482	42	27	1
	EVLEPSC4233	538	42	33	1
	EVLEPSC4239	604	42	39	1
	EVLEPSC4245	692	42	45	1
	EVLEPSC4251	741	42	51	1
Laminate Single Sided Middle Gallery Panel - Connector Ends - 48" High	EVLEPSC4827	527	48	27	1
	EVLEPSC4833	598	48	33	1
	EVLEPSC4839	669	48	39	1
	EVLEPSC4845	741	48	45	1
	EVLEPSC4851	839	48	51	1
Laminate Single Sided Middle Gallery Panel - Connector Ends - 54" High	EVLEPSC5427	579	54	27	1
	EVLEPSC5433	662	54	33	1
	EVLEPSC5439	754	54	39	1
	EVLEPSC5445	882	54	45	1
	EVLEPSC5451	937	54	51	1



EVLEPSCNC - LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, BELTLINE POWER, FINISHED ENDS

- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two beltline panels in straight run.
- Cut out for electrics at beltline height.
- Finished in thermally fused laminate.
- No connection both sides.

- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Single Sided Gallery Panel Finished Ends - 42" High	EVLEPSCB4227NC	482	42	27	1
	EVLEPSCB4233NC	538	42	33	1
	EVLEPSCB4239NC	604	42	39	1
	EVLEPSCB4245NC	741	42	45	1
	EVLEPSCB4251NC	741	42	51	1
Laminate Single Sided Gallery Panel Finished Ends - 48" High	EVLEPSCB4827NC	527	48	27	1
	EVLEPSCB4833NC	598	48	33	1
	EVLEPSCB4839NC	669	48	39	1
	EVLEPSCB4845NC	741	48	45	1
	EVLEPSCB4851NC	839	48	51	1
Laminate Single Sided Gallery Panel Finished Ends - 54" High	EVLEPSCB5427NC	579	54	27	1
	EVLEPSCB5433NC	662	54	33	1
	EVLEPSCB5439NC	754	54	39	1
	EVLEPSCB5445NC	882	54	45	1
	EVLEPSCB5451NC	937	54	51	1

EVLEPSC - LAMINATE SINGLE SIDED MIDDLE GALLERY PANEL, BELTLINE POWER, CONNECTOR END

- Attaches in middle of panel run with connector with "U" channel.
- To be installed in middle between two panels in straight run on one side.
- Finished in thermally fused laminate.
- Locking connection on one side.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.

- If wood grain is selected, grain runs horizontally.
- End of run connector with "U" channel and bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Single Sided Middle Gallery Panel - Connector Ends - 42" High	EVLEPSCB4227	482	42	27	1
	EVLEPSCB4233	538	42	33	1
	EVLEPSCB4239	604	42	39	1
	EVLEPSCB4245	692	42	45	1
	EVLEPSCB4251	741	42	51	1
Laminate Single Sided Middle Gallery Panel - Connector Ends - 48" High	EVLEPSCB4827	527	48	27	1
	EVLEPSCB4833	598	48	33	1
	EVLEPSCB4839	669	48	39	1
	EVLEPSCB4845	741	48	45	1
	EVLEPSCB4851	839	48	51	1
Laminate Single Sided Middle Gallery Panel - Connector Ends - 54" High	EVLEPSCB5427	579	54	27	1
	EVLEPSCB5433	662	54	33	1
	EVLEPSCB5439	754	54	39	1
	EVLEPSCB5445	882	54	45	1
	EVLEPSCB5451	937	42	51	1

EVLXPMNC - LAMINATE GALLERY EXTENSION PANEL, FINISHED END

- Locking connection on one side, no connection at end.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Gallery Extension Panel Finished End - 42" High	EVLXPMNL4224NC	395	42	24	1
	EVLXPMNL4230NC	482	42	30	1
	EVLXPMNL4236NC	538	42	36	1
	EVLXPMNL4242NC	603	42	42	1
	EVLXPMNL4248NC	691	42	48	1
Laminate Gallery Extension Panel Finished End - 48" High	EVLXPMNL4824NC	454	48	24	1
	EVLXPMNL4830NC	527	48	30	1
	EVLXPMNL4836NC	598	48	36	1
	EVLXPMNL4842NC	669	48	42	1
	EVLXPMNL4848NC	741	48	48	1
Laminate Gallery Extension Panel Finished End - 54" High	EVLXPMNL5424NC	807	54	24	1
	EVLXPMNL5430NC	579	54	30	1
	EVLXPMNL5436NC	662	54	36	1
	EVLXPMNL5442NC	754	54	42	1
	EVLXPMNL5448NC	882	54	48	1
Laminate Gallery Extension Panel Finished End - 42" High	EVLXPMR4224NC	395	42	24	1
	EVLXPMR4230NC	482	42	30	1
	EVLXPMR4236NC	538	42	36	1
	EVLXPMR4242NC	603	42	42	1
	EVLXPMR4248NC	691	42	48	1
Laminate Gallery Extension Panel Finished End - 48" High	EVLXPMR4824NC	454	48	24	1
	EVLXPMR4830NC	527	48	30	1
	EVLXPMR4836NC	598	48	36	1
	EVLXPMR4842NC	669	48	42	1
	EVLXPMR4848NC	741	48	48	1
Laminate Gallery Extension Panel Finished End - 54" High	EVLXPMR5424NC	495	54	24	1
	EVLXPMR5430NC	579	54	30	1
	EVLXPMR5436NC	662	54	36	1
	EVLXPMR5442NC	754	54	42	1
	EVLXPMR5448NC	882	54	48	1



EVLXPM - LAMINATE GALLERY STRAIGHT EXTENSION PANEL, CONNECTOR ENDS

- Locking connection both sides.
- Finished in thermally fused laminate.
- Laminate Gallery Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Bottom connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Gallery Straight Extension Panel - Connector Ends - Left - 42" High	EVLXPM4224	741	42	24	1
	EVLXPM4230	482	42	30	1
	EVLXPM4236	538	42	36	1
	EVLXPM4242	603	42	42	1
	EVLXPM4248	691	42	48	1
Laminate Gallery Straight Extension Panel - Connector Ends - Left - 48" High	EVLXPM4824	454	48	24	1
	EVLXPM4830	527	48	30	1
	EVLXPM4836	598	48	36	1
	EVLXPM4842	669	48	42	1
	EVLXPM4848	741	48	48	1
Laminate Gallery Straight Extension Panel - Connector Ends - Left - 54" High	EVLXPM5424	495	54	24	1
	EVLXPM5430	579	54	30	1
	EVLXPM5436	662	54	36	1
	EVLXPM5442	754	54	42	1
	EVLXPM5448	882	54	48	1
Laminate Gallery Straight Extension Panel - Connector Ends - Right - 42" High	EVLXPMR4224	395	42	24	1
	EVLXPMR4230	482	42	30	1
	EVLXPMR4236	538	42	36	1
	EVLXPMR4242	603	42	42	1
	EVLXPMR4248	691	42	48	1
Laminate Gallery Straight Extension Panel - Connector Ends - Right - 48" High	EVLXPMR4824	454	48	24	1
	EVLXPMR4830	527	48	30	1
	EVLXPMR4836	598	48	36	1
	EVLXPMR4842	669	48	42	1
	EVLXPMR4848	741	48	48	1
Laminate Gallery Straight Extension Panel - Connector Ends - Right - 54" High	EVLXPMR5424	495	54	24	1
	EVLXPMR5430	579	54	30	1
	EVLXPMR5436	662	54	36	1
	EVLXPMR5442	754	54	42	1
	EVLXPMR5448	882	54	48	1

EV2LXP - LAMINATE GALLERY TWO-WAY EXTENSION PANEL, FINISHED ENDS

- Panel connects at 90 degree with extension panel.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.
- Corner connecting brackets to be ordered separately.


DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES			
			H	W	D	
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Left - 42" High	EV2LXPL4225 EV2LXPL4231 EV2LXPL4237 EV2LXPL4243 EV2LXPL4249	397 482 538 604 692	42 42 42 42 42	25 31 37 43 49	1 1 1 1 1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Left - 48" High	EV2LXPL4825 EV2LXPL4831 EV2LXPL4837 EV2LXPL4843 EV2LXPL4849	454 527 598 669 741	48 48 48 48 48	25 31 37 43 49	1 1 1 1 1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Left - 54" High	EV2LXPL5425 EV2LXPL5431 EV2LXPL5437 EV2LXPL5443 EV2LXPL5449	532 608 683 831 937	54 54 54 54 54	25 31 37 43 49	1 1 1 1 1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Right - 42" High	EV2LXPR4225 EV2LXPR4231 EV2LXPR4237 EV2LXPR4243 EV2LXPR4249	397 482 538 604 692	42 42 42 42 42	25 33 37 43 49	1 1 1 1 1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Right - 48" High	EV2LXPR4825 EV2LXPR4831 EV2LXPR4837 EV2LXPR4843 EV2LXPR4849	454 527 598 669 741	48 48 48 48 48	25 33 37 43 49	1 1 1 1 1
	Laminate Gallery Two-Way Extension Panel - Finished Ends - Right - 54" High	EV2LXPR5425 EV2LXPR5431 EV2LXPR5437 EV2LXPR5443 EV2LXPR5449	532 608 683 831 937	54 54 54 54 54	25 31 37 43 49	1 1 1 1 1



EV3LXP - LAMINATE GALLERY THREE-WAY EXTENSION PANEL, FINISHED ENDS

- Panel connects "T" configuration with extension panel.
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.

- If wood grain is selected, grain runs horizontally.
- Corner connecting brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES			
			H	W	D	
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 42" High	EV3LXPL4249 EV3LXPL4261 EV3LXPL4273	741 882 1027	42 42 42	49 61 73	1 1 1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 48" High	EV3LXPL4849 EV3LXPL4861 EV3LXPL4873	839 1031 1224	48 48 48	49 61 73	1 1 1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 54" High	EV3LXPL5449 EV3LXPL5461 EV3LXPL5473	937 1224 1415	54 54 54	49 61 73	1 1 1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 42" High	EV3LXPR4249 EV3LXPR4261 EV3LXPR4273	741 882 1027	42 42 42	49 61 73	1 1 1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 48" High	EV3LXPR4849 EV3LXPR4861 EV3LXPR4873	839 1031 1224	48 48 48	49 61 73	1 1 1
	Laminate Gallery Three-Way Extension Panel - Finished Ends - Left - 54" High	EV3LXPR5449 EV3LXPR5461 EV3LXPR5473	937 1224 1415	54 54 54	49 61 73	1 1 1

EV4LXP - LAMINATE DOUBLE GALLERY PANEL FOR FOUR-WAY, FINISHED ENDS

- Panel connects "+" configuration with extension panel.
- Corner connecting brackets to be ordered separately
- Finished in thermally fused laminate.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.
- If wood grain is selected, grain runs horizontally.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Double Gallery Panel Four-Way - Finished Ends - 42" High	EV4LXP4249	741	42	49	1
	EV4LXP4261	965	42	61	1
	EV4LXP4273	1188	42	73	1
Laminate Double Gallery Panel Four-Way - Finished Ends - 48" High	EV4LXP4849	807	48	49	1
	EV4LXP4861	1069	48	61	1
	EV4LXP4873	1299	48	73	1
Laminate Double Gallery Panel Four-Way - Finished Ends - 48" High	EV4LXP5449	937	54	49	1
	EV4LXP5461	1224	54	61	1
	EV4LXP5473	1415	54	73	1

EV4LXPM - LAMINATE GALLERY EXTENSION PANEL FOR FOUR-WAY CONFIGURATION, FINISHED ENDS

- Locking connection on one side only for four way panel.
- If wood grain is selected, grain runs horizontally.
- Finished in thermally fused laminate.
- Bottom connecting brackets to be ordered separately.
- Universal to be used on both sides of four way laminate panel.
- Laminate Gallery Extension Panel height is inclusive of panel glides extended to their full height.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Laminate Gallery Extension Panel Four-Way - Finished Ends - 42" High	EV4LXPM4224	395	42	24	1
	EV4LXPM4230	482	42	30	1
	EV4LXPM4236	538	42	36	1
	EV4LXPM4242	603	42	42	1
	EV4LXPM4248	691	42	58	1
Laminate Gallery Extension Panel Four-Way - Finished Ends - 48" High	EV4LXPM4824	454	48	24	1
	EV4LXPM4830	527	48	30	1
	EV4LXPM4836	598	48	36	1
	EV4LXPM4842	669	48	42	1
	EV4LXPM4848	741	48	48	1
Laminate Gallery Extension Panel Four-Way - Finished Ends - 48" High	EV4LXPM5424	495	54	24	1
	EV4LXPM5430	579	54	30	1
	EV4LXPM5436	662	54	36	1
	EV4LXPM5442	754	54	42	1
	EV4LXPM5448	882	54	48	1



EVPERCH - EVOLVE PANEL CONNECTOR WITH U CHANNEL

- U channel attaches with screws to laminate end panel or laminate middle panel.
- Evolve panels attaches to connector.
- Pass thru at bottom and beltline location for power/data.
- U channel is welded to connector.
- Includes connector with U channel and hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Panel Connector U Channel	EVPERCH42	185	42	2.875	1
	EVPERCH48	198	48	2.875	1
	EVPERCH54	214	54	2.875	1

**EVPBERCH - EVOLVE PANEL CONNECTOR WITH U CHANNEL FOR BELTLINE PANELS**

- U channel attaches with screws to laminate middle panel.
- Evolve panels attaches to connector.
- Pass thru at bottom and beltline location for power/data.
- U channel is welded to connector.
- Includes connector with U channel and hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Panel Connector U Channel	EVPBERCH42	185	42	2.875	1
	EVPBERCH48	198	48	2.875	1
	EVPBERCH54	214	54	2.875	1

**EVPERCHNR - NO RACEWAY PANEL CONNECTOR WITH U CHANNEL**

- U channel attaches with screws to laminate end panel or laminate middle panel
- Evolve NR panels attaches to connector
- U channel is welded to NR connector
- Includes NR connector with U channel and hardware

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
No Raceway Connector with U Channel	EVPERCH42NR	185	42	2.875	1
	EVPERCH48NR	198	48	2.875	1
	EVPERCH54NR	214	54	2.875	1

**EVPGDCP - GALLERY PANEL DATA POST / COMM LAY-IN**


- One way post attaches to Gallery Panel at the end to bring power and/or data cables from ceiling to Evolve panels.
- Accommodates up to 25 CAT 5 cables with electric. Accommodates up to 45 CAT 5 cables without electric.
- Middle Gallery panel with bottom cut out for electric must be ordered.
- Standard data post extension used above.
- Standard data post extension to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
Data Post	EVPGDCP42	247	42	3	
	EVPGDCP48	289	48	3	
	EVPGDCP54	316	54	3	




EVHLPBB01 - LAMINATE GALLERY PANEL BOTTOM BRACKET

- Laminate panel bottom bracket connects two laminate end panels at bottom with screws.
- Available in standard paint colors.
- Bracket and screws included.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	Bottom Bracket	EVHLPBB01	51	1.5	8

EVHLPCB01 - LAMINATE GALLERY PANEL CORNER BRACKET

- Laminate panel corner bottom bracket connects two laminate panels at 90 degree.
- Available in standard paint colors.
- Bracket and screws included.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	Corner Bracket	EVHLPCB01	50	1.5	4

EVPTTAU - EVOLVE CONNECTOR WITH U CHANNEL TOP TRIM ALUMINUM

- Aluminum top trim longer by 0.625" to cover width of connector with U channel.
- Trim can not span a post.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
	Top Trim Aluminum	EVPTTAU24	27	1	24.625
		EVPTTAU30	29	1	30.625
		EVPTTAU36	33	1	36.625
		EVPTTAU42	38	1	42.625
		EVPTTAU48	52	1	48.625
		EVPTTAU54	58	1	54.625
		EVPTTAU60	64	1	60.625
		EVPTTAU66	70	1	66.625
		EVPTTAU72	79	1	72.625
		EVPTTAU78	87	1	78.625
		EVPTTAU84	93	1	84.625



EVLEP - 1" LAMINATE END PANEL

- 1" Laminate End Panel attaches to an end of run connector.
- Left Hand or Right Hand available.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach a worksurface on one side.

- 1" Laminate end panel have panel leveling glides.
- If wood grain is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
1" Laminate End Panel - Right - 42" High	EVLEPR4224	403	42	24	1
	EVLEPR4230	503	42	30	1
	EVLEPR4236	603	42	36	1
	EVLEPR4242	702	42	42	1
	EVLEPR4248	803	42	48	1
1" Laminate End Panel - Left - 42" High	EVLEPL4224	403	42	24	1
	EVLEPL4230	503	42	30	1
	EVLEPL4236	603	42	36	1
	EVLEPL4242	702	42	42	1
	EVLEPL4248	803	42	48	1
1" Laminate End Panel - Right - 48" High	EVLEPR4824	454	48	24	1
	EVLEPR4830	575	48	30	1
	EVLEPR4836	690	48	36	1
	EVLEPR4842	800	48	42	1
	EVLEPR4848	917	48	48	1
1" Laminate End Panel - Left - 48" High	EVLEPL4824	454	48	24	1
	EVLEPL4830	575	48	30	1
	EVLEPL4836	690	48	36	1
	EVLEPL4842	800	48	42	1
	EVLEPL4848	917	48	48	1

EVLMP - 1" LAMINATE MIDDLE PANEL

- 1" Laminate Middle Panel attaches to a double inline connector.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach worksurfaces on both sides.

- 1" Laminate middle panel has panel leveling glides.
- If wood grain is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
1" Laminate Middle Panel - 42" High	EVLMP4224	450	42	24	1
	EVLMP4230	547	42	30	1
	EVLMP4236	648	42	36	1
	EVLMP4242	753	42	42	1
	EVLMP4248	905	42	48	1
1" Laminate Middle Panel - 48" High	EVLMP4824	502	48	24	1
	EVLMP4830	619	48	30	1
	EVLMP4836	733	48	36	1
	EVLMP4842	850	48	42	1
	EVLMP4848	965	48	48	1



EVLEPXXXXA - 1" LAMINATE END PANEL WITH ACCESSORY RAIL

- 1" Laminate End Panel attaches to an end of run connector.
- Includes accessory rail.
- Accessories can be used on accessory rail. Please see accessory section for additional details.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach a worksurface on one side.
- 1" Laminate end panel have panel leveling glides.
- If wood grain is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
1" Laminate End Panel with Accessory Rail - Right - 42" High	EVLEPR4224A	455	42	24	1
	EVLEPR4230A	554	42	30	1
	EVLEPR4236A	656	42	36	1
	EVLEPR4242A	760	42	42	1
	EVLEPR4248A	865	42	48	1
1" Laminate End Panel with Accessory Rail - Left - 42" High	EVLEPL4224A	455	42	24	1
	EVLEPL4230A	554	42	30	1
	EVLEPL4236A	656	42	36	1
	EVLEPL4242A	760	42	42	1
	EVLEPL4248A	865	42	48	1
1" Laminate End Panel with Accessory Rail - Right - 48" High	EVLEPR4824A	510	48	24	1
	EVLEPR4830A	617	48	30	1
	EVLEPR4836A	695	48	36	1
	EVLEPR4842A	797	48	42	1
	EVLEPR4848A	974	48	48	1
1" Laminate End Panel with Accessory Rail - Left - 48" High	EVLEPL4824A	510	48	24	1
	EVLEPL4830A	617	48	30	1
	EVLEPL4836A	695	48	36	1
	EVLEPL4842A	797	48	42	1
	EVLEPL4848A	974	48	48	1

EVLMPXXXXA - 1" LAMINATE MIDDLE PANEL WITH ACCESSORY RAIL


- 1" Laminate Middle Panel attaches to a double inline connector.
- Includes accessory rail.
- Accessories can be used on accessory rail. Please see accessory section for additional details.
- Finished in thermally Fused Laminate.
- Includes threaded metal inserts and support brackets to attach a worksurface on one side.
- 1" Laminate middle panel has panel leveling glides.
- If wood grain is selected, grain runs vertically.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES		
			H	W	D
1" Laminate Middle Panel with Accessory Rail - 42" High	EVLMP4224A	513	42	24	1
	EVLMP4230A	615	42	30	1
	EVLMP4236A	722	42	36	1
	EVLMP4242A	820	42	42	1
	EVLMP4248A	926	42	48	1
1" Laminate Middle Panel with Accessory Rail - 48" High	EVLMP4824A	565	48	24	1
	EVLMP4830A	690	48	30	1
	EVLMP4836A	800	48	36	1
	EVLMP4842A	917	48	42	1
	EVLMP4848A	1033	48	48	1




EVPDIC - DOUBLE INLINE PANEL CONNECTOR

- Used to connect 1" laminate middle panel to panels of equal height in a straight run.
- Aluminum top trim for double inline connector must be used.
- Provides slotted support for worksurfaces and hardware support.
- Includes two slotted posts with leveling glides and connection hardware.
- Use 17" flexible mesh jumper cable to pass-through panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Double Inline Panel Connector	EVPDIC42 EVPDIC48	180 191	42 48	2 2

EVPBIC - BELTLINE DOUBLE INLINE PANEL CONNECTOR

- Used to connect 1" laminate middle panel to panels of equal height in a straight run.
- Use in-between beltline panels.
- Aluminum top trim for double inline connector must be used.
- Provides slotted support for worksurfaces and hardware support.
- Includes two slotted posts with leveling glides and connection hardware.
- Use 17" flexible mesh jumper cable to pass-through panels.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Beltline Double Inline Panel Connector	EVPBDIC42 EVPBDIC48	180 191	42 48	2 2

EVPDVT - DOUBLE INLINE CONNECTOR TRIM

- Attaches to exposed side of double inline connector.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Double Inline Connector Trim	EVPDVT42 EVPDVT48	23 29		42 48	

EVPTTA - DOUBLE INLINE PANEL CONNECTOR TOP TRIM - ALUMINUM

- Aluminum top trim is longer by 1.125" to cover width of panel and double inline connector.
- Trim cannot span a post connector.
- Available in standard and premium paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Double Inline Connector Trim - Aluminum	EVPTTA25 EVPTTA31 EVPTTA37 EVPTTA43 EVPTTA49 EVPTTA55 EVPTTA61 EVPTTA67 EVPTTA73 EVPTTA79 EVPTTA85	27 29 23 38 52 58 64 70 79 87 93		25 31 37 43 49 55 61 67 73 79 83	

EVPDS - DOOR PANEL - SOLID

- All door surfaces are high pressure laminate.
- HP Laminate finish available in all standard Evolve colors.
- Two panel widths: 36" or 42" High.
- 84" Door Panel height = 66"H panel plus one 18"H Panel Extension Module.
- 90" Door Panel height = 66" H panel plus one 24"H or two 12"H Panel Extension Modules.
- Door and door trim can be specified left- or right-handed (see diagram).
- Handedness of Door Panel can be changed in the field.
- Select door frame color from standard trim colors.
- Door Sizes:
 - 36"W Door is 33.63"W without frame (This door is not ADA compliant)
 - 42"W Door is 39.63"W without frame
 - 84"H Door is 81.5"H without frame
 - 90"H Door is 87.5"H without frame
- If laminate is selected in a wood grain, the grain runs vertical.
- Customer is responsible to confirm and meet all city, county or any other municipality codes in relation to door clearances.
- Knob or lever to be ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE HPL	DIMENSIONS/INCHES		
			H	W	D
Door Panel - Solid - 84" High x 36" Wide	EVPDS8436L EVPDS8436R	3060 3060	84	36	2 7/8
Door Panel - Solid - 84" High x 42" Wide	EVPDS8442L EVPDS8442R	3541 3541	84	42	2 7/8
Door Panel - Solid - 90" High x 36" Wide	EVPDS9036L EVPDS9036R	3060 3060	90	36	2 7/8
Door Panel - Solid - 90" High x 42" Wide	EVPDS9042L EVPDS9042R	3541 3541	90	42	2 7/8



EVPDG- FULL GLAZED DOOR PANEL


- All door surfaces are high pressure laminate with window.
- HP laminate finish available in all standard Evolve colors.
- Two panels width 36" or 42"
- 84" Door panel height = 66"H panel and 18" H Panel Extension Modules.
- 90" Door panel height = 66"H panel and 24" H or two 12" H Panel extension modules.
- Door and door trim can be specified left or right handed (see diagram).
- Handedness of Door can be changed in field.
- Select frame color from standard trim colors.

- Door Sizes:
 - 36"W Door is 33.63"W without frame (This door is not ADA compliant)
 - 42"W Door is 39.63"W without frame
 - 84"H Door is 81.5"H without frame
 - 90"H Door is 87.5"H without frame
- If laminate is selected in wood grain, the grain runs vertical.
- Customer is responsible to confirm and meet, city, county or any other municipality codes in relation to door clearances
- Knob or lever to be ordered separately


DESCRIPTION	PRODUCT CODE	PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
Door Panel - Glazed - 84" High x 36" Wide	EVPDG8436L EVPDG8436R	3437 3437	137 137	84 84	36 36	2 7/8 2 7/8
Door Panel - Glazed - 84" High x 42" Wide	EVPDG8442L EVPDG8442R	3918 3918	139 139	84 84	42 42	2 7/8 2 7/8
Door Panel - Glazed - 90" High x 36" Wide	EVPDG9036L EVPDG9036R	3437 3437	137 137	90 90	36 36	2 7/8 2 7/8
Door Panel - Glazed - 90" High x 42" Wide	EVPDG9042L EVPDG9042R	3918 3918	139 139	90 90	42 42	2 7/8 2 7/8



Right Hand Hung Door



Left Hand Hung Door



Knob Lock Set
(Knob Lock Set is not ADA compliant)
Lock set sold separately from doors.
Specific core #'s and Master Key not available

EVPDSL01 128



Lever Lock Set
Lock set sold separately from doors.
Specific core #'s and Master Key not available

EVPDSL02 175

EVHLPF01 - LOW PROFILE FOOT

- Used to provide additional support to panel run without adding panels
- Connects to inline connector or end of run at base of panels


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Low Profile Foot	EVHLPF01	139	11	1	11



EVPDPS - EVOLVE SLIDING DOOR

- Sliding door provides privacy in an open plan environment.
- Complete sliding door kit includes aluminum door panel, rails, and capture extrusion.
- Door is non-handed (Can be assembled to slide left or right).
- 36" wide door spans 36" opening. Sliding door rails must be installed on adjacent 42" panel.
- 42" wide door spans 42" opening. Sliding door rails must be installed on adjacent 48" panel.


- Available in Clear (CLR) or Frosted (FRST) acrylic glazing.
- Available in all Panel Frame Finishes.
- Metal Finish - standard panel frame finishes.
- Lockable - key option - key alike, W series or random

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Sliding Door				
	EVPDPS6636	2799	66	43	3
	EVPDPS6642	2938	66	49	3
	EVPDPS8436	3032	84	36	3
	EVPDPS8442	3170	84	42	3
	EVPDPS9036	3107	90	36	3
	EVPDPS9042	3246	90	42	3

EVPDPSF - EVOLVE SLIDING DOOR

- Sliding Door provides privacy in an open plan environment.
- Complete Sliding Door kit includes aluminum door panel, rails, and capture extrusion.
- Door is non-handed (Can be assembled to slide left or right).
- 36" wide door spans 36" opening. Sliding Door rails must be installed on adjacent 42" panel.
- 42" wide door spans 42" opening. Sliding Door rails must be installed on adjacent 48" panel.


- Available in standard felt finishes.
- Available in all Panel Frame Finishes.
- Felt Finish - Standard
- Metal Finish - standard panel frame finishes.
- Lockable - key option - key alike, W series or random

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Sliding Door				
	EVPDPSF6636	2026	66	43	3
	EVPDPSF6642	2126	66	49	3
	EVPDPSF8436	2233	84	43	3
	EVPDPSF8442	2359	84	49	3
	EVPDPSF9036	2258	90	43	3
	EVPDPSF9042	2359	90	49	3




EVPDSLLOCK - SLIDING DOOR LOCK

- Lock bracket attaches to sliding door with screws.
- Includes strike plate bracket which attaches to slots in connector.
- Lock included.
- Lock sets sold separately from sliding doors.
- Available in Tungsten only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPSLLOCKR	316	2.65	1.2	0.9
	EVPSLLOCKL	316	2.65	1.2	0.9

EVMPK02 - MINI PANEL KIT

- Evolve's Mini Panel Kits are available to our dealers and their sales staff.
- All Mini Panel Kit orders receive standard freight terms (Free freight applies to orders dock delivered to one commercial business location in the contiguous United States during normal business hours. Residential deliveries will incur additional delivery charges.)
- The Evolve mini panel is an excellent sales tool featuring a cut away of a module and samples of various hardware and electrical components and consists of the following:
 - 1 EVPFP3024 30 x 24 Premium with cut-away
 - 1 EVPCP232 Two-way corner post
 - 1 EVPER30 End of run trim kit
 - 1 EVDHPT24 High Profile Top Cap
 - 1 EVDCPH2 Two-way High Profile Top Cap
 - 1 EVDPE4 Post Extension Lay in
 - 1 EVE8PD24 Power distribution housing
 - 1 EVE8CP16 Jumper Cable
 - 1 EVE8RDA/B Duplex Receptacle
 - 1 Pizza cutter spline tool
 - 1 Replacement fabric
 - 1 Panel Bag with Evolve Logo
 - 1 Parts Bag with Evolve Logo

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVMPK02	2945	30	24	2 7/8

EVPRGLAXXX - ACOUSTIC GRID 5FT WIDE

- PET acoustic grid installed on top of panels
- Acoustic grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 30-30 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors

- Separate PET colors available for outer skirt and inner structure
- Top trim with channel to be ordered separately
- Shipped KD, to be assembled on job site
- Additional sizes available up to 10' x 12'

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA4860D	2731	5.5	60	48
	EVPRGLA6060D	3236	5.5	60	60
	EVPRGLA7260D	3741	5.5	60	72
	EVPRGLA8460D	4246	5.5	60	84
	EVPRGLA9060D	4499	5.5	60	90
	EVPRGLA9660D	4789	5.5	60	96

EVPRGLAXXX - ACOUSTIC GRID 6FT WIDE

- PET acoustic grid installed on top of panels
- Acoustic grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 24-24-24 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors

- Separate PET colors available for outer skirt and inner structure
- Top trim with channel to be ordered separately
- Shipped KD, to be assembled on job site
- Additional sizes available up to 10' x 12'

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA4872D	3283	5.5	72	48
	EVPRGLA6072D	3896	5.5	72	60
	EVPRGLA7272D	4507	5.5	72	72
	EVPRGLA8472D	5118	5.5	72	84
	EVPRGLA9072D	5422	5.5	72	90
	EVPRGLA9672D	5766	5.5	72	96

EVPRGLAXXX - ACOUSTIC GRID 7FT WIDE

- PET acoustic grid installed on top of panels
- Acoustic grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 24-36-24 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors

- Separate PET colors available for outer skirt and inner structure
- Top trim with channel to be ordered separately
- Shipped KD, to be assembled on job site
- Additional sizes available up to 10' x 12'

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA4884D	3671	5.5	84	48
	EVPRGLA6084D	4346	5.5	84	60
	EVPRGLA7284D	5021	5.5	84	72
	EVPRGLA8484D	5696	5.5	84	84
	EVPRGLA9084D	6034	5.5	84	90
	EVPRGLA9684D	6409	5.5	84	96



EVPRGLAXXXY - ACOUSTIC GRID 7-1/2 FT WIDE

- PET acoustic grid installed on top of panels
- Acoustic grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 30-30-30 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors


- Separate PET colors available for outer skirt and inner structure
- Top trim with channel to be ordered separately
- Shipped KD, to be assembled on job site
- Additional sizes available up to 10' x 12'

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA4890D	3812	5.5	90	48
	EVPRGLA6090D	4518	5.5	90	60
	EVPRGLA7290D	5225	5.5	90	72
	EVPRGLA8490D	5933	5.5	90	84
	EVPRGLA9090D	6288	5.5	90	90
	EVPRGLA9690D	6678	5.5	90	96

EVPRGLAXXXY - ACOUSTIC GRID 8FT WIDE

- PET acoustic grid installed on top of panels
- Acoustic grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 30-36-30 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors


- Separate PET colors available for outer skirt and inner structure
- Top trim with channel to be ordered separately
- Shipped KD, to be assembled on job site
- Additional sizes available up to 10' x 12'

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA4896D	4094	5.5	96	48
	EVPRGLA6096D	4834	5.5	96	60
	EVPRGLA7296D	5572	5.5	96	72
	EVPRGLA8496D	6312	5.5	96	84
	EVPRGLA9096D	6684	5.5	96	90
	EVPRGLA9696D	7089	5.5	96	96

EVPRGLAXXXY - ACOUSTIC GRID 12FT WIDE

- PET acoustic grid installed on top of panels
- Acoustic grid kit includes PET pieces, aluminum channel, hardware
- Panels configuration in back 24-30-36-30-24 , aluminum channel runs depth wise
- PET slats run from side to side
- PET pieces available in standard PET colors

- Top trim with channel to be ordered separately
- Beam kit above opening for acoustic grid to be ordered separately
- Shipped KD, to be assembled on job site

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPRGLA120144D	9422	5.5	144	120



EVPTTCA - ALUMINUM TOP TRIM WITH CHANNEL

- Top trim with channel
- Available in standard paint colors
- Note: Trim can span inline connector, but not a Post

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPTTCA18	20	18	2.875	
	EVPTTCA24	28	24	2.875	
	EVPTTCA30	36	30	2.875	
	EVPTTCA36	39	36	2.875	
	EVPTTCA42	47	42	2.875	
	EVPTTCA48	57	48	2.875	
	EVPTTCA54	67	54	2.875	
	EVPTTCA60	74	60	2.875	
	EVPTTCA66	81	66	2.875	
	EVPTTCA72	90	72	2.875	
	EVPTTCA78	98	78	2.875	
	EVPTTCA84	109	84	2.875	
	EVPTTCA90	115	90	2.875	
	EVPTTCA96	125	96	2.875	







When ordering Panel Extension Modules, Inline Panel Extension Connectors (EVPIEC) must be ordered separately. Please see EVPIEC for details.

Inline Panel Extension Connectors connect two panel extension modules of equal height in a straight run.

Extension connectors do **not** provide support for hang-on storage components above 66" H.


When specifying stacking panels up to 66" H and using a single full height connector additional single clamps (EVCLVAR) are recommended.

Order 2 clamps per extension module.




EXTENSION MODULES BY TYPE

Fabric Panel Extension Module




Tempered Glass Panel Extension Module - Premium

Fabric Panel Extension Module - Premium




Tempered Glass Panel Extension Module




EVPFPE24


Laminate Extension Module - Single Sided



Write Board Extension Module - Single Sided




Write Board Extension Module - Double Sided




EVPW1SE18
EVPW1SE24


Air Flow Extension Module




Open Panel Extension Module



Panel Mount Privacy Glass






Panel Mount PET Felt Divider




EVPFE - FABRIC PANEL EXTENSION MODULE

- Attaches on top of a panel.
- Modules can be stacked to add privacy or divide space.
- Panel Extension Modules are not load bearing if installed higher than 66" High.
- Each side of the fabric module may have a different fabric within the same grade at no charge.
- If different grades of fabric are used on one module, the entire module must be priced at highest grade.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric Panel Extension Module - 6" High	EVPFE0618 EVPFE0624 EVPFE0630 EVPFE0636 EVPFE0642 EVPFE0648 EVPFE0654 EVPFE0660	198 201 220 244 277 297 320 344	208 215 240 265 295 320 346 373	6 6 6 6 6 6 6 6	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Fabric Panel Extension Module - 12" High	EVPFE1218 EVPFE1224 EVPFE1230 EVPFE1236 EVPFE1242 EVPFE1248 EVPFE1254 EVPFE1260	198 201 220 244 277 297 320 344	208 215 240 265 295 320 346 373	12 12 12 12 12 12 12 12	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Fabric Panel Extension Module - 18" High	EVPFE1818 EVPFE1824 EVPFE1830 EVPFE1836 EVPFE1842 EVPFE1848 EVPFE1854 EVPFE1860	239 248 269 312 342 374 405 440	257 274 298 342 380 413 449 488	18 18 18 18 18 18 18 18	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8
	Fabric Panel Extension Module - 24" High	EVPFE2418 EVPFE2424 EVPFE2430 EVPFE2436 EVPFE2442 EVPFE2448 EVPFE2454 EVPFE2460	239 248 269 312 342 374 405 440	257 274 298 342 380 413 449 488	24 24 24 24 24 24 24 24	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPFPE - FABRIC PANEL EXTENSION MODULE - PREMIUM

- Attaches on top of a panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" High.
- Each side of each module may have a different fabric within the same grade at no charge.
- If different grades of fabric are used on the Panel Extension Module, the module must be priced at highest grade.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.





	DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
			Gr1	Gr2	H	W	D
	Fabric Panel Extension Module - Premium - 24" High	EVPFPE2418 EVPFPE2424 EVPFPE2430 EVPFPE2436 EVPFPE2442 EVPFPE2448 EVPFPE2454 EVPFPE2460	323 344 386 434 487 523 577 630	343 371 414 464 525 562 621 680	24 24 24 24 24 24 24 24	18 24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



EVPGTE - TEMPERED GLASS PANEL EXTENSION MODULE

- Attaches on top of panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- Standard in clear (CLR) glass.
- Frosted Glass (FRST) 40% upcharge. Contact EVOLVE Customer Support for details.


- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPGTE0618	380	6	18	2 7/8
	EVPGTE0624	410	6	24	2 7/8
	EVPGTE0630	492	6	30	2 7/8
	EVPGTE0636	515	6	36	2 7/8
	EVPGTE0642	630	6	42	2 7/8
	EVPGTE0648	702	6	48	2 7/8
	EVPGTE0654	768	6	54	2 7/8
	EVPGTE0660	828	6	60	2 7/8
	EVPGTE1218	380	12	18	2 7/8
	EVPGTE1224	410	12	24	2 7/8
	EVPGTE1230	492	12	30	2 7/8
	EVPGTE1236	515	12	36	2 7/8
	EVPGTE1242	630	12	42	2 7/8
	EVPGTE1248	702	12	48	2 7/8
	EVPGTE1254	768	12	54	2 7/8
	EVPGTE1260	828	12	60	2 7/8
	EVPGTE1818	571	18	18	2 7/8
	EVPGTE1824	587	18	24	2 7/8
	EVPGTE1830	629	18	30	2 7/8
	EVPGTE1836	686	18	36	2 7/8
	EVPGTE1842	777	18	42	2 7/8
	EVPGTE1848	870	18	48	2 7/8
	EVPGTE1854	944	18	54	2 7/8
	EVPGTE1860	1013	18	60	2 7/8
	EVPGTE2418	571	24	18	2 7/8
	EVPGTE2424	587	24	24	2 7/8
	EVPGTE2430	629	24	30	2 7/8
	EVPGTE2436	686	24	36	2 7/8
	EVPGTE2442	777	24	42	2 7/8
	EVPGTE2448	870	24	48	2 7/8
	EVPGTE2454	944	24	54	2 7/8
	EVPGTE2460	1013	24	60	2 7/8

EVPGPTE - TEMPERED GLASS PREMIUM PANEL EXTENSION MODULE

- Attaches to top of a panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- Standard in clear (CLR) glass.
- Frosted Glass (FRST) 40% upcharge. Contact EVOLVE Customer Support for details.

- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPGPTE2418	562	24	18	2 7/8
	EVPGPTE2424	623	24	24	2 7/8
	EVPGPTE2430	712	24	30	2 7/8
	EVPGPTE2436	810	24	36	2 7/8
	EVPGPTE2442	898	24	42	2 7/8
	EVPGPTE2448	1007	24	48	2 7/8
	EVPGPTE2454	1098	24	54	2 7/8
	EVPGPTE2460	1189	224	60	2 7/8



EVPSG - PASS THRU SLIDING GLASS EXTENSION MODULE

- Pass thru with sliding glass door module.
- Attaches on top of a panel.
- Module can be stacked to add privacy or divide space.
- Panel extension module is not load bearing if installed higher than 66" High.
- When ordering panel extension modules , additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	PRICE		DIMENSIONS/INCHES		
			CLR	FRS ADD	H	W	D
	Reception Panel Extension Module - 6" High	EVPSGE0636 EVPSGE0642 EVPSGE0648	411 440 535	86 93 109	6	36	2 7/8
					6	42	2 7/8
					6	48	2 7/8


EVPSG - PASS THRU SLIDING GLASS EXTENSION MODULE

- Pass thru with sliding glass door module.
- Attaches on top of a panel.
- Module can be stacked to add privacy or divide space.
- Panel extension module is not load bearing if installed higher than 66" High.
- When ordering panel extension modules , additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	PRICE		DIMENSIONS/INCHES		
			CLR	FRS ADD	H	W	D
	Reception Panel Extension Module - 12" High	EVPSGE1236 EVPSGE1242 EVPSGE1248	498 527 552	102 109 115	12	36	2 7/8
					12	42	2 7/8
					12	48	2 7/8


EVPSGX - TALK THRU GLASS EXTENSION MODULE

- Talk thru glass module.
- Attaches on top of a panel.
- Module can be stacked to add privacy or divide space.
- Panel extension module is not load bearing if installed higher than 66" High.
- When ordering panel extension modules , additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	PRICE		DIMENSIONS/INCHES		
			CLR	FRS ADD	H	W	D
	Reception Panel Extension Module - 24" High	EVPSGXE2436 EVPSGXE2442 EVPSGXE2448	640 705 768	130 141 158	24	36	2 7/8
					24	42	2 7/8
					24	48	2 7/8

EVPSGX - TALK THRU GLASS EXTENSION MODULE

- Talk thru glass module.
- Attaches on top of a panel.
- Module can be stacked to add privacy or divide space.
- Panel extension module is not load bearing if installed higher than 66" High.
- When ordering panel extension modules , additional connectors are required.
- *Top Trims are not included with Extension Modules.

	DESCRIPTION	PRODUCT CODE	PRICE		DIMENSIONS/INCHES		
			CLR	FRS ADD	H	W	D
	Reception Panel Extension Module - 30" High	EVPSGXE3036 EVPSGXE3042 EVPSGXE3048	698 785 850	158 160 173	30	36	2 7/8
					30	42	2 7/8
					30	48	2 7/8



EVPW1SE - WRITE BOARD EXTENSION MODULE - SINGLE SIDED

- Attaches on top of a panel.
- Provides writing surface on a Single Side.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- High pressure only
- Use erasable Write Board markers only.
- *Top Trims are not included with Extension Modules.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Write Board Extension Module - Single Sided 6"High	EVPW1SE0618	269	278	6	36	7/8
	EVPW1SE0624	313	323	6	36	2 7/8
	EVPW1SE0636	397	408	6	36	2 7/8
	EVPW1SE0642	450	456	6	42	2 7/8
	EVPW1SE0648	489	502	6	48	2 7/8
	EVPW1SE0654	552	565	6	54	2 7/8
	EVPW1SE0660	580	593	6	60	2 7/8
Write Board Extension Module - Single Sided 12"High	EVPW1SE1218	269	278	12	36	2 7/8
	EVPW1SE1224	313	323	12	36	2 7/8
	EVPW1SE1236	397	408	12	36	2 7/8
	EVPW1SE1242	450	456	12	42	2 7/8
	EVPW1SE1248	489	502	12	48	2 7/8
	EVPW1SE1254	552	565	12	54	2 7/8
	EVPW1SE1260	580	593	12	60	2 7/8
Write Board Extension Module - Single Sided 18"High	EVPW1SE1818	288	299	18	18	2 7/8
	EVPW1SE1824	330	342	18	24	2 7/8
	EVPW1SE1830	372	382	18	30	2 7/8
	EVPW1SE1836	433	448	18	36	2 7/8
	EVPW1SE1842	485	503	18	42	2 7/8
	EVPW1SE1848	532	551	18	48	2 7/8
	EVPW1SE1854	579	598	18	54	2 7/8
Write Board Extension Module - Single Sided 24"High	EVPW1SE2418	288	299	24	18	2 7/8
	EVPW1SE2424	330	344	24	24	2 7/8
	EVPW1SE2430	372	386	24	30	2 7/8
	EVPW1SE2436	433	450	24	36	2 7/8
	EVPW1SE2442	485	505	24	42	2 7/8
	EVPW1SE2448	532	553	24	48	2 7/8
	EVPW1SE2454	579	598	24	54	2 7/8
	EVPW1SE2460	623	646	24	60	2 7/8

EVPW2SE - WRITE BOARD EXTENSION MODULE - DOUBLE SIDED



- Attaches on top of a panel.
- Provides writing surface on two sides.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- High pressure only
- Use erasable Write Board markers only.
- *Top Trims are not included with Extension Modules.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Write Board Extension Module - Double Sided - 6"High	EVPW2SE0618	289	6	18	2 7/8
	EVPW2SE0624	342	6	24	2 7/8
	EVPW2SE0630	394	6	30	2 7/8
	EVPW2SE0636	452	6	36	2 7/8
	EVPW2SE0642	513	6	42	2 7/8
	EVPW2SE0648	572	6	48	2 7/8
	EVPW2SE0654	660	6	54	2 7/8
	EVPW2SE0660	677	6	60	2 7/8
Write Board Extension Module - Double Sided - 12"High	EVPW2SE1218	289	12	18	2 7/8
	EVPW2SE1224	342	12	24	2 7/8
	EVPW2SE1230	394	12	30	2 7/8
	EVPW2SE1236	452	12	36	2 7/8
	EVPW2SE1242	513	12	42	2 7/8
	EVPW2SE1248	572	12	48	2 7/8
	EVPW2SE1254	660	12	54	2 7/8
	EVPW2SE1260	677	12	60	2 7/8
Write Board Extension Module - Double Sided - 18"High	EVPW2SE1818	348	18	18	2 7/8
	EVPW2SE1824	410	18	24	2 7/8
	EVPW2SE1830	471	18	30	2 7/8
	EVPW2SE1836	552	18	36	2 7/8
	EVPW2SE1842	623	18	42	2 7/8
	EVPW2SE1848	695	18	48	2 7/8
	EVPW2SE1854	769	18	54	2 7/8
	EVPW2SE1860	839	18	60	2 7/8
Write Board Extension Module - Double Sided - 24"High	EVPW2SE2418	348	24	18	2 7/8
	EVPW2SE2424	410	24	24	2 7/8
	EVPW2SE2430	471	24	30	2 7/8
	EVPW2SE2436	552	24	36	2 7/8
	EVPW2SE2442	623	24	42	2 7/8
	EVPW2SE2448	695	24	48	2 7/8
	EVPW2SE2454	769	24	54	2 7/8
	EVPW2SE2460	839	24	60	2 7/8






EVPH1SE - LAMINATE EXTENSION MODULE - SINGLE SIDED

- Attaches on top of a panel.
- Laminate face on the module provides a durable, washable surface on Single Side of the panel.
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- Available in high pressure only.
- *Top Trims are not included with Extension Modules.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
 Laminate Extension Module - Single Sided 6" High	EVPH1SE0618	269	278	6	18	2 7/8
	EVPH1SE0624	313	317	6	24	2 7/8
	EVPH1SE0630	350	353	6	30	2 7/8
	EVPH1SE0636	397	403	6	36	2 7/8
	EVPH1SE0642	450	453	6	42	2 7/8
	EVPH1SE0648	489	503	6	48	2 7/8
	EVPH1SE0654	552	565	6	54	2 7/8
	EVPH1SE0660	580	586	6	60	2 7/8
 Laminate Extension Module - Single Sided 12" High	EVPH1SE1218	269	278	12	18	2 7/8
	EVPH1SE1224	313	324	12	24	2 7/8
	EVPH1SE1230	350	358	12	30	2 7/8
	EVPH1SE1236	397	411	12	36	2 7/8
	EVPH1SE1242	450	460	12	42	2 7/8
	EVPH1SE1248	489	504	12	48	2 7/8
	EVPH1SE1254	552	567	12	54	2 7/8
	EVPH1SE1260	580	595	12	60	2 7/8
 Laminate Extension Module - Single Sided 18" High	EVPH1SE1818	359	369	18	18	2 7/8
	EVPH1SE1824	423	434	18	24	2 7/8
	EVPH1SE1830	487	502	18	30	2 7/8
	EVPH1SE1836	557	572	18	36	2 7/8
	EVPH1SE1842	629	644	18	42	2 7/8
	EVPH1SE1848	690	707	18	48	2 7/8
	EVPH1SE1854	746	768	18	54	2 7/8
	EVPH1SE1860	821	844	18	60	2 7/8
 Laminate Extension Module - Single Sided 24" High	EVPH1SE2418	359	373	24	18	2 7/8
	EVPH1SE2424	423	438	24	24	2 7/8
	EVPH1SE2430	487	505	24	30	2 7/8
	EVPH1SE2436	557	576	24	36	2 7/8
	EVPH1SE2442	629	648	24	42	2 7/8
	EVPH1SE2448	690	710	24	48	2 7/8
	EVPH1SE2454	746	772	24	54	2 7/8
	EVPH1SE2460	821	848	24	60	2 7/8

EVPH2SE - LAMINATE EXTENSION MODULE - DOUBLE SIDED

- Attaches on top of a panel.
- Laminate faces on both sides of the module provide durable, washable surfaces
- Modules can be stacked to add privacy or to divide space.
- Panel Extension Modules are not load bearing above 66" H
- When ordering Panel Extension Modules, additional connectors are required.
- Available in high pressure only.
- *Top Trims are not included with Extension Modules.




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Laminate Extension Module - Double Sided 6" High	EVPH2SE0618	289	6	18
		EVPH2SE0624	342	6	24
		EVPH2SE0630	394	6	30
		EVPH2SE0636	452	6	36
		EVPH2SE0642	513	6	42
		EVPH2SE0648	572	6	48
		EVPH2SE0654	660	6	54
		EVPH2SE0660	677	6	60
	Laminate Extension Module - Double Sided 12" High	EVPH2SE1218	289	12	18
		EVPH2SE1224	342	12	24
		EVPH2SE1230	394	12	30
		EVPH2SE1236	452	12	36
		EVPH2SE1242	513	12	42
		EVPH2SE1248	572	12	48
		EVPH2SE1254	660	12	54
		EVPH2SE1260	677	12	60
	Laminate Extension Module - Double Sided 18" High	EVPH2SE1818	416	18	18
		EVPH2SE1824	502	18	24
		EVPH2SE1830	580	18	30
		EVPH2SE1836	674	18	36
		EVPH2SE1842	760	18	42
		EVPH2SE1848	862	18	48
		EVPH2SE1854	944	18	54
		EVPH2SE1860	1017	18	60
	Laminate Extension Module - Double Sided 24" High	EVPH2SE2418	416	24	18
		EVPH2SE2424	502	24	24
		EVPH2SE2430	580	24	30
		EVPH2SE2436	674	24	36
		EVPH2SE2442	760	24	42
		EVPH2SE2448	862	24	48
		EVPH2SE2454	944	24	54
		EVPH2SE2460	1017	24	60



EVPAE - AIR FLOW EXTENSION MODULE





- Metal air flow panel extension
- Attaches to top of panel
- Modules can be stacked to add privacy or to divide space.

- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Air Flow Extension Module - 12" High	EVPAE1224	348	12	24
		EVPAE1230	416	12	30
		EVPAE1236	470	12	36
		EVPAE1242	518	12	42
		EVPAE1248	587	12	48
		EVPAE1254	678	18	54
		EVPAE1260	772	12	60
	Air Flow Extension Module - 18" High	EVPAE1824	438	18	24
		EVPAE1830	511	18	30
		EVPAE1836	565	18	36
		EVPAE1842	619	18	42
		EVPAE1848	712	18	48
		EVPAE1854	818	18	54
		EVPAE1860	919	18	60
	Air Flow Extension Module - 24" High	EVPAE2424	438	24	24
		EVPAE2430	511	24	30
		EVPAE2436	565	24	36
		EVPAE2442	619	24	42
		EVPAE2448	712	24	48
		EVPAE2454	810	18	54
		EVPAE2460	919	24	60

EVPOE - OPEN PANEL EXTENSION MODULE

- Attaches to top portion of a panel.
- Modules can be stacked to add privacy or to divide space
- Panel Extension Modules are not load bearing above 66" H.
- When ordering Panel Extension Modules, additional connectors are required.
- *Top Trims are not included with Extension Modules.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPOE0618	310	6	18	2 7/8
	EVPOE0624	316	6	24	2 7/8
	EVPOE0630	386	6	30	2 7/8
	EVPOE0636	403	6	36	2 7/8
	EVPOE0642	488	6	42	2 7/8
	EVPOE0648	548	6	48	2 7/8
	EVPOE0654	598	6	54	2 7/8
	EVPOE0660	645	6	60	2 7/8
	EVPOE1218	312	12	18	2 7/8
	EVPOE1224	318	12	24	2 7/8
	EVPOE1230	386	12	30	2 7/8
	EVPOE1236	403	12	36	2 7/8
	EVPOE1242	488	12	42	2 7/8
	EVPOE1248	549	12	48	2 7/8
	EVPOE1254	598	12	54	2 7/8
	EVPOE1260	647	12	60	2 7/8
	EVPOE1818	454	18	18	2 7/8
	EVPOE1824	462	18	24	2 7/8
	EVPOE1830	488	18	30	2 7/8
	EVPOE1836	534	18	36	2 7/8
	EVPOE1842	601	18	42	2 7/8
	EVPOE1848	678	18	48	2 7/8
	EVPOE1854	735	18	54	2 7/8
	EVPOE1860	791	18	60	2 7/8
	EVPOE2418	462	24	18	2 7/8
	EVPOE2424	454	24	24	2 7/8
	EVPOE2430	488	24	30	2 7/8
	EVPOE2436	534	24	36	2 7/8
	EVPOE2442	601	24	42	2 7/8
	EVPOE2448	678	24	48	2 7/8
	EVPOE2454	735	24	54	2 7/8
	EVPOE2460	791	24	60	2 7/8




EVPIEBCS - BRIDGE PANEL INLINE EXTENSION CONNECTOR

- Connects bridge panel to inline extension connector.
- Includes one bridge extension connector and connecting hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Bridge Panel Inline Extension Connector				
	EVPIEBCS06	53	6	3	3
	EVPIEBCS12	53	12	3	3
	EVPIEBCS18	63	18	3	3
	EVPIEBCS24	63	24	3	3

EVPEERBSA - BRIDGE PANEL END OF RUN EXTENSION CONNECTOR - ALUMINUM TRIM

- Connects at end of run of bridge panel and can attach panel to fixed wall.
- Adds 1" to width of panel run.
- Provides slotted support for worksurfaces and hang on components up to 66"H.
- Includes one slotted bridge extension connector and connecting hardware and trim kit.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Bridge Panel End of Run Extension Connector Aluminum Trim				
	EVPEERBSA06	57	6	3	3
	EVPEERBSA12	57	12	3	3
	EVPEERBSA18	69	18	3	3
	EVPEERBSA24	69	24	3	3

EVPICBS - BRIDGE PANEL INLINE CONNECTOR WITHOUT ALUMINUM INSERT

- Connects two bridge panels to inline connector.
- Inline connector in middle between two bridge panels, above opening, using double clamp at bottom.
- Includes one bridge extension connector without aluminum insert, includes connecting hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Bridge Panel Inline Connector without Aluminum Insert				
	EVPICBS06	53	6	3	3
	EVPICBS12	53	12	3	3
	EVPICBS18	63	18	3	3
	EVPICBS24	63	24	3	3

EVPCEPB1 - BRIDGE PANEL CORNER EXTENSION POST 1 WAY

- Connects at end of a run of extension modules.
- Post and connecting hardware add 3.25" to power beam run.
- Includes one extension post, one slotted extension connectors for bridge panel, connecting hardware and trim kit.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Bridge Panel Inline Extension Connector				
	EVPCEPBSA106	97	6	3	3
	EVPCEPBSA112	97	12	3	3
	EVPCEPBSA118	122	18	3	3
	EVPCEPBSA124	122	24	3	3

EVPCEPB2 - BRIDGE PANEL CORNER EXTENSION POST 2 WAY

- Connects two bridge panels in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Includes one extension post, two one slotted extension connectors for bridge panel, connecting hardware and trim kit.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Bridge Panel Corner Extension Post 2 way				
	EVPCEPBSA206	99	6	3	3
	EVPCEPBSA212	99	12	3	3
	EVPCEPBSA218	156	18	3	3
	EVPCEPBSA224	156	24	3	3

EVPCEPB3 - BRIDGE PANEL CORNER EXTENSION POST 3 WAY


- Connects three bridge panels in T degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Includes one extension post, three one slotted extension connectors for bridge panel, connecting hardware and trim kit.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Bridge Panel Corner Extension Post 3 way				
	EVPCEPBSA306	118	6	3	3
	EVPCEPBSA312	118	12	3	3
	EVPCEPBSA318	182	18	3	3
	EVPCEPBSA324	182	24	3	3




EVPCEPB4 - BRIDGE PANEL CORNER EXTENSION POST 4 WAY

- Connects four bridge panels in X degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Includes one extension post, four one slotted extension connectors for bridge panel, connecting hardware and trim kit.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Bridge Panel Corner Extension Post 4 way	EVPCEPBS406 EVPCEPBS412 EVPCEPBS418 EVPCEPBS424	136 136 201 201	6 12 18 24	3 3 3 3

EVPCEIPBSA2 - BRIDGE PANEL INLINE TWO WAY POST EXTENSION

- Connects two bridge panels in straight run.
- Post and connecting hardware add 3.25" to power beam run.
- Includes one extension post, two slotted extension connectors for bridge panel, connecting hardware and trim kit.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Bridge Panel Inline Extension Post 2 way	EVPCEIPBSA206 EVPCEIPBSA212 EVPCEIPBSA218 EVPCEIPBSA224	104 104 170 170	6 12 18 24	3 3 3 3

EVPFEB - FABRIC PANEL BRIDGE MODULE

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps on top and at bottom.
- Each side of fabric module may have different fabric within the same grade at no charge.
- If different grades of fabric are used, the entire module must be price at highest grade.
- When ordering bridge modules , additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Fabric Panel Bridge Module - 6" High	EVPFEB0618	198	207	6	18	3
	EVPFEB0624	201	215	6	24	3
	EVPFEB0630	220	238	6	30	3
	EVPFEB0636	244	263	6	36	3
	EVPFEB0642	277	294	6	42	3
	EVPFEB0648	297	318	6	48	3
	EVPFEB0654	320	343	6	54	3
	EVPFEB0660	344	373	6	60	3
Fabric Panel Bridge Module - 12" High	EVPFEB1218	198	207	12	18	3
	EVPFEB1224	201	215	12	24	3
	EVPFEB1230	220	238	12	30	3
	EVPFEB1236	244	263	12	36	3
	EVPFEB1242	277	294	12	42	3
	EVPFEB1248	297	318	12	48	3
	EVPFEB1254	320	343	12	54	3
	EVPFEB1260	344	373	12	60	3
Fabric Panel Bridge Module - 18" High	EVPFEB1818	239	257	18	18	3
	EVPFEB1824	248	269	18	24	3
	EVPFEB1830	269	298	18	30	3
	EVPFEB1836	312	342	18	36	3
	EVPFEB1842	342	380	18	42	3
	EVPFEB1848	374	413	18	48	3
	EVPFEB1854	405	449	18	54	3
	EVPFEB1860	440	488	18	60	3
Fabric Panel Bridge Module - 24" High	EVPFEB2418	239	257	24	18	3
	EVPFEB2424	248	269	24	24	3
	EVPFEB2430	269	298	24	30	3
	EVPFEB2436	312	342	24	36	3
	EVPFEB2442	342	380	24	42	3
	EVPFEB2448	374	413	24	48	3
	EVPFEB2454	405	449	24	54	3
	EVPFEB2460	440	488	24	60	3

EVPFPEB - FABRIC PANEL BRIDGE MODULE - PREMIUM

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps on top and at bottom.
- Each side of fabric module may have different fabric within the same grade at no charge.
- If different grades of fabric are used, the entire module must be price at highest grade.
- When ordering bridge modules , additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Gr1	Gr2	H	W	D
Fabric Panel Bridge Module - Premium	EVPFPEB2418	323	342	24	18	3
	EVPFPEB2424	344	367	24	24	3
	EVPFPEB2430	386	413	24	30	3
	EVPFPEB2436	434	463	24	36	3
	EVPFPEB2442	487	525	24	42	3
	EVPFPEB2448	523	564	24	48	3
	EVPFPEB2454	577	621	24	54	3
	EVPFPEB2460	630	680	24	60	3



EVPGTEB - TEMPERED GLASS BRIDGE MODULE

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps on top and at bottom.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge. Contact Evolve Customer support for details.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Tempered Glass Bridge Module - 6" High	EVPGTEB0618	380	6	18	3
	EVPGTEB0624	410	6	24	3
	EVPGTEB0630	492	6	30	3
	EVPGTEB0636	515	6	36	3
	EVPGTEB0642	630	6	42	3
	EVPGTEB0648	702	6	48	3
	EVPGTEB0654	768	6	54	3
	EVPGTEB0660	828	6	60	3
Tempered Glass Bridge Module - 12" High	EVPGTEB1218	380	12	18	3
	EVPGTEB1224	410	12	24	3
	EVPGTEB1230	492	12	30	3
	EVPGTEB1236	515	12	36	3
	EVPGTEB1242	630	12	42	3
	EVPGTEB1248	702	12	48	3
	EVPGTEB1254	768	12	54	3
	EVPGTEB1260	828	12	60	3
Tempered Glass Bridge Module - 18" High	EVPGTEB1818	571	18	18	3
	EVPGTEB1824	587	18	24	3
	EVPGTEB1830	629	18	30	3
	EVPGTEB1836	686	18	36	3
	EVPGTEB1842	777	18	42	3
	EVPGTEB1848	870	18	48	3
	EVPGTEB1854	944	18	54	3
	EVPGTEB1860	1013	18	60	3
Tempered Glass Bridge Module - 24" High	EVPGTEB2418	571	24	18	3
	EVPGTEB2424	587	24	24	3
	EVPGTEB2430	629	24	30	3
	EVPGTEB2436	686	24	36	3
	EVPGTEB2442	777	24	42	3
	EVPGTEB2448	870	24	48	3
	EVPGTEB2454	944	24	54	3
	EVPGTEB2460	1013	24	60	3

EVPGPTEB - TEMPERED GLASS BRIDGE MODULE - PREMIUM

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps at bottom.
- Standard in clear (CLR) glass.
- Frosted glass (FRST) 40% upcharge. Contact Evolve Customer support for details.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Tempered Glass Bridge Module - Premium	EVPGPTEB2418	562	24	18	3
	EVPGPTEB2424	623	24	24	3
	EVPGPTEB2430	712	24	30	3
	EVPGPTEB2436	810	24	36	3
	EVPGPTEB2442	898	24	42	3
	EVPGPTEB2448	1007	24	48	3
	EVPGPTEB2454	1098	24	54	3
	EVPGPTEB2460	1189	24	60	3

EVPW1SEB - WRITE BOARD BRIDGE MODULE - SINGLE SIDED

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps at bottom.
- Provides writing surface on Single side.
- Panel extension module is not load bearing if installed higher than 66" High.
- Use erasable Write Board markers only.
- When ordering bridge modules, additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Write Board Bridge Module - 6" High Single Sided	EVPW1SEB0618 EVPW1SEB0624 EVPW1SEB0630 EVPW1SEB0636 EVPW1SEB0642 EVPW1SEB0648 EVPW1SEB0654 EVPW1SEB0660	269 313 350 397 450 489 552 580	278 324 358 411 460 567 567 595	6 6 6 6 6 6 6 6	18 24 30 36 42 48 54 60	3 3 3 3 3 3 3 3
Write Board Bridge Module - 12" High Single Sided	EVPW1SEB1218 EVPW1SEB1224 EVPW1SEB1230 EVPW1SEB1236 EVPW1SEB1242 EVPW1SEB1248 EVPW1SEB1254 EVPW1SEB1260	269 313 350 397 450 489 552 580	278 324 358 411 460 504 567 595	12 12 12 12 12 12 12 12	18 24 30 36 42 48 54 60	3 3 3 3 3 3 3 3	
Write Board Bridge Module - 18" High Single Sided	EVPW1SEB1818 EVPW1SEB1824 EVPW1SEB1830 EVPW1SEB1836 EVPW1SEB1842 EVPW1SEB1848 EVPW1SEB1854 EVPW1SEB1860	359 423 487 557 629 690 746 821	373 438 505 576 648 710 772 848	18 18 18 18 18 18 18 18	18 24 30 36 42 48 54 60	3 3 3 3 3 3 3 3	
Write Board Bridge Module - 24" High Single Sided	EVPW1SEB2418 EVPW1SEB2424 EVPW1SEB2430 EVPW1SEB2436 EVPW1SEB2442 EVPW1SEB2448 EVPW1SEB2454 EVPW1SEB2460	359 423 487 557 629 690 746 821	373 438 505 576 648 710 772 848	24 24 24 24 24 24 24 24	18 24 30 36 42 48 54 60	3 3 3 3 3 3 3 3	



EVPW2SEB - WRITE BOARD BRIDGE MODULE - DOUBLE SIDED

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps at bottom.
- Provides writing surface on Single side.
- Panel extension module is not load bearing if installed higher than 66" High.
- Available in high pressure only.
- Use erasable Write Board markers only.
- When ordering bridge modules, additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Write Board Bridge Module - 6" High Double Sided	EVPW2SEB0618	289	6	18	3
	EVPW2SEB0624	342	6	24	3
	EVPW2SEB0630	394	6	30	3
	EVPW2SEB0636	452	6	36	3
	EVPW2SEB0642	513	6	42	3
	EVPW2SEB0648	572	6	48	3
	EVPW2SEB0654	660	6	54	3
	EVPW2SEB0660	677	6	60	3
Tempered Glass Bridge Module - 12" High Double Sided	EVPW2SEB1218	289	12	18	3
	EVPW2SEB1224	342	12	24	3
	EVPW2SEB1230	394	12	30	3
	EVPW2SEB1236	452	12	36	3
	EVPW2SEB1242	513	12	42	3
	EVPW2SEB1248	572	12	48	3
	EVPW2SEB1254	660	12	54	3
	EVPW2SEB1260	677	12	60	3
Tempered Glass Bridge Module - 18" High Double Sided	EVPW2SEB1818	416	18	18	3
	EVPW2SEB1824	502	18	24	3
	EVPW2SEB1830	580	18	30	3
	EVPW2SEB1836	674	18	36	3
	EVPW2SEB1842	760	18	42	3
	EVPW2SEB1848	862	18	48	3
	EVPW2SEB1854	944	18	54	3
	EVPW2SEB1860	1017	18	60	3
Tempered Glass Bridge Module - 24" High Double Sided	EVPW2SEB2418	416	24	18	3
	EVPW2SEB2424	502	24	24	3
	EVPW2SEB2430	580	24	30	3
	EVPW2SEB2436	674	24	36	3
	EVPW2SEB2442	760	24	42	3
	EVPW2SEB2448	862	24	48	3
	EVPW2SEB2454	944	24	54	3
	EVPW2SEB2460	1017	24	60	3

EVPH1SEB - LAMINATE BRIDGE MODULE - SINGLE SIDED

- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps at bottom.
- Laminate face on module provides durable, washable surface on Single side of panel.
- Panel extension module is not load bearing if installed higher than 66" High.
- Available in high pressure only.
- When ordering bridge modules, additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Gr1	Gr2	H	W	D	
	Laminate Bridge Module - 6" High Single Sided	EVPH1SEB0618	269	278	6	18	3
		EVPH1SEB0624	313	324	6	24	3
		EVPH1SEB0630	350	358	6	30	3
		EVPH1SEB0636	397	411	6	36	3
		EVPH1SEB0642	450	460	6	42	3
		EVPH1SEB0648	489	504	6	48	3
		EVPH1SEB0654	552	567	6	54	3
		EVPH1SEB0660	580	595	6	60	3
Laminate Bridge Module - 12" High Single Sided	EVPH1SEB1218	269	278	12	18	3	
	EVPH1SEB1224	313	324	12	24	3	
	EVPH1SEB1230	350	358	12	30	3	
	EVPH1SEB1236	397	411	12	36	3	
	EVPH1SEB1242	450	460	12	42	3	
	EVPH1SEB1248	489	504	12	48	3	
	EVPH1SEB1254	552	567	12	54	3	
	EVPH1SEB1260	580	595	12	60	3	
Laminate Bridge Module - 18" High Single Sided	EVPH1SEB1818	359	373	18	18	3	
	EVPH1SEB1824	423	438	18	24	3	
	EVPH1SEB1830	487	505	18	30	3	
	EVPH1SEB1836	557	576	18	36	3	
	EVPH1SEB1842	629	648	18	42	3	
	EVPH1SEB1848	690	710	18	48	3	
	EVPH1SEB1854	746	772	18	54	3	
	EVPH1SEB1860	821	848	18	60	3	
Laminate Bridge Module - 24" High Single Sided	EVPH1SEB2418	359	373	24	18	3	
	EVPH1SEB2424	423	438	24	24	3	
	EVPH1SEB2430	487	505	24	30	3	
	EVPH1SEB2436	557	576	24	36	3	
	EVPH1SEB2442	629	648	24	42	3	
	EVPH1SEB2448	690	710	24	48	3	
	EVPH1SEB2454	746	772	24	54	3	
	EVPH1SEB2460	821	848	24	60	3	



EVPH2SEB - LAMINATE BRIDGE MODULE - DOUBLE SIDED


- Bridge modules connects two panels above opening.
- Requires bridge extension connectors, connects with clamps at bottom.
- Laminate face on both sides of the module provides durable, washable surface.
- Panel extension module is not load bearing if installed higher than 66" High.

- When ordering panel extension modules, additional connectors are required.
- Available in high pressure only.
- When ordering bridge modules , additional bridge connectors are required.
- Aluminum trim for bottom to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Laminate Bridge Module - 6" High Double Sided	EVPH2SEB0618	289	6	18	3
	EVPH2SEB0624	342	6	24	3
	EVPH2SEB0630	394	6	30	3
	EVPH2SEB0636	452	6	36	3
	EVPH2SEB0642	513	6	42	3
	EVPH2SEB0648	572	6	48	3
	EVPH2SEB0654	660	6	54	3
	EVPH2SEB0660	677	6	60	3
Laminate Bridge Module - 12" High Double Sided	EVPH2SEB1218	289	12	18	3
	EVPH2SEB1224	342	12	24	3
	EVPH2SEB1230	394	12	30	3
	EVPH2SEB1236	452	12	36	3
	EVPH2SEB1242	513	12	42	3
	EVPH2SEB1248	572	12	48	3
	EVPH2SEB1254	660	12	54	3
	EVPH2SEB1260	677	12	60	3
Laminate Bridge Module - 18" High Double Sided	EVPH2SEB1818	416	18	18	3
	EVPH2SEB1824	502	18	24	3
	EVPH2SEB1830	580	18	30	3
	EVPH2SEB1836	674	18	36	3
	EVPH2SEB1842	760	18	42	3
	EVPH2SEB1848	862	18	48	3
	EVPH2SEB1854	944	18	54	3
	EVPH2SEB1860	1017	18	60	3
Laminate Bridge Module - 24" High Double Sided	EVPH2SEB2418	416	24	18	3
	EVPH2SEB2424	502	24	24	3
	EVPH2SEB2430	580	24	30	3
	EVPH2SEB2436	674	24	36	3
	EVPH2SEB2442	760	24	42	3
	EVPH2SEB2448	862	24	48	3
	EVPH2SEB2454	944	24	54	3
	EVPH2SEB2460	1017	24	60	3

EVPMPXXGI6P - 6" H PANEL MOUNT PRIVACY GLASS W/ ALUMINUM TRIM


- Attaches on top of Evolve Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim must be specified for entire station when ordering panel mount privacy glass.
- Includes aluminum trim with channel and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR) or frosted (FRST) glass.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Clear	Frosted	H	W	D	
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide	EVPMP24GI6P	301	73	6	24	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide	EVPMP30GI6P	326	53	6	30	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVPMP36GI6P	359	38	6	36	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVPMP42GI6P	375	63	6	42	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVPMP48GI6P	385	80	6	48	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVPMP54GI6P	399	100	6	54	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVPMP60GI6P	410	132	6	60	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVPMP66GI6P	475	158	6	66	2 7/8
	6" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVPMP72GI6P	488	158	6	72	2 7/8




EVPMPXXGI9P - 9" H PANEL MOUNT PRIVACY GLASS W/ ALUMINUM TRIM

- Attaches on top of Evolve Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim must be specified for entire station when ordering panel mount privacy glass.
- Includes aluminum trim with channel and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR) or frosted (FRST) glass.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	Frosted	H	W	D
	EVPMP24GI9P	301	73	9	24	2 7/8
9" H Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide						
	EVPMP30GI9P	326	53	9	30	2 7/8
9" H Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide						
	EVPMP36GI9P	359	38	9	36	2 7/8
9" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide						
	EVPMP42GI9P	375	63	9	42	2 7/8
9" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide						
	EVPMP48GI9P	385	80	9	48	2 7/8
9" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide						
	EVPMP54GI9P	399	100	9	54	2 7/8
9" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide						
	EVPMP60GI9P	410	132	9	60	2 7/8
9" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide						
	EVPMP66GI9P	475	158	9	66	2 7/8
9" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide						
	EVPMP72GI9P	488	158	9	72	2 7/8
9" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide						

EVPMPXXGIP - 12" PANEL MOUNT PRIVACY GLASS W/ ALUMINUM TRIM

- Attaches on top of Evolve Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR), frosted (FRST) or writeable (WRW) glass.

DESCRIPTION	PRODUCT CODE	CLR	LIST PRICE		DIMENSIONS/INCHES			
			FRST ADD	WRW ADD	H	W	D	
	Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide	EVPMP24GIP	311	73	196	12	24	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide	EVPMP30GIP	338	53	180	12	30	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVPMP36GIP	359	38	171	12	36	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVPMP42GIP	375	63	206	12	42	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVPMP48GIP	395	80	240	12	48	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVPMP54GIP	411	102	275	12	54	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVPMP60GIP	423	132	316	12	60	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVPMP66GIP	475	158	368	12	66	2 7/8
	Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVPMP72GIP	503	158	377	12	72	2 7/8

EVPMPNXXGIP - 12" H PANEL MOUNT PRIVACY GLASS W/ NOTCHED TOP TRIM FOR INLINE VARIABLE HEIGHT CONNECTOR


- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum top trim with channel with notched end and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Clear	FRST ADD	H	W	D	
	Panel Mount Privacy Glass w/ Notched Top Trim for Variable Height Connector - 12" High	EVPMPN24GIP	311	73	12	24	2 7/8
		EVPMPN30GIP	338	53	12	30	2 7/8
		EVPMPN36GIP	359	38	12	36	2 7/8
		EVPMPN42GIP	375	63	12	42	2 7/8
		EVPMPN48GIP	395	80	12	48	2 7/8
		EVPMPN54GIP	411	100	12	54	2 7/8
		EVPMPN60GIP	423	132	12	60	2 7/8




EVPMPDNXXGIP - 12" H PANEL MOUNT PRIVACY GLASS W/ DOUBLE NOTCHED TOP TRIM FOR INLINE VARIABLE HEIGHT CONNECTOR

- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum top trim with channel with notched ends and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Clear	FRST ADD	H	W	D	
	Panel Mount Privacy Glass w/ double notched top trim for variable height connector - 12" High	EVPMPDN24GIP	311	73	12	24	2 7/8
		EVPMPDN30GIP	338	53	12	30	2 7/8
		EVPMPDN36GIP	359	38	12	36	2 7/8
		EVPMPDN42GIP	375	63	12	42	2 7/8
		EVPMPDN48GIP	395	80	12	48	2 7/8
		EVPMPDN54GIP	411	100	12	54	2 7/8
		EVPMPDN60GIP	423	132	12	60	2 7/8

EVPMPXGI18P - 18" H PANEL MOUNT PRIVACY GLASS

- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		Clear	FRST ADD	H	W	D	
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide	EVPMP24GI18P	464	104	18	24	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide	EVPMP30GI18P	503	79	18	30	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVPMP36GI18P	537	54	18	36	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVPMP42GI18P	560	90	18	42	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVPMP48GI18P	593	117	18	48	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVPMP54GI18P	615	156	18	54	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVPMP60GI18P	635	195	18	60	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVPMP66GI18P	712	232	18	66	2 7/8
	18" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVPMP72GI18P	753	233	18	72	2 7/8

EVPMPNXXGI18P - 18" H PANEL MOUNT PRIVACY GLASS WITH NOTCHED TOP TRIM FOR VARIABLE HEIGHT CONNECTOR


- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
	EVPMPN24GI18P	464	104	18	24	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide	EVPMPN30GI18P	503	79	18	30	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVPMPN36GI18P	537	54	18	36	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVPMPN42GI18P	560	90	18	42	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVPMPN48GI18P	593	117	18	48	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVPMPN54GI18P	615	156	18	54	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVPMPN60GI18P	635	195	18	60	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVPMPN66GI18P	712	232	18	66	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide	EVPMPN72GI18P	753	233	18	72	2 7/8



EVPMPDNXXGI18P-18" H PANEL MOUNT PRIVACY GLASS WITH DOUBLE NOTCHED TOP TRIM FOR VARIABLE HEIGHT CONNECTOR

- Privacy Glass integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
	EVPMPDN24GI18P	464	104	18	24	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 24" Wide	EVPMPDN30GI18P	503	79	18	30	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 30" Wide	EVPMPDN36GI18P	537	54	18	36	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 36" Wide	EVPMPDN42GI18P	560	90	18	42	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 42" Wide	EVPMPDN48GI18P	593	117	18	48	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 48" Wide	EVPMPDN54GI18P	615	156	18	54	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 54" Wide	EVPMPDN60GI18P	635	195	18	60	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 60" Wide	EVPMPDN66GI18P	712	232	18	66	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 66" Wide	EVPMPDN72GI18P	753	233	18	72	2 7/8
18" H Panel Mount Privacy Glass w/ Aluminum Trim - 72" Wide						

EVPMPXXG16PU - 6" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANEL ON ONE END

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from one end.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
	EVPMP24G16PU	347	52	6	24 5/8	
6" H Panel Mount Privacy Glass	EVPMP30G16PU	372	80	6	30 5/8	
U Channel for Gallery Panel	EVPMP36G16PU	386	449	6	36 5/8	
	EVPMP42G16PU	409	80	6	42 5/8	
	EVPMP48G16PU	423	104	6	48 5/8	
	EVPMP54G16PU	436	135	6	54 5/8	
	EVPMP60G16PU	475	157	6	60 5/8	
	EVPMP66G16PU	503	156	6	66 5/8	
	EVPMP72G16PU	532	152	6	72 5/8	

EVPMPXXG19PU - 9" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANEL ON ONE END

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from one end.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
	EVPMP24G19PU	347	52	9	24 5/8	
9" H Panel Mount Privacy Glass	EVPMP30G19PU	406	80	9	30 5/8	
U Channel for Gallery Panel	EVPMP36G19PU	446	449	9	36 5/8	
	EVPMP42G19PU	488	80	9	42 5/8	
	EVPMP48G19PU	527	104	9	48 5/8	
	EVPMP54G19PU	570	135	9	54 5/8	
	EVPMP60G19PU	475	157	9	60 5/8	
	EVPMP66G19PU	503	156	9	66 5/8	
	EVPMP72G19PU	532	152	9	72 5/8	

EVPMPXXG12PU - 12" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANEL ON ONE END

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from one end.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
	EVPMP24G1PU	347	52	12	24 5/8	
12" H Panel Mount Privacy Glass	EVPMP30G1PU	372	80	12	30 5/8	
U Channel for Gallery Panel	EVPMP36G1PU	386	449	12	36 5/8	
	EVPMP42G1PU	409	80	12	42 5/8	
	EVPMP48G1PU	423	104	12	48 5/8	
	EVPMP54G1PU	436	135	12	54 5/8	
	EVPMP60G1PU	475	157	12	60 5/8	
	EVPMP66G1PU	503	156	12	66 5/8	
	EVPMP72G1PU	532	152	12	72 5/8	



EVPMPXXGI18PU - 18" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANEL ON ONE END

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from one end.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
18" H Panel Mount Privacy Glass U Channel for Gallery Panel	EVPMP24GI18PU	503	76	18	24 5/8	
	EVPMP30GI18PU	537	53	18	30 5/8	
	EVPMP36GI18PU	560	613	18	36 5/8	
	EVPMP42GI18PU	593	116	18	42 5/8	
	EVPMP48GI18PU	615	151	18	48 5/8	
	EVPMP54GI18PU	635	193	18	54 5/8	
	EVPMP60GI18PU	712	228	18	60 5/8	
	EVPMP66GI18PU	753	232	18	66 5/8	
	EVPMP72GI18PU	796	233	18	72 5/8	

EVPMPXXGI6PDU - 6" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANELS ON BOTH ENDS

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from both ends.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
6" H Panel Mount Privacy Glass U Channel for Gallery Panel	EVPMP24GI6PDU	347	52	6	25 1/4	
	EVPMP30GI6PDU	369	38	6	31 1/4	
	EVPMP36GI6PDU	386	449	6	37 1/4	
	EVPMP42GI6PDU	408	81	6	43 1/4	
	EVPMP48GI6PDU	423	104	6	49 1/4	
	EVPMP54GI6PDU	436	135	6	55 1/4	
	EVPMP60GI6PDU	475	157	6	61 1/4	
	EVPMP66GI6PDU	503	156	6	67 1/4	
	EVPMP72GI6PDU	532	152	6	73 1/4	

EVPMPXXGI9PDU - 9" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANELS ON BOTH ENDS

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from both ends.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
9" H Panel Mount Privacy Glass U Channel for Gallery Panel	EVPMP24GI9PDU	347	52	9	25 1/4	
	EVPMP30GI9PDU	369	38	9	31 1/4	
	EVPMP36GI9PDU	386	449	9	37 1/4	
	EVPMP42GI9PDU	408	81	9	43 1/4	
	EVPMP48GI9PDU	423	104	9	49 1/4	
	EVPMP54GI9PDU	436	135	9	55 1/4	
	EVPMP60GI9PDU	475	157	9	61 1/4	
	EVPMP66GI9PDU	503	156	9	67 1/4	
	EVPMP72GI9PDU	532	152	9	73 1/4	



EVPMPXXGIPDU - 12" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANELS ON BOTH ENDS

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from both ends.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
12" H Panel Mount Privacy Glass	EVPMP24GIPDU	347	52	12	25 1/4	
U Channel for Gallery Panel	EVPMP30GIPDU	369	38	12	31 1/4	
	EVPMP36GIPDU	386	449	12	37 1/4	
	EVPMP42GIPDU	408	81	12	43 1/4	
	EVPMP48GIPDU	423	104	12	49 1/4	
	EVPMP54GIPDU	436	135	12	55 1/4	
	EVPMP60GIPDU	475	157	12	61 1/4	
	EVPMP66GIPDU	503	156	12	67 1/4	
	EVPMP72GIPDU	532	152	12	73 1/4	

EVPMPXXGI18PDU - 18" H PANEL MOUNT PRIVACY GLASS FOR U CHANNEL FOR GALLERY PANELS ON BOTH ENDS

- Privacy Glass integrated with aluminum top trim to be used with U channel with connector for Gallery Panels.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and glass tile.
- Standard in clear (CLR) or frosted (FRST) glass.
- Aluminium trim must be specified for entire station when ordering panel mount privacy glass.
- Glass and attachment hardware to ship separately.
- Trim and glass extended for U channel from both ends.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
18" H Panel Mount Privacy Glass	EVPMP24GI18PDU	504	74	18	25 1/4	
U Channel for Gallery Panel	EVPMP30GI18PDU	537	53	18	31 1/4	
	EVPMP36GI18PDU	559	650	18	37 1/4	
	EVPMP42GI18PDU	593	116	18	43 1/4	
	EVPMP48GI18PDU	615	151	18	49 1/4	
	EVPMP54GI18PDU	635	193	18	55 1/4	
	EVPMP60GI18PDU	711	232	18	61 1/4	
	EVPMP66GI18PDU	754	228	18	67 1/4	
	EVPMP72GI18PDU	796	80	18	73 1/4	



EVPMPXXGI6W - 6" H PRIVACY GLASS W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Attaches on top of Evolve 1" Laminate Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim has rail for accessories.
- Includes aluminum trim with end caps and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR) or frosted (FRST) glass.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
	EVPMP24GI6W	311	73	6	24	1
6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 30" Wide	EVPMP30GI6W	338	53	6	30	1
6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 36" Wide	EVPMP36GI6W	359	38	6	36	1
6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 42" Wide	EVPMP42GI6W	375	63	6	42	1
6" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 48" Wide	EVPMP48GI6W	395	80	6	48	1

EVPMPXXGI9W - 9" H PRIVACY GLASS W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Attaches on top of Evolve 1" Laminate Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim has rail for accessories.
- Includes aluminum trim with end caps and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR) or frosted (FRST) glass.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		Clear	FRST ADD	H	W	D
	EVPMP24GI9W	311	73	9	24	1
9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 30" Wide	EVPMP30GI9W	338	53	9	30	1
9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 36" Wide	EVPMP36GI9W	359	38	9	36	1
9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 42" Wide	EVPMP42GI9W	375	63	9	42	1
9" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel- 48" Wide	EVPMP48GI9W	395	80	9	48	1

PANELS

PRIVACY GLASS / FELT DIVIDER - EXTENSION MODULE

EVPMXXGIW - 12" H PRIVACY GLASS W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Attaches on top of Evolve 1" Laminate Panels to add privacy or divide space.
- Privacy Glass is integrated into the aluminum top trim.
- Aluminum trim has rail for accessories.
- Includes aluminum trim with end caps and glass tile
- Glass and attachment hardware ship separately.
- Standard in clear (CLR), frosted (FRST) or writeable (WRW) glass.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		CLR	FRST ADD	WRW ADD	H	W	D
	EVPM24GIW	311	73	196	12	24	1
12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 30" Wide	EVPM30GIW	338	53	180	12	30	1
12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 36" Wide	EVPM36GIW	359	38	170	12	36	1
12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 42" Wide	EVPM42GIW	375	63	206	12	42	1
12" H Privacy Glass w/ Aluminum Trim for 1" Laminate Panel - 48" Wide	EVPM48GIW	395	80	239	12	48	1

EVPDFW - 6" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify color.
- Aluminum top trim available in standard paint finishes.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		H	W	D	H	W	D
	EVPDF0624W	125	6	24	6	24	1
6" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel	EVPDF0630W	145	6	30	6	30	1
	EVPDF0636W	172	6	36	6	36	1
	EVPDF0642W	193	6	42	6	42	1
	EVPDF0648W	283	6	48	6	48	1
	EVPDF0654W	310	6	54	6	54	1
	EVPDF0660W	332	6	60	6	60	1
	EVPDF0666W	350	6	66	6	66	1
	EVPDF0672W	395	6	72	6	72	1

EVPDFW - 9" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL


- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify color.
- Aluminum top trim available in standard paint finishes.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		H	W	D	H	W	D
	EVPDF0924W	125	9	24	9	24	1
9" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel	EVPDF0930W	145	9	30	9	30	1
	EVPDF0936W	172	9	36	9	36	1
	EVPDF0942W	193	9	42	9	42	1
	EVPDF0948W	283	9	48	9	48	1
	EVPDF0954W	310	9	54	9	54	1
	EVPDF0960W	332	9	60	9	60	1
	EVPDF0966W	350	9	66	9	66	1
	EVPDF0972W	395	9	72	9	72	1



EVPFDW - 12" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL

- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify.
- Aluminum top trim available in standard paint finishes.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPFD1224W	125	12	24	1
12" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel	EVPFD1230W	145	12	30	1
	EVPFD1236W	172	12	36	1
	EVPFD1242W	193	12	42	1
	EVPFD1248W	283	12	48	1
	EVPFD1254W	310	12	54	1
	EVPFD1260W	332	12	60	1
	EVPFD1266W	350	12	66	1
	EVPFD1272W	395	12	72	1

EVPFDW - 18" H FELT DIVIDER W/ ALUMINUM TRIM FOR 1" LAMINATE PANEL


- Privacy Felt Divider integrated with aluminum top trim.
- Attaches on top of laminate panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify..
- Aluminum top trim available in standard paint finishes.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPFD1824W	156	18	24	1
18" H Felt Divider w/ Aluminum Trim for 1" Laminate Panel	EVPFD1830W	181	18	30	1
	EVPFD1836W	214	18	36	1
	EVPFD1842W	239	18	42	1
	EVPFD1848W	353	18	48	1
	EVPFD1854W	385	18	54	1
	EVPFD1860W	416	18	60	1
	EVPFD1866W	436	18	66	1
	EVPFD1872W	495	18	72	1

EVFDK06P - 6" PANEL MOUNTED FELT DIVIDER

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.


- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
	EVFDK0624P EVFDK0630P EVFDK0636P EVFDK0642P EVFDK0648P EVFDK0654P EVFDK0660P EVFDK0666P EVFDK0672P	125 145 172 193 283 310 332 350 395	6 6 6 6 6 6 6 6 6	24 30 36 42 48 54 60 66 72	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVFDK09P - 9" PANEL MOUNTED FELT DIVIDER

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.


- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
	EVFDK0924P EVFDK0930P EVFDK0936P EVFDK0942P EVFDK0948P EVFDK0954P EVFDK0960P EVFDK0966P EVFDK0972P	125 145 172 193 283 310 332 350 395	9 9 9 9 9 9 9 9 9	24 30 36 42 48 54 60 66 72	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVFDK12P - 12" PANEL MOUNTED FELT DIVIDER

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.

- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify.


DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
	EVFDK1224P EVFDK1230P EVFDK1236P EVFDK1242P EVFDK1248P EVFDK1254P EVFDK1260P	125 145 172 193 283 310 332	12 12 12 12 12 12 12	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8



EVFDK12PN - 12" PANEL MOUNTED FELT DIVIDER, 1 NOTCH

- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.


- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
	EVFDK1224PN EVFDK1230PN EVFDK1236PN EVFDK1242PN EVFDK1248PN EVFDK1254PN EVFDK1260PN	125 145 172 193 283 310 332	12	22.68 28.68 34.68 40.68 46.68 52.68 58.68	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVFDK12PDN - 12" PANEL MOUNTED FELT DIVIDER, 2 NOTCHES


- Privacy felt panel integrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space. Includes aluminum trim with channel and felt tile.
- Aluminum trim must be specified for entire station when ordering panel mount privacy felt.

- Felt and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	DIMENSIONS/INCHES		
			H	W	D
	EVFDK1224PDN EVFDK1230PDN EVFDK1236PDN EVFDK1242PDN EVFDK1248PDN EVFDK1254PDN EVFDK1260PDN	125 145 172 193 283 310 332	12	21.44 27.44 33.44 39.44 45.44 51.44 57.44	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8


EVPDFK06XXPCF - 6" H PANEL MOUNT PRIVACY DIVIDER CEILING FILLER KIT

- Privacy Felt Divder integrated with aluminum top trim.
- Aluminum top trim available in standard paint finishes.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and Felt tile.
- Felt tile and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify.
- PVC cap for closing gap at ceiling included.
- PVC cap available in white only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVFDK0618PCF	118	6	18	
	EVFDK0624PCF	141	6	24	
	EVFDK0630PCF	167	6	30	
	EVFDK0636PCF	196	6	36	
	EVFDK0642PCF	221	6	42	
	EVFDK0648PCF	326	6	48	
	EVFDK0654PCF	353	6	54	
	EVFDK0660PCF	384	6	60	
	EVFDK0666PCF	403	6	66	
	EVFDK0672PCF	454	6	72	


EVPDFK06XXPCFP - 6" H PANEL MOUNT PRIVACY DIVIDER CEILING FILLER KIT

- Privacy Felt Divder integrated with aluminum top trim.
- Aluminum top trim available in standard paint finishes.
- Aluminum trim is width of panel.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and Felt tile.
- Felt tile and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify.
- Felt tile is longer and overhangs half of width of post.
- PVC cap for closing gap at ceiling included.
- PVC cap available in white only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVFDK0619PCF	141	6	19 3/4	
	EVFDK0625PCF	167	6	25 3/4	
	EVFDK0631PCF	196	6	31 3/4	
	EVFDK0637PCF	221	6	37 3/4	
	EVFDK0643PCF	326	6	43 3/4	
	EVFDK0649PCF	353	6	49 3/4	
	EVFDK0655PCF	384	6	55 3/4	
	EVFDK0661PCF	403	6	61 3/4	
	EVFDK0667PCF	454	6	67 3/4	
	EVFDK0673PCF	509	6	73 3/4	

EVPDFK09XXPCF - 9" H PANEL MOUNT PRIVACY DIVIDER CEILING FILLER KIT


- Privacy Felt Divder integrated with aluminum top trim.
- Aluminum top trim available in standard paint finishes.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and Felt tile.
- Felt tile and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify.
- PVC cap for closing gap at ceiling included.
- PVC cap available in white only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVFDK0918PCF	118	9	18	
	EVFDK0924PCF	141	9	24	
	EVFDK0930PCF	167	9	30	
	EVFDK0936PCF	196	9	36	
	EVFDK0942PCF	221	9	42	
	EVFDK0948PCF	326	9	48	
	EVFDK0954PCF	353	9	54	
	EVFDK0960PCF	384	9	60	
	EVFDK0966PCF	403	9	66	
	EVFDK0972PCF	454	9	72	




EVPDFK09XXPCFP - 9" H PANEL MOUNT PRIVACY DIVIDER CEILING FILLER KIT

- Privacy Felt Divder integrated with aluminum top trim.
- Aluminum trim is width of panel.
- Aluminum top trim available in standard paint finishes.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and Felt tile.
- Felt tile and attachment hardware to ship separately.
- 9 mm felt material is tackable and is available in standard PET colors. Please specify.
- Felt tile is longer and overhangs half of width of post.
- PVC cap for closing gap at ceiling included.
- PVC cap available in white only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPDFK0919PCF EVPDFK0925PCF EVPDFK0931PCF EVPDFK0937PCF EVPDFK0943PCF EVPDFK0949PCF EVPDFK0955PCF EVPDFK0961PCF EVPDFK0967PCF EVPDFK0973PCF	141 167 196 221 326 353 384 403 454 509	9 9 9 9 9 9 9 9 9 9	19 3/4 25 3/4 31 3/4 37 3/4 43 3/4 49 3/4 55 3/4 61 3/4 67 3/4 73 3/4	

EVPTFC - CEILING FILLER PVC CAP FOR FELT DIVIDER

- To be installed on top on felt divider when used as ceiling filler.
- Field installed on top of felt divider to close gap at ceiling.
- Available in 18"-96" lengths.
- Available in white only.
- Felt divider with top trim kit to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPTFC18 EVPTFC24 EVPTFC30 EVPTFC36 EVPTFC42 EVPTFC48 EVPTFC54 EVPTFC60 EVPTFC66 EVPTFC72 EVPTFC78 EVPTFC84 EVPTFC90 EVPTFC96	19 21 26 29 32 47 51 53 57 63 69 74 81 87	1 3/8 1 3/8	18 24 30 36 42 48 54 60 66 72 78 84 90 96	3/4 3/4 3/4 3/4 3/4 3/4 3/4 3/4 3/4 3/4 3/4 3/4 3/4 3/4 3/4

EVFELTPXXHWR - ALUMINUM TOP TRIM WITH CHANNEL


- Top trim with channel.
- Available in standard paint colors.
- Note: Trim can span inline connector, but not a Post

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVFELTP18HWR EVFELTP24HWR EVFELTP30HWR EVFELTP36HWR EVFELTP42HWR EVFELTP48HWR EVFELTP54HWR EVFELTP60HWR EVFELTP66HWR EVFELTP72HWR	47 48 55 61 69 75 82 90 99 112		18 24 30 36 42 48 54 60 66 72	2.875 2.875 2.875 2.875 2.875 2.875 2.875 2.875 2.875 2.875



EVFELTXXYP - FELT TILE


- Felt tile.
- Available in standard felt colors.
- Top trim with channel and PVC cap to be ordered separately.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Felt Tile - 6" High				
	EVFELT0618P	34	6	18	
	EVFELT0624P	42	6	24	
	EVFELT0630P	58	6	30	
	EVFELT0636P	74	6	36	
	EVFELT0642P	91	6	42	
	EVFELT0648P	113	6	48	
	EVFELT0654P	128	6	54	
	EVFELT0660P	142	6	60	
	EVFELT0666P	160	6	66	
	EVFELT0672P	175	6	72	
	Felt Tile - 9" High				
	EVFELT0918P	57	9	18	
	EVFELT0924P	69	9	24	
	EVFELT0930P	81	9	30	
	EVFELT0936P	98	9	36	
	EVFELT0942P	110	9	42	
	EVFELT0948P	181	9	48	
	EVFELT0954P	198	9	54	
	EVFELT0960P	217	9	60	
	EVFELT0966P	234	9	66	
	EVFELT0972P	248	9	72	



EVPP - GLAZED FREESTANDING PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Glazed Monolithic Freestanding Privacy Panel	EVPPXGT5418	892	194	54	18
		EVPPXGT5424	984	228	54	24
		EVPPXGT5430	1069	265	54	30
		EVPPXGT5436	1151	299	54	36
		EVPPXGT5442	1243	336	54	42
						2 7/8
						2 7/8
						2 7/8
						2 7/8

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Glazed Monolithic Freestanding Privacy Panel	EVPPXGT6618	1028	234	66	18
		EVPPXGT6624	1128	273	66	24
		EVPPXGT6630	1231	312	66	30
		EVPPXGT6636	1324	350	66	36
		EVPPXGT6642	1434	395	66	42
						2 7/8
						2 7/8
						2 7/8
						2 7/8


EVPP - GLAZED MOBILE PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		CLR	FRST ADD	WRW ADD	H	W	D
Mobile Glazed Monolithic Privacy Panel	EVPPXGT5418M	969	194	651	54	18	2 7/8
	EVPPXGT5424M	1058	232	806	54	24	2 7/8
	EVPPXGT5430M	1144	265	957	54	30	2 7/8
	EVPPXGT5436M	1227	299	1111	54	36	2 7/8
	EVPPXGT5442M	1319	335	1266	54	42	2 7/8





DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		CLR	FRST ADD	WRW ADD	H	W	D
Mobile Glazed Monolithic Privacy Panel	EVPPXGT6618M	1102	234	801	66	18	2 7/8
	EVPPXGT6624M	1203	273	988	66	24	2 7/8
	EVPPXGT6630M	1305	313	1174	66	30	2 7/8
	EVPPXGT6636M	1399	351	1358	66	36	2 7/8
	EVPPXGT6642M	1509	395	1551	66	42	2 7/8




EVPP - MONOLITHIC PRIVACY PANEL - RIBBED POLYCARBONATE

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	Freestanding Ribbed Monolithic Privacy Panel	EVPPXGR4218 EVPPXGR4224 EVPPXGR4230 EVPPXGR4236 EVPPXGR4242	815 853 929 1005 1083	42 42 42 42 42	18 24 30 36 42	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	Freestanding Ribbed Monolithic Privacy Panel	EVPPXGR5418 EVPPXGR5424 EVPPXGR5430 EVPPXGR5436 EVPPXGR5442	954 1013 1100 1189 1286	54 54 54 54 54	18 24 30 36 42	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	Freestanding Ribbed Monolithic Privacy Panel	EVPPXGR6618 EVPPXGR6624 EVPPXGR6630 EVPPXGR6636 EVPPXGR6642	1045 1154 1256 1356 1465	66 66 66 66 66	18 24 30 36 42	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8


EVPP - MONOLITHIC PRIVACY PANEL - RIBBED POLYCARBONATE

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Mobile Ribbed Monolithic Privacy Panel	EVPPXGR4218M	889	42	18	2 7/8
	EVPPXGR4224M	929	42	24	2 7/8
	EVPPXGR4230M	1005	42	30	2 7/8
	EVPPXGR4236M	1080	42	36	2 7/8
	EVPPXGR4242M	1158	42	42	2 7/8



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Mobile Ribbed Monolithic Privacy Panel	EVPPXGR5418M	1033	54	18	2 7/8
	EVPPXGR5424M	1089	54	24	2 7/8
	EVPPXGR5430M	1177	54	30	2 7/8
	EVPPXGR5436M	1265	54	36	2 7/8
	EVPPXGR5442M	1362	54	42	2 7/8




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Mobile Ribbed Monolithic Privacy Panel	EVPPXGR6618M	1121	66	18	2 7/8
	EVPPXGR6624M	1231	66	24	2 7/8
	EVPPXGR6630M	1256	66	30	2 7/8
	EVPPXGR6636M	1431	66	36	2 7/8
	EVPPXGR6642M	1539	66	42	2 7/8





EVPP - MONOLITHIC PRIVACY PANEL - GLAZED

- Includes panel with two connectors with T legs
- 3" thick freestanding panels with flat foot
- 22" deep T-legs for stability (9.5" on each side)

- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)
- Includes end of run trim

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		CLR	FRST ADD	H	W	D	
	Freestanding Glazed Monolithic Privacy Panel	EVPPXGTF4218	766	159	42	18	2 7/8
		EVPPXGTF4224	843	192	42	24	2 7/8
		EVPPXGTF4230	915	218	42	30	2 7/8
		EVPPXGTF4236	985	246	42	36	2 7/8
		EVPPXGTF4242	1064	279	42	42	2 7/8


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		CLR	FRST ADD	H	W	D	
	Freestanding Glazed Monolithic Privacy Panel	EVPPXGTF5418	892	194	54	18	2 7/8
		EVPPXGTF5424	984	228	54	24	2 7/8
		EVPPXGTF5430	1069	265	54	30	2 7/8
		EVPPXGTF5436	1151	299	54	36	2 7/8
		EVPPXGTF5442	1243	299	54	42	2 7/8

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		CLR	FRST ADD	H	W	D	
	Freestanding Glazed Monolithic Privacy Panel	EVPPXGTF6618	1028	234	66	18	2 7/8
		EVPPXGTF6624	1128	273	66	24	2 7/8
		EVPPXGTF6630	1231	312	66	30	2 7/8
		EVPPXGTF6636	1324	350	66	36	2 7/8
		EVPPXGTF6642	1434	394	66	42	2 7/8


EVPP - MONOLITHIC PRIVACY PANEL - RIBBED POLYCARBONATE

- Includes panel with two connectors with T legs
- 3" thick freestanding panels with flat foot
- 22" deep T-legs for stability (9.5" on each side)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Freestanding Ribbed Monolithic Privacy Panel	EVPPXGRF4218	815	42	18	2 7/8
	EVPPXGRF4224	853	42	24	2 7/8
	EVPPXGRF4230	929	42	30	2 7/8
	EVPPXGRF4236	1005	42	36	2 7/8
	EVPPXGRF4242	1083	42	42	2 7/8



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Freestanding Ribbed Monolithic Privacy Panel	EVPPXGRF5418	954	54	18	2 7/8
	EVPPXGRF5424	1013	54	24	2 7/8
	EVPPXGRF5430	1100	54	30	2 7/8
	EVPPXGRF5436	1189	54	36	2 7/8
	EVPPXGRF5442	1286	54	42	2 7/8



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Freestanding Ribbed Monolithic Privacy Panel	EVPPXGRF6618	1045	66	18	2 7/8
	EVPPXGRF6624	1154	66	24	2 7/8
	EVPPXGRF6630	1256	66	30	2 7/8
	EVPPXGRF6636	1356	66	36	2 7/8
	EVPPXGRF6642	1465	66	42	2 7/8




EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)

- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Glazed module and 29"H legs


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
Freestanding Glazed Monolithic Privacy Panel	EVPPXGT7824	1053	232	78	24	2 7/8
	EVPPXGT7830	1138	265	78	30	2 7/8
	EVPPXGT7836	1222	299	78	36	2 7/8
	EVPPXGT7842	1316	335	78	42	2 7/8

**EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH**

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)

- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Ribbled module and 29"H legs

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W	D		
Freestanding Ribbed Monolithic Privacy Panel	EVPPXGR7824	1092	78	24	2 7/8	
	EVPPXGR7830	1182	78	30	2 7/8	
	EVPPXGR7836	1092	78	36	2 7/8	
	EVPPXGR7842	1366	78	42	2 7/8	



EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Glazed module and 29"H legs

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
Mobile Glazed Monolithic Privacy Panel	EVPPXGT7824M	1129	228	78	24	2 7/8
	EVPPXGT7830M	1216	265	78	30	2 7/8
	EVPPXGT7836M	1298	299	78	36	2 7/8
	EVPPXGT7842M	1388	336	78	42	2 7/8

EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)
- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Ribbed module and 29"H legs

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W	D		
Mobile Ribbed Monolithic Privacy Panel	EVPPXGR7824M	1169	78	24	2 7/8	
	EVPPXGR7830M	1257	78	30	2 7/8	
	EVPPXGR7836M	1169	78	36	2 7/8	
	EVPPXGR7842M	1442	78	42	2 7/8	




EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH

- Includes panel with two connectors with T legs
- 3" thick freestanding panels with flat foot
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)

- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Glazed module and 29"H legs


DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D	
Freestanding Glazed Monolithic Privacy Panel	EVPPXGTF7824	1053	232	78	24	2 7/8	
	EVPPXGTF7830	1138	265	78	30	2 7/8	
	EVPPXGTF7836	1222	299	78	36	2 7/8	
	EVPPXGTF7842	1316	335	78	42	2 7/8	

**EVPP - MONOLITHIC PRIVACY PANEL - 78" HIGH**

- Includes panel with two connectors with T legs
- 3" thick freestanding panels with flat foot
- 22" deep T-legs for stability (9.5" on each side)
- Glazed Panels are available in tempered Clear glass (CLR) and Frosted glass (FRST)


- Ribbed Panels are semi-private translucent polycarbonate.
- Includes end of run trim.
- Includes 48"H Ribbed module and 29"H legs

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES		
		H	W	D			
Freestanding Ribbed Monolithic Privacy Panel	EVPPXGRF7824	1092	78	24	2 7/8		
	EVPPXGRF7830	1182	78	30	2 7/8		
	EVPPXGRF7836	1092	78	36	2 7/8		
	EVPPXGRF7842	1366	78	42	2 7/8		




EVPP - GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Available in clear glass (CLR) and frosted glass (FRST)
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Freestanding Glazed Privacy Panel	EVPPGT5424	1016	244	54	24
		EVPPGT5430	286	286	54	30
		EVPPGT5436	325	325	54	36
		EVPPGT5442	368	368	54	42
		EVPPGT5448	410	410	54	48
		EVPPGT5454	455	455	54	54
		EVPPGT5460	493	493	54	60


EVPP - GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Available in clear glass (CLR) and frosted glass (FRST)
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Freestanding Glazed Privacy Panel	EVPPGT6624	1268	330	66	24
		EVPPGT6630	1391	384	66	30
		EVPPGT6636	1585	456	66	36
		EVPPGT6642	1719	511	66	42
		EVPPGT6648	1855	569	66	48
		EVPPGT6654	2007	629	66	54
		EVPPGT6660	2173	691	66	60

EVPP - MOBILE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Available in clear glass (CLR) and frosted glass (FRST)
- Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Mobile Glazed Privacy Panel	EVPPGT5424M	1091	246	54	24
		EVPPGT5430M	1191	287	54	30
		EVPPGT5436M	1289	325	54	36
		EVPPGT5442M	1396	368	54	42
		EVPPGT5448M	1501	410	54	48
		EVPPGT5454M	1611	455	54	54
		EVPPGT5460M	1707	493	54	60



EVPP - MOBILE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)


- All Modules are Tempered Glass.
- Available in clear glass (CLR) and frosted glass (FRST)
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Mobile Glazed Privacy Panel	EVPPGT6624M EVPPGT6630M EVPPGT6636M EVPPGT6642M EVPPGT6648M EVPPGT6654M EVPPGT6660M	1344 1467 1659 1795 1930 2083 2245	332 381 456 511 569 624 692	66 66 66 66 66 66 66	24 30 36 42 48 54 60
						2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPP - LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)


- All Modules are Tempered Glass.
- Bottom Two Modules are Laminate w/12" Tempered Glass on top.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Freestanding Laminate Glazed Privacy Panel	EVPPHGTU5424 EVPPHGTU5430 EVPPHGTU5436 EVPPHGTU5442 EVPPHGTU5448 EVPPHGTU5454 EVPPHGTU5460	1240 1375 1513 1650 1787 1938 2077	170 196 226 253 279 310 336	54 54 54 54 54 54 54	24 30 36 42 48 54 60
						2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPP - LAMINATE GLAZED PRIVACY PANEL


- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)

- Bottom Two Modules are Laminate w/12" Tempered Glass on top.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Freestanding Laminate Glazed Privacy Panel	EVPPHGTU6624 EVPPHGTU6630 EVPPHGTU6636 EVPPHGTU6642 EVPPHGTU6648 EVPPHGTU6654 EVPPHGTU6660	1386 1548 1740 1899 2055 2235 2430	193 224 264 292 326 361 399	66 66 66 66 66 66 66	24 30 36 42 48 54 60
						2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8


EVPP - MOBILE LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Bottom Two Modules are Laminate w/12" Tempered Glass on top.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		CLR	FRST ADD	H	W	D	
	Mobile Laminate Glazed Privacy Panel	EVPPHGTU5424M	1316	170	54	24	2 7/8
		EVPPHGTU5430M	1450	196	54	30	2 7/8
		EVPPHGTU5436M	1589	224	54	36	2 7/8
		EVPPHGTU5442M	1729	253	54	42	2 7/8
		EVPPHGTU5448M	1863	280	54	48	2 7/8
		EVPPHGTU5454M	2012	311	54	54	2 7/8
		EVPPHGTU5460M	2152	338	54	60	2 7/8


EVPP - MOBILE LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Bottom Two Modules are Laminate w/12" Tempered Glass on top.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		CLR	FRST ADD	H	W	D	
	Mobile Laminate Glazed Privacy Panel	EVPPHGTU6624M	1462	193	66	24	2 7/8
		EVPPHGTU6630M	1623	222	66	30	2 7/8
		EVPPHGTU6636M	1816	265	66	36	2 7/8
		EVPPHGTU6642M	1974	290	66	42	2 7/8
		EVPPHGTU6648M	2133	325	66	48	2 7/8
		EVPPHGTU6654M	2310	361	66	54	2 7/8
		EVPPHGTU6660M	2505	399	66	60	2 7/8

EVPP - LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Tempered Glass.
- Laminate Base Module w/24" Tempered Glass above.
- Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		CLR	FRST ADD	H	W	D	
	Freestanding Laminate Glazed Privacy Panel	EVPPHGT5424	1074	136	54	24	2 7/8
		EVPPHGT5430	1192	161	54	30	2 7/8
		EVPPHGT5436	1316	182	54	36	2 7/8
		EVPPHGT5442	1435	207	54	42	2 7/8
		EVPPHGT5448	1552	234	54	48	2 7/8
		EVPPHGT5454	1680	257	54	54	2 7/8
		EVPPHGT5460	1794	281	54	60	2 7/8



EVPP - LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)


- Laminate Base Module w/36" Tempered Glass above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Freestanding Laminate Glazed Privacy Panel	EVPPHGT6624	1328	179	66	24
		EVPPHGT6630	1471	207	66	30
		EVPPHGT6636	1656	246	66	36
		EVPPHGT6642	1796	273	66	42
		EVPPHGT6648	1941	302	66	48
		EVPPHGT6654	2107	336	66	54
		EVPPHGT6660	2300	373	66	60

EVPP - MOBILE LAMINATE GLAZED PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)


- Laminate Base Module w/36" Tempered Glass above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Mobile Laminate Glazed Privacy Panel	EVPPHGT6624M	1404	180	66	24
		EVPPHGT6630M	1547	206	66	30
		EVPPHGT6636M	1733	246	66	36
		EVPPHGT6642M	1871	273	66	42
		EVPPHGT6648M	2017	301	66	48
		EVPPHGT6654M	2183	335	66	54
		EVPPHGT6660M	2376	373	66	60

EVPP - MOBILE LAMINATE GLAZED PRIVACY PANEL


- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)

- Laminate Base Module w/24" Tempered Glass above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		CLR	FRST ADD	H	W	D
	Mobile Laminate Glazed Privacy Panel	EVPPHGT5424M	1149	137	54	24
		EVPPHGT5430M	1267	161	54	30
		EVPPHGT5436M	1388	183	54	36
		EVPPHGT5442M	1511	210	54	42
		EVPPHGT5448M	1630	233	54	48
		EVPPHGT5454M	1756	257	54	54
		EVPPHGT5460M	1869	280	54	60


EVPP - LAMINATE PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Laminate.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Freestanding Laminate Privacy Panel				
	EVPPH2S5424	1133	54	24	2 7/8
	EVPPH2S5430	1271	54	30	2 7/8
	EVPPH2S5436	1417	54	36	2 7/8
	EVPPH2S5442	1550	54	42	2 7/8
	EVPPH2S5448	1680	54	48	2 7/8
	EVPPH2S5454	1825	54	54	2 7/8
	EVPPH2S5460	1954	54	60	2 7/8


EVPP - LAMINATE PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Laminate.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Freestanding Laminate Privacy Panel				
	EVPPH2S6624	1371	66	24	2 7/8
	EVPPH2S6630	1549	66	30	2 7/8
	EVPPH2S6636	1752	66	36	2 7/8
	EVPPH2S6642	1928	66	42	2 7/8
	EVPPH2S6648	2098	66	48	2 7/8
	EVPPH2S6654	2275	66	54	2 7/8
	EVPPH2S6660	2463	66	60	2 7/8

EVPP - MOBILE LAMINATE PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Laminate.
- Available in clear glass (CLR) and frosted glass (FRST)
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Mobile Laminate Privacy Panel				
	EVPPH2S5424M	1206	54	24	2 7/8
	EVPPH2S5430M	1345	54	30	2 7/8
	EVPPH2S5436M	1491	54	36	2 7/8
	EVPPH2S5442M	1627	54	42	2 7/8
	EVPPH2S5448M	1756	54	48	2 7/8
	EVPPH2S5454M	1900	54	54	2 7/8
	EVPPH2S5460M	2031	54	60	2 7/8



EVPP - MOBILE LAMINATE PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- All Modules are Laminate.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	Mobile Laminate Privacy Panel	EVPPH2S6624M EVPPH2S6630M EVPPH2S6636M EVPPH2S6642M EVPPH2S6648M EVPPH2S6654M EVPPH2S6660M	1446 1625 1828 2004 2174 2350 2537	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPP - FABRIC WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Fabric Base Module with Write Board above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		GR 1	GR 2	H	W	D	
	Freestanding Write Board Privacy Panel	EVPPF2W5424 EVPPF2W5430 EVPPF2W5436 EVPPF2W5442 EVPPF2W5448 EVPPF2W5454 EVPPF2W5460	1093 1224 1354 1486 1634 1776 1902	1114 1251 1388 1519 1675 1823 1955	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8


EVPP - MOBILE FABRIC WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Fabric Base Module with Write Board above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		GR 1	GR 2	H	W	D	
	Mobile Write Board Glazed Privacy Panel	EVPPF2W6624M EVPPF2W6630M EVPPF2W6636M EVPPF2W6642M EVPPF2W6648M EVPPF2W6654M EVPPF2W6660M	1396 1623 1821 2000 2198 2382 2611	1419 1651 1850 2038 2237 2435 2659	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8


EVPP - MOBILE FABRIC WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Fabric Base Module with Write Board above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		GR 1	GR 2	H	W	D	
	Mobile Write Board Privacy Panel	EVPPF2W5424M	1170	1190	54	24	2 7/8
		EVPPF2W5430M	1299	1327	54	30	2 7/8
		EVPPF2W5436M	1430	1463	54	36	2 7/8
		EVPPF2W5442M	1559	1594	54	42	2 7/8
		EVPPF2W5448M	1710	1751	54	48	2 7/8
		EVPPF2W5454M	1851	1898	54	54	2 7/8
		EVPPF2W5460M	1978	2031	54	60	2 7/8


EVPP - MOBILE LAMINATE WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)
- Laminate Base Module with Write Board above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W	W	D	
	Mobile Write Board Laminate Privacy Panel	EVPPH2W6624M	1493	66	24	2 7/8
		EVPPH2W6630M	1754	66	30	2 7/8
		EVPPH2W6636M	1993	66	36	2 7/8
		EVPPH2W6642M	2188	66	42	2 7/8
		EVPPH2W6648M	2384	66	48	2 7/8
		EVPPH2W6654M	2590	66	54	2 7/8
		EVPPH2W6660M	2799	66	60	2 7/8

EVPP - LAMINATE WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)
- Laminate Base Module with Write Board above.
- Includes end of run trim.


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		H	W	W	D	
	Freestanding Write Board Privacy Panel	EVPPH2W5424	1200	54	24	2 7/8
		EVPPH2W5430	1357	54	30	2 7/8
		EVPPH2W5436	1522	54	36	2 7/8
		EVPPH2W5442	1674	54	42	2 7/8
		EVPPH2W5448	1821	54	48	2 7/8
		EVPPH2W5454	1982	54	54	2 7/8
		EVPPH2W5460	2129	54	60	2 7/8



EVPP - LAMINATE WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)


- Laminate Base Module with Write Board above
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	Freestanding Write Board Laminate Privacy Panel	EVPPH2W6624 EVPPH2W6630 EVPPH2W6636 EVPPH2W6642 EVPPH2W6648 EVPPH2W6654 EVPPH2W6660	1419 1679 1918 2112 2307 2514 2725	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPP - MOBILE LAMINATE WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with 1" locking casters.
- 22" deep T-legs for stability (9.5" on each side)


- Laminate Base Module with Write Board above.
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	Mobile Write Board Privacy Panel	EVPPH2W5424M EVPPH2W5430M EVPPH2W5436M EVPPH2W5442M EVPPH2W5448M EVPPH2W5454M EVPPH2W5460M	1277 1434 1595 1747 1895 2057 2205	54 54 54 54 54 54 54	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

EVPP - FABRIC WRITE BOARD PRIVACY PANEL

- Includes panel with two connectors with T legs.
- 3" thick freestanding panels with leveling glides
- 22" deep T-legs for stability (9.5" on each side)

- Fabric Base Module with Write Board above
- Includes end of run trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		GR 1	GR 2	H	W	D	
	Freestanding Write Board Glazed Privacy Panel	EVPPF2W6624 EVPPF2W6630 EVPPF2W6636 EVPPF2W6642 EVPPF2W6648 EVPPF2W6654 EVPPF2W6660	1321 1548 1745 1925 2124 2305 2536	1342 1577 1775 1960 2159 2358 2584	66 66 66 66 66 66 66	24 30 36 42 48 54 60	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8 2 7/8

NOTES



panel connectors

**TIPS!!**


Slotted posts are included with each Variable-Height Corner Post. The height of each slotted post must be specified when ordering a Variable-Height Corner Post. Slotted post height is determined by the height of the connecting panel run.

Example

Step 1 Specify base code listed on pricing page.

**Segmented Panel**



Step 2 Specify slotted post heights.



Note: To specify height, use the first number of the connecting panel run height dimension.

Slotted Post Positions

As illustrated in the example below, start with position 1 and continue clockwise specifying the height of each slotted post.

**Sample Configuration - EVPVPA466-6654****PANEL CONNECTORS BY TYPE****Inline Connector** 176-178

Inline Connector
Inline Connector for Light Panels
Inline Connector for Beltline Powered Panels
Inline Connector for Beltline Powered Light Panels
Inline Variable - Height Connector
Inline Variable - Height Connector for Light Panels
Inline Variable - Height Connector for Beltline
Powered Panels
Inline Variable - Height Connector for Beltline
Powered Light Panels

End-of-Run 179

End-of-Run Post Kit (Wall Mountable) -
Aluminum Trim
End-of-Run Post Kit for Light Panels
(Wall Mountable) - Aluminum Trim

Two-Way Post 180-183

Two-Way Post - Aluminum Trim
Two-Way Post for Light Panels - Aluminum Trim
Two-Way Post for Beltline Powered Panels -
Aluminum Trim
Two-Way Post for Beltline Powered Light Panels -
Aluminum Trim
Two-Way Variable - Height Post - Aluminum Trim
Two-Way Variable - Height Post for Light Panels -
Aluminum Trim
Two-Way Variable - Height Post for Beltline
Powered Panels - Aluminum Trim
Two-Way Variable - Height Post for Beltline
Powered Light Panels - Aluminum Trim

Three-Way Post 184-188

Three-Way Post - Aluminum Trim
Three-Way Post for Light Panels - Aluminum Trim
Three-Way Post for Beltline Powered Panels -
Aluminum Trim
Three-Way Post for Beltline Powered Light
Panels - Aluminum Trim
Three-Way Variable - Height Post - Aluminum Trim
Three-Way Variable - Height Post for Light
Panels - Aluminum Trim
Three-Way Variable - Height Post for Beltline
Powered Panels - Aluminum Trim
Three-Way Variable - Height Post for Beltline
Powered Light Panels - Aluminum Trim

Four-Way Post 189-192

Four-Way Post
Four-Way Post for Light Panels
Four-Way Post for Beltline Powered Panels
Four-Way Post for Beltline Powered Light Panels
Four-Way Variable - Height Post - Aluminum Trim
Four-Way Variable - Height Post for Light Panels -
Aluminum Trim
Four-Way Variable - Height Post for Beltline
Powered Panels - Aluminum Trim
Four-Way Variable - Height Post for Beltline
Powered Light Panels - Aluminum Trim

One-Way Post 193-194

One-Way Post - Aluminum Trim
One-Way Post for Light Panels - Aluminum Trim
One-Way Post for Beltline Powered Panels -
Aluminum Trim
One-Way Post for Beltline Powered Light Panels -
Aluminum Trim

Inline Two-Way Post 195-196

Inline Two-Way Post - Aluminum Trim
Inline Two-Way Post for Light Panels -
Aluminum Trim
Inline Two-Way Post for Beltline Powered
Panels - Aluminum Trim
Inline Two-Way Post for Beltline Powered Light
Panels - Aluminum Trim

60 Degree 197-199

Two-Way 60 Degree Post - Aluminum Trim
Two-Way 60 Degree Post for Beltline Powered
Panels - Aluminum Trim
Two-Way 60 Degree Variable - Height Post -
Aluminum Trim
Two-Way 60 Degree Variable - Height Post for
Beltline Powered Panels - Aluminum Trim
Three-Way 60 Degree Post
Three-Way 60 Degree Post for Beltline
Powered Panels
Three-Way 60 Degree Variable - Height Post -
Aluminum Trim
Three-Way 60 Degree Variable - Height Post for
Beltline Powered Panels - Aluminum Trim

45 Degree 199-200

Two-Way 45 Degree Post
Two-Way 45 Degree Variable - Height Post

Upmount End of Run 200-201
Upmount End-of-Run Post Kit
(Wall Mountable) - Aluminum
Upmount End-of-Run Post Kit For Light Panels
(Wall Mountable) - Aluminum
Upmount End-of-Run Trim - Aluminum
Upmount End-of-Run Trim for Light Panels -
Aluminum

Extension 202-205

Inline Extension Connector - Slotted
End-of-Run Extension Connector - Slotted -
Aluminum
Two-Way Post Extension - Slotted - Aluminum
Three-Way Post Extension - Slotted - Aluminum
Four-Way Post Extension - Slotted
One-Way Post Extension - Slotted - Aluminum
Inline Two-Way Post Extension - Slotted -
Aluminum
Two-Way 60 Degree Post Extension - Slotted -
Aluminum
Three Way 60 Degree Post Extension - Slotted -
Aluminum
One-Way 60 Degree Post Extension - Slotted -
Aluminum
Two-Way 45 Degree Post Extension - Slotted -
Aluminum
One-Way 45 Degree Post Extension - Slotted -
Aluminum


Trims 206-209

Upmount Extension Trim - Aluminum
End-of-Run Trim - Aluminum
End-of-Run Trim for Light Panels - Aluminum
Panel Trim Variable Height - Aluminum
Panel Extension Trim - Aluminum
Flat Trim - Aluminum
Flat Trim for Light Panels - Aluminum
Flat Extension Trim - Aluminum
Panel Top Trim - Aluminum
Panel Top Single Notched Trim - Aluminum
Panel Top Double Notched Trim - Aluminum
Slot Cover



EVPIC - INLINE CONNECTOR

- Connects two panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Connector				
	EVPIC30	80	30	2	
	EVPIC42	93	42	2	
	EVPIC48	97	48	2	
	EVPIC54	99	54	2	
	EVPIC66	110	60	2	

EVPLTC - LIGHT PANEL INLINE CONNECTOR LEG WITH TRIMS

- Connects two Light panel in straight run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Light Panel Inline Connector Leg with Trims				
	EVPLTC30	80	30	2	
	EVPLTC42	93	42	2	
	EVPLTC48	97	48	2	
	EVPLTC54	99	54	2	
	EVPLTC66	110	66	2	


EVPBIC - INLINE CONNECTOR FOR BELTLINE POWERED PANELS

- Connects two Beltline Powered panels of equal height in a straight run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Connector for Beltline Powered Panels				
	EVPBIC42	93	42	2	
	EVPBIC54	99	54	2	
	EVPBIC66	110	66	2	


EVPLTIC - BELTLINE LIGHT PANEL INLINE CONNECTOR LEG WITH TRIMS

- Connects two Light panel in straight run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Beltline Light Panel Inline Connector Leg with trims				
	EVPLTIC42	93	42	2	
	EVPLTIC54	99	54	2	
	EVPLTIC66	110	66	2	

EVPVC - INLINE VARIABLE - HEIGHT CONNECTOR

- Connects two panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Variable - Height Connector				
	EVPVC42	99	42	2	
	EVPVC48	101	48	2	
	EVPVC54	102	54	2	
	EVPVC66	112	66	2	

EVPLTVC - INLINE VARIABLE HEIGHT CONNECTOR WITH LEG WITH TRIMS


- Connects two Light panels of differing height in straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel height.
- Variable height trim must be ordered separately (see EVPTVAXX).
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Variable Height Connector with Leg with Trims				
	EVPLTVC42	99	42	2	
	EVPLTVC48	101	48	2	
	EVPLTVC54	102	54	2	
	EVPLTVC66	112	66	2	




EVPBVC - INLINE VARIABLE - HEIGHT CONNECTOR FOR BELTLINE POWERED PANELS

- Connects two Beltline Powered panels of differing height in a straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel heights.
- Variable-height trim must be ordered separately (see EVPTVAXX)
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Variable - Height Connector for Beltline Powered Panels	EVPBVC54 EVPBVC66	102 112	54 66	2 2


EVPBLTVC - INLINE VARIABLE HEIGHT CONNECTOR FOR BELTLINE LIGHT PANEL

- Connects two Light panels of differing height in straight run.
- Connector must reference taller panel.
- Can be used for any variation of panel height.
- Variable height trim must be ordered separately (see EVPTVAXX)
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Variable Height Connector	EVPBLTVC54 EVPBLTVC66	102 112	54 60	2 2

EVPERA - END-OF-RUN POST KIT (WALL MOUNTABLE) - ALUMINUM TRIM

- Connects at the end of a panel run and can be used to attach a panel to a fixed wall.
- Adds 1" to the width of the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one slotted connector with leveling glide, connecting hardware and trim kit.
- Can be attached to face of another panel to provide off-modular panel connection.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPERA30 EVPERA42 EVPERA48 EVPERA54 EVPERA66	97 110 117 132 146	30 42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8 2 7/8	

EVPLTERA - END OF RUN POST KIT FOR LIGHT PANEL

- Connects at end of Light panel and can attach to a panel to fixed wall.
- Adds 1" to width of panel run.
- Provides slotted support for worksurfaces and hang on components.
- Includes one slotted connector with leveling glide with leg and trims and connecting hardware.
- Can be attached to face of another panel to provide off modular connection.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLTERA30 EVPLTERA42 EVPLTERA48 EVPLTERA54 EVPLTERA66	97 110 117 132 146	30 42 48 54 66	2 2 2 2 2	




PANEL CONNECTORS

2 - WAY

EVPCPA2 - TWO-WAY POST - ALUMINUM TRIM

- Connects two panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPCPA230	180	30	2 7/8	
	EVPCPA242	224	42	2 7/8	
	EVPCPA248	239	48	2 7/8	
	EVPCPA254	278	54	2 7/8	
	EVPCPA266	326	66	2 7/8	

EVPLTCPA2 - TWO WAY CORNER POST FOR LIGHT PANEL

- Connects two Light panel of equal height in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.


- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLTCPA230	180	30	2 7/8	
	EVPLTCPA242	224	42	2 7/8	
	EVPLTCPA248	239	48	2 7/8	
	EVPLTCPA254	278	54	2 7/8	
	EVPLTCPA266	326	66	2 7/8	

EVPLTCPA2P - TWO WAY CORNER POST FOR LIGHT PANEL

- Connects Light panel and Panel of equal height in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.


- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLTCPA230P	180	30	2 7/8	
	EVPLTCPA242P	224	42	2 7/8	
	EVPLTCPA248P	239	48	2 7/8	
	EVPLTCPA254P	278	54	2 7/8	
	EVPLTCPA266P	326	66	2 7/8	




EVPBCPA2 - TWO-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects two Beltline Powered panels of equal height in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Two-Way Post for Beltline Powered Panels - Aluminum Trim	EVPBCPA242	224	42	2 7/8	
	EVPBCPA254	278	54	2 7/8	
	EVPBCPA266	326	66	2 7/8	

EVPBLTCPA2 - TWO WAY CORNER POST FOR BELTLINE LIGHT PANEL

- Connects two Light panel of equal height in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Two Way Corner Post for Beltline Light Panel	EVPBLTCPA242	224	42	2	
	EVPBLTCPA248	239	48	2	
	EVPBLTCPA254	278	54	2	
	EVPBLTCPA266	326	66	2	

EVPBLTCPA2P - TWO WAY CORNER POST FOR BELTLINE LIGHT PANEL

- Connects Beltline Light panel and Beltline Panel of equal height in 90 degree configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Two Way Corner Post for Beltline Light Panel	EVPBLTCPA242P	224	42	2 7/8	
	EVPBLTCPA248P	239	48	2 7/8	
	EVPBLTCPA254P	278	54	2 7/8	
	EVPBLTCPA266P	326	66	2 7/8	




PANEL CONNECTORS

2 - WAY

EVPVPA2 - TWO-WAY VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects two panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots as a special at no upcharge. Contact Customer Support
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way Variable - Height Post - Aluminum Trim	EVPVPA242 EVPVPA248 EVPVPA254 EVPVPA266	224 250 278 326	42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8

EVPLTVA2 - TWO WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL

- Connects two Light panel of differing height in 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.


- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two Way Variable Height Corner Post for Light Panel	EVPLTVA242 EVPLTVA248 EVPLTVA254 EVPLTVA266	224 239 278 326	42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8

EVPLTVA2P- TWO WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL - PANEL

- Connects Light panel and Panel of differing height in 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.


- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two Way Variable Height Corner Post for Light Panel-Panels	EVPLTVA242P EVPLTVA248P EVPLTVA254P EVPLTVA266P	224 239 278 326	42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8



EVPBVPA2 - TWO-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects two Beltline Powered panels of differing height in a 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBVPA254 EVPBVPA266	278 326	54 66	2 7/8	2 7/8

EVPBLTVA2 - TWO WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL

- Connects two Light panel of differing height in 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Leg trim matches selected trim color.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBBLTVA254 EVPBBLTVA266	278 326	54 66	2 7/8	2 7/8

EVPBLTVA2P - TWO WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL

- Connects Beltline Light panel and Beltline Panel of differing height in 90 degree configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBBLTVA254P EVPBBLTVA266P	359 326	54 66	2 7/8	2 7/8



PANEL CONNECTORS

3 - WAY

EVPCA3 - THREE-WAY POST - ALUMINUM TRIM

- Connects three panels of equal height in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPCA330	222	30	2 7/8	
	EVPCA342	297	42	2 7/8	
	EVPCA348	326	48	2 7/8	
	EVPCA354	359	54	2 7/8	
	EVPCA366	423	66	2 7/8	

EVPLTCPA3 - THREE WAY CORNER POST FOR LIGHT PANEL

- Connects three Light panel of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.

- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLTCPA330	222	30	2 7/8	
	EVPLTCPA342	297	42	2 7/8	
	EVPLTCPA348	326	48	2 7/8	
	EVPLTCPA354	359	54	2 7/8	
	EVPLTCPA366	423	66	2 7/8	

EVPLTCPA3P - THREE WAY CORNER POST FOR PANEL - LIGHT PANEL

- Connects one Light panel and two Panels of equal height in "T" configuration, Panel-Light Panel-Panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.

- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLTCPA330P	222	30	2 7/8	
	EVPLTCPA342P	297	42	2 7/8	
	EVPLTCPA348P	326	48	2 7/8	
	EVPLTCPA354P	359	54	2 7/8	
	EVPLTCPA366P	423	66	2 7/8	



EVPLTCPA3PT - THREE WAY CORNER POST FOR LIGHT PANEL - PANEL-LIGHT PANEL

- Connects one Light panel and two Panels of equal height in "T" configuration, Light Panel-Panel-Light Panel.
- Post and connecting hardware add 3.25" to Power Beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, leveling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLTCPA330PT	222	30	2 7/8	
Three-Way Corner Post Light Panel-Panel-Light Panel	EVPLTCPA342PT	297	42	2 7/8	
	EVPLTCPA348PT	326	48	2 7/8	
	EVPLTCPA354PT	359	54	2 7/8	
	EVPLTCPA366PT	423	66	2 7/8	

EVPBCPA3 - THREE-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects three Beltline Powered panels of equal height in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBCPA342	297	42	2 7/8	
Three-Way Post for Beltline Powered Panels - Aluminum Trim	EVPBCPA354	359	54	2 7/8	
	EVPBCPA366	423	66	2 7/8	

EVPBBLTCPA3 - THREE WAY CORNER POST FOR BELTLINE LIGHT PANEL


- Connects three Light panel of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBBLTCPA342	297	42	2	
Three Way Corner Post for Beltline Light Panel	EVPBBLTCPA348	326	48	2	
	EVPBBLTCPA354	359	54	2	
	EVPBBLTCPA366	423	66	2	




EVPBLTCPA3P - THREE WAY CORNER POST FOR BELTLINE LIGHT PANEL

- Connects one Beltline Light panel and two Beltline panels of equal height in "T" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three way Corner Post Light Panel				
	EVPBLTCPA342P	297	42	2 7/8	
	EVPBLTCPA348P	326	48	2 7/8	
	EVPBLTCPA354P	359	54	2 7/8	
	EVPBLTCPA366P	423	66	2 7/8	


EVPVPA3 - THREE-WAY VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects three panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way Variable - Height Post - Aluminum Trim				
	EVPVPA342	297	42	2 7/8	
	EVPVPA348	326	48	2 7/8	
	EVPVPA354	359	54	2 7/8	
	EVPVPA366	423	66	2 7/8	

EVPLTVA3 - THREE WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL


- Connects three Light panel of differing height in "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three Way Variable Height Corner Post for Light Panel				
	EVPLTVA342	297	42	2 7/8	
	EVPLTVA348	326	48	2 7/8	
	EVPLTVA354	359	54	2 7/8	
	EVPLTVA366	423	66	2 7/8	




EVPLTVA3P- THREE WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL - PANEL

- Connects one Light panel and two Panels of differing height in "T" configuration, Panel-Light Panel-Panel.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPLTVA342P EVPLTVA348P EVPLTVA354P EVPLTVA366P	297 326 359 423	42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8	

EVPBVPA3 - THREE-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects three Beltline Powered panels of differing height in a "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBVPA354 EVPBVPA366	359 423	54 66	2 7/8 2 7/8	



EVPBLTVA3 - THREE WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL

- Connects one Beltline Light panel and two beltline Panels of differing height in "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Three Way Variable Height Corner Post for Beltline Light Panel	EVPBLTVA354 EVPBLTVA366	359 423	54 66	2 7/8 2 7/8	

EVPBLTVA3P - THREE WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL


- Connects one Beltline Light panel and two Beltline panels of equal height in "T" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Three Way Variable Height Corner Post for Beltline Light Panel	EVPBLTVA354P EVPBLTVA366P	359 423	54 66	2 7/8 2 7/8	

EVPCP4 - FOUR-WAY POST

- Connects four panels of equal height in a "+" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one post, four slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four-Way Post				
	EVPCP430	275	30	2 7/8	
	EVPCP442	348	42	2 7/8	
	EVPCP448	386	48	2 7/8	
	EVPCP454	421	54	2 7/8	
	EVPCP466	492	66	2 7/8	

EVPLTCPA4 - FOUR WAY CORNER POST FOR LIGHT PANEL

- Connects three Light panel of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.


- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four Way Corner Post for Light Panel				
	EVPLTCPA430	275	30	2 7/8	
	EVPLTCPA442	348	42	2 7/8	
	EVPLTCPA448	386	48	2 7/8	
	EVPLTCPA454	421	54	2 7/8	
	EVPLTCPA466	492	66	2 7/8	

EVPLTCPA4P- FOUR WAY CORNER POST FOR LIGHT PANEL - PANEL

- Connects two Beltline Light panel and two Beltline Panels of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.

- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four Way Corner Post for Light Panel-Panel				
	EVPLTCPA430P	275	30	2 7/8	
	EVPLTCPA442P	348	42	2 7/8	
	EVPLTCPA448P	386	48	2 7/8	
	EVPLTCPA454P	421	54	2 7/8	
	EVPLTCPA466P	492	66	2 7/8	



EVPBCP4 - FOUR-WAY POST FOR BELTLINE POWERED PANELS

- Connects four Beltline Powered panels of equal height in a "+" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one post, four slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Four-Way Post for Beltline Powered Panels	EVPBCP442	348	42	2 7/8	
	EVPBCP454	421	54	2 7/8	
	EVPBCP466	492	66	2 7/8	

EVPBLTCPA4 - FOUR WAY CORNER POST FOR BELTLINE LIGHT PANEL

- Connects four Light panel of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.


- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Four Way Corner Post for Beltline Light Panel	EVPBLTCPA442	348	42	2	
	EVPBLTCPA448	386	48	2	
	EVPBLTCPA454	421	54	2	
	EVPBLTCPA466	492	66	2	

EVPLTVA4P- FOUR WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL - PANEL

- Connects two Light panels and two Panels of differing height in "+" configuration, Panel-Light Panel-Panel-Light Panel.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.

- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Three Way Variable Height Corner Post for Panel-Light Panel-Panel-Light Panel	EVPLTVA442P	348	42	2 7/8	
	EVPLTVA448P	386	48	2 7/8	
	EVPLTVA454P	421	54	2 7/8	
	EVPLTVA466P	492	66	2 7/8	



EVPVPA4 - FOUR-WAY VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects four panels of differing heights in a "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.

- Includes one post, four slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four-Way Variable - Height Corner Post - Aluminum Trim	EVPVPA442 EVPVPA448 EVPVPA454 EVPVPA466	348 386 421 492	42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8

EVPLTVA4 - FOUR WAY VARIABLE HEIGHT CORNER POST FOR LIGHT PANEL

- Connects four Light panel of differing height in "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.


- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four Way Variable Height Corner Post for Light Panel	EVPLTVA442 EVPLTVA448 EVPLTVA454 EVPLTVA466	348 386 421 492	42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8

EVPBLTCPA4P - FOUR WAY CORNER POST FOR BELTLINE LIGHT PANEL

- Connects two Beltline Light panel and two Beltline Panels of equal height in "+" configuration.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Leg trim matches selected trim color.


- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Four Way Corner Post Beltline Light Panel	EVPBLTCPA442P EVPBLTCPA448P EVPBLTCPA454P EVPBLTCPA466P	275 348 386 492	42 48 54 66	2 7/8 2 7/8 2 7/8 2 7/8



EVPBVPA4 - FOUR-WAY VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects four Beltline Powered panels of differing heights in an "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, four slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBVPA454 EVPBVPA466	421 492	54 66	2 7/8 2 7/8	
Four-Way Variable - Height Post for Beltline Powered Panels - Aluminum Trim					

EVPBLTVPA4 - FOUR WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL

- Connects four Light panel of differing height in "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBBLTVPA454 EVPBBLTVPA466	421 492	54 66	2 7/8 2 7/8	
Four Way Variable Height Corner Post for Beltline Light Panel Aluminum Trim					

EVPBLTVPA4P - FOUR WAY VARIABLE HEIGHT CORNER POST FOR BELTLINE LIGHT PANEL


- Connects two Beltline Light panel and two Beltline Panels of differing height in "+" configuration.
- Connector must reference taller panel.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPBBLTVPA454P EVPBBLTVPA466P	421 492	54 66	2 7/8 2 7/8	
Four Way Variable Height Corner Post for Beltline Light Panel					

EVPCPA1 - ONE-WAY POST - ALUMINUM TRIM

- Connects at the end of a panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One-Way Post - Aluminum Trim				
	EVPCPA130	128	30	2 7/8	
	EVPCPA142	146	42	2 7/8	
	EVPCPA148	171	48	2 7/8	
	EVPCPA154	195	54	2 7/8	
	EVPCPA166	239	66	2 7/8	

EVPLTCPA1 - ONE WAY CORNER POST FOR LIGHT PANEL

- Connects at end of Light panel run in place of EVPERA- End of run post kit..
- Should not be used to attach panel to fixed wall.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support to worksurfaces and hang on components.


- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One Way Corner Post for Light Panel				
	EVPLTCPA130	128	30	2 7/8	
	EVPLTCPA142	146	30	2 7/8	
	EVPLTCPA148	171	30	2 7/8	
	EVPLTCPA154	195	30	2 7/8	
	EVPLTCPA166	239	30	2 7/8	



EVPBCPA1 - ONE-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects at the end of a Beltline Powered panel run in place of an EVPERA – End-of-Run Post Kit.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post and one slotted connector with a leveling glide, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One-Way Post for Beltline Powered Panels - Aluminum Trim	EVPBCPA142 EVPBCPA154 EVPBCPA166	146 195 239	42 54 66	2 7/8 2 7/8 2 7/8


EVPBLTCPA1 - ONE WAY CORNER POST FOR BELTLINE LIGHT PANEL

- Connects at end of Light panel run in place of EVPERA- End of run post kit.
- Should not be used to attach pane to fixed wall.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One Way Corner Post for Beltline Light Panel	EVPBLTCPA142 EVPBLTCPA148 EVPBLTCPA154 EVPBLTCPA166	146 171 195 239	42 48 54 66	2 2 2 2


EVPIPA2 - INLINE TWO-WAY POST - ALUMINUM TRIM

- Connects two panels of equal height in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Two-Way Post - Aluminum Trim				
	EVPIPA230	175	30	2 7/8	
	EVPIPA242	220	42	2 7/8	
	EVPIPA248	242	48	2 7/8	
	EVPIPA254	264	54	2 7/8	
	EVPIPA266	313	66	2 7/8	

EVLTPIPA2 - INLINE TWO WAY CORNER POST LIGHT PANEL


- Connects two Light panel of equal height in straight run.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Leg trim matches selected trim color.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Two way Corner Post Light Panel				
	EVPLTPIPA230	175	30	2 7/8	
	EVPLTPIPA242	220	42	2 7/8	
	EVPLTPIPA248	242	48	2 7/8	
	EVPLTPIPA254	264	54	2 7/8	
	EVPLTPIPA266	313	66	2 7/8	




EVPBIPA2 - INLINE TWO-WAY POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects two Beltline Powered panels of equal height in between a post in a straight line in place of EVPIC – In-Line Connector.
- Post and connecting hardware adds 3.25" to the panel run.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Two-Way Post for Beltline Powered Panels - Aluminum Trim				
	EVPBIPA242	220	42	2 7/8	
	EVPBIPA254	264	54	2 7/8	
	EVPBIPA266	313	66	2 7/8	

EVPBLTPIPA2 - INLINE TWO WAY CORNER POST BELTLINE LIGHT PANEL


- Connects two Light panel of equal height in straight run.
- Post and connecting hardware add 3.25" to power beam run.
- Provides slotted support for worksurfaces and hang on components.
- Leg trim matches selected trim color.
- Includes post, panel connectors and power beam connectors, post with trim all around, levelling glide, hardware and trim kit.
- Connectors are available without slots, as a special at no extra charge. Contact customer support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Two Way Corner Post Beltline Light Panel				
	EVPBLTPIPA242	220	42	2 7/8	
	EVPBLTPIPA248	242	48	2 7/8	
	EVPBLTPIPA254	264	54	2 7/8	
	EVPBLTPIPA266	313	66	2 7/8	

EVP6PA2 - TWO-WAY 60 DEGREE POST - ALUMINUM TRIM

- Connects two panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots as a special at no upcharge. Contact Customer Service.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 60 Degree Post - Aluminum				
	EVP6PA230	180	30	3.65	
	EVP6PA242	222	42	3.65	
	EVP6PA248	239	48	3.65	
	EVP6PA254	278	54	3.65	
	EVP6PA266	326	66	3.65	

EVPB6PA2 - TWO-WAY 60 DEGREE POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects two Beltline Powered panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 60 Degree Post for Beltline Powered Panels - Aluminum Trim				
	EVPB6PA242	256	42	3.65	
	EVPB6PA254	278	54	3.65	
	EVPB6PA266	326	66	3.65	

EVP6VPA2 - TWO-WAY 60 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects two panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.


- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 60 Degree Variable - Height Post - Aluminum Trim				
	EVP6VPA242	222	42	3.65	
	EVP6VPA248	250	48	3.65	
	EVP6VPA254	278	54	3.65	
	EVP6VPA266	328	66	3.65	




EVPB6VPA2 - TWO-WAY 60 DEGREE VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects two Beltline Powered panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Two-Way 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPB6VPA242	222	42	3.65	
	EVPB6VPA254	278	54	3.65	
	EVPB6VPA266	328	66	3.65	


EVP6P3 - THREE-WAY 60 DEGREE POST

- Connects three panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Three-Way 60 Degree Post	EVP6P330	221	30	3.65	
	EVP6P342	294	42	3.65	
	EVP6P348	326	48	3.65	
	EVP6P354	359	54	3.65	
	EVP6P366	423	66	3.65	


EVPB6P3 - THREE-WAY 60 DEGREE POST FOR BELTLINE POWERED PANELS

- Connects three Beltline Powered panels of equal height in a 120 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides and connecting hardware.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
					
Three-Way 60 Degree Post for Beltline Powered Panels	EVPB6P342	281	42	3.65	
	EVPB6P354	342	54	3.65	
	EVPB6P366	403	66	3.65	


EVP6VPA3 - THREE-WAY 60 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects three panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way 60 Degree Variable - Height Post - Aluminum Trim	EVP6VPA342 EVP6VPA348 EVP6VPA354 EVP6VPA366	294 326 359 423	42 48 54 66	3.65 3.65 3.65 3.65


EVPB6VPA3 - THREE-WAY 60 DEGREE VARIABLE - HEIGHT POST FOR BELTLINE POWERED PANELS - ALUMINUM TRIM

- Connects three Beltline Powered panels of differing height in a 120 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 60 degree post, three slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way for 60 Degree Variable - Height Post for Beltline Powered Panels - Aluminum Trim	EVPB6VPA342 EVPB6VPA354 EVPB6VPA366	323 359 423	42 54 66	3.65 3.65 3.65

EVP4P2 - TWO-WAY 45 DEGREE POST - ALUMINUM TRIM


- Connects two panels of equal height in a 135 degree configuration.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 45 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 45 Degree Post Aluminum Trim	EVP4P230 EVP4P242 EVP4P248 EVP4P254 EVP4P266	180 222 239 278 326	30 42 48 54 66	3.65 3.65 3.65 3.65 3.65



EVP4VPA2 - TWO-WAY 45 DEGREE VARIABLE - HEIGHT POST - ALUMINUM TRIM

- Connects two panels of differing height in a 135 degree configuration.
- Connector must reference taller panel.
- Provides slotted support for worksurfaces and hang-on storage components.
- Includes one 45 degree post, two slotted connectors with leveling glides, connecting hardware and trim kit.
- Connectors available without slots, as a special at no upcharge. Contact Customer Support.
- Please see page 92 on how to specify.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 45 Degree Variable - Height Post Aluminum Trim	EVP4VPA242 EVP4VPA248 EVP4VPA254 EVP4VPA266	294 326 359 423	42 48 54 66	3.65 3.65 3.65 3.65

EVPUEA - UPMOUNT END-OF-RUN POST KIT - ALUMINUM TRIM

- Used at the end of Panel run to support Worksurfaces and Upmount Overhead Storage.
- Can attach to a Panel run to fixed wall.
- Adds 1" to the width of Light Panel run.
- 10% upcharge for Tungsten trim/paint.
- Aluminum trim must be specified when using premium color paints. Premium color paints are not available on PVC trim.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Upmount End-of-Run Post Kit - Aluminum Trim.	EVPUEA66	163	66	2 7/8

EVPLUEA - UPMOUNT END-OF-RUN POST KIT FOR LIGHT PANELS (WALL MOUNTABLE) - ALUMINUM

- Used at the end of Panel run to support Worksurfaces and Upmount Overhead Storage.
- Can attach to a Panel run to fixed wall.
- Adds 1" to the width of Light Panel run.
- Includes slotted Connector with leveling glide, connecting hardware, decorative sleeve and trim kit.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Upmount End-of-Run Post Kit - for Light Panels - Wall Mountable - Aluminum	EVPLUEA66	163	66	2 7/8



PANEL CONNECTORS

UPMOUNT END OF RUN


EVPUETA - UPMOUNT END-OF-RUN TRIM - ALUMINUM

- Replaces existing 66" h End-of-Run Trim Only
- Comes with one Upmount Extension Trim EVPUET12 and one Upmount End-of-Run Trim.
- Must be used in conjunction with slotted connectors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Upmount End-of-Run Trim - Aluminum	EVPUETA66	116		2 7/8	

EVPLUETA - UPMOUNT END-OF-RUN TRIM FOR LIGHT PANELS - ALUMINUM

- Includes one Upmount Extension Trim EVPUETA12 and one Upmount End-of-Run Trim.
- Must be used in conjunction with Slotted Connector.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Upmount End-of-Run Trim for Light Panels - Aluminum	EVPLUETA66	116	63	2 7/8	

EVAFMB01 - FLOOR MOUNT PLATE


- Attaches to floor.
- Secures panel to floor.
- Attachment screws are not included.
- Care should be taken to use correct fasteners for type of floor.
- Available in chrome finish only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Floor Mount Plate	EVAFMB01	98	0.25	5	2.5




EVPIECS - INLINE EXTENSION CONNECTOR - SLOTTED

- Connects two extension modules in a straight run.
- Includes one slotted inline extension connector and connecting hardware.
- Provides slotted support for worksurfaces and hang-on storage, up to 66" H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Inline Extension Connector - Slotted	EVPIECS06 EVPIECS12 EVPIECS18 EVPIECS24	53 53 63 63	6 12 18 24	2 7/8 2 7/8 2 7/8 2 7/8


EVPEERSA - END-OF-RUN EXTENSION CONNECTOR - SLOTTED - ALUMINUM TRIM

- Connects at the end of a run of extension modules, and can be used to attach a panel to a fixed wall.
- Adds 1" to the width of panel run.
- Includes one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66" H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	End-of-Run Extension Connector - Slotted - Aluminum Trim	EVPEERSA06 EVPEERSA12 EVPEERSA18 EVPEERSA24	57 57 69 69	6 12 18 24	2 7/8 2 7/8 2 7/8 2 7/8


EVPCEPSA2 - TWO-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects two extension modules in a 90 degree configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66" H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way Post Extension - Slotted Aluminum Trim	EVPCEPSA206 EVPCEPSA212 EVPCEPSA218 EVPCEPSA224	99 99 156 156	6 12 18 24	2 7/8 2 7/8 2 7/8 2 7/8

EVPCEPSA3 - THREE-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects three extension modules in a "T" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Includes one post, three slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66" H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way Post Extension - Slotted Aluminum Trim	EVPCEPSA306 EVPCEPSA312 EVPCEPSA318 EVPCEPSA324	118 118 182 182	6 12 18 24	2 7/8 2 7/8 2 7/8 2 7/8



EVPCEPS4 - FOUR-WAY POST EXTENSION - SLOTTED

- Connects four extension modules in a "+" configuration.
- Post and connecting hardware adds 3.25" to the panel run.
- Includes one post, four slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPCEPS406	136	6	2 7/8	
	EVPCEPS412	136	12	2 7/8	
	EVPCEPS418	201	18	2 7/8	
	EVPCEPS424	201	24	2 7/8	

EVPCEPSA1 - ONE-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects at the end of a run of extension modules in place of an EVPEERSA – End-of-Run Extension Connector.
- Should not be used to attach a panel to a fixed wall.
- Post and connecting hardware adds 3.25" to the panel run.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPCEPSA106	97	6	2 7/8	
Aluminum Trim	EVPCEPSA112	97	12	2 7/8	
	EVPCEPSA118	122	18	2 7/8	
	EVPCEPSA124	122	24	2 7/8	

EVPCEIPSA2 – INLINE TWO-WAY POST EXTENSION - SLOTTED - ALUMINUM TRIM


- Connects two extension modules in a straight line in place of EVPIECS – In-Line Extension Connector.
- Post and connecting hardware adds 3.25" to the panel run.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66"H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPCEPSA206	104	6	2 7/8	
Aluminum Trim	EVPCEPSA212	104	12	2 7/8	
	EVPCEPSA218	170	18	2 7/8	
	EVPCEPSA224	170	24	2 7/8	




EVP6CEPSA2 - TWO-WAY 60 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects two extension modules in a 120 degree configuration.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66" H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 60 Degree Post Extension - Slotted - Aluminum Trim	EVP6CEPSA206 EVP6CEPSA212 EVP6CEPSA218 EVP6CEPSA224	99 99 152 152	6 12 18 24	3.65 3.65 3.65 3.65


EVP6CEPS3 - THREE-WAY 60 DEGREE POST EXTENSION - SLOTTED

- Connects three extension modules in a 120 degree configuration.
- Includes one post, three slotted inline extension connectors and connecting hardware.
- Provides slotted support for worksurfaces and hang-on storage, up to 66" H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Three-Way 60 Degree Post Extension - Slotted	EVP6CEPS306 EVP6CEPS312 EVP6CEPS318 EVP6CEPS324	117 117 182 182	6 12 18 24	3.65 3.65 3.65 3.65

EVP6CEPSA1 - ONE-WAY 60 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects at the end of a run of extension modules in a 120 degree configuration.
- Should not be used to attach a panel to a fixed wall.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66" H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One-Way 60 Degree Post Extension - Slotted - Aluminum Trim	EVP6CEPSA106 EVP6CEPSA112 EVP6CEPSA118 EVP6CEPSA124	97 97 120 120	6 12 18 24	3.65 3.65 3.65 3.65




PANEL CONNECTORS

45 DEGREE EXTENSION / CEILING BRACKET


EVP4CEPS2 - TWO-WAY 45 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects two extension modules in a 135 degree configuration.
- Includes one post, two slotted inline extension connectors, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66" H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Two-Way 45 Degree Post Extension - Slotted - Aluminum Trim	EVP4CEPS206 EVP4CEPS212 EVP4CEPS218 EVP4CEPS224	99 99 152 152	6 12 18 24	3.65 3.65 3.65 3.65

EVP4CEPSA1 - ONE-WAY 45 DEGREE POST EXTENSION - SLOTTED - ALUMINUM TRIM

- Connects at the end of a run of extension modules in a 135 degree configuration.
- Should not be used to attach a panel to a fixed wall.
- Includes one post, one slotted inline extension connector, connecting hardware and trim kit.
- Provides slotted support for worksurfaces and hang-on storage, up to 66" H.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	One-Way 45 Degree Post Extension - Slotted - Aluminum Trim	EVP4CEPSA106 EVP4CEPSA112 EVP4CEPSA118 EVP4CEPSA124	97 97 120 120	6 12 18 24	3.65 3.65 3.65 3.65

EVHCBP01 - CEILING BRACKET FOR POST

- Used to secure corner post to ceiling deck (not ceiling grid).
- 4.8" x 4.8" top plate with 1.5 x 1.5 square tube 12" H , square tube fits inside aluminum Corner Post.
- Square tube can slide in post , bracket pushed to ceiling to be secured.
- Note: Care should be taken to attach ceiling brackets to secure ceiling using correct fasteners. Failure to do so may result in collapse of unit and subsequent possible injury

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Ceiling Bracket for Post	EVHCBP01	79	12	4.8
					4.8

EVHCBIC01 - CEILING BRACKET FOR INLINE CONNECTOR

- Used to secure corner post to ceiling deck (not ceiling grid).
- 4.8" x 4.8" top plate with 7.5"H insert in middle of plate, insert fits inside Inline Connector.
- 7.5" H insert can slide in connector , bracket pushed to ceiling to secure.
- Note: Care should be taken to attach ceiling brackets to secure ceiling using correct fasteners. Failure to do so may result in collapse of unit and subsequent possible injury


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Ceiling Bracket for Inline Connector	EVHCBIC01	79	7.5	4.8
					4.8



EVHCBER01 - CEILING BRACKET FOR END OF RUN CONNECTOR


- Used to secure corner post to ceiling deck (not ceiling grid).
- 4.8" x 4.8" top plate with 7.5" H insert offset from center of plate, insert fits inside End-of-Run or Inline Connector.
- 7.5" H insert can slide in connector , bracket pushed to ceiling to secure.

- Note: Care should be taken to attach ceiling brackets to secure ceiling using correct fasteners. Failure to do so may result in collapse of unit and subsequent possible injury

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Ceiling Bracket for Inline Connector	EVHCBER01	79	7.5	4.8

EVPUETA - UPMOUNT EXTENSION TRIM - ALUMINUM

- Finishes the exposed connector above a shorter panel.
- Slotted connector not included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Upmount Extension Trim - Aluminum	EVPUETA12	53	12	2 7/8

EVPERTA - END-OF-RUN TRIM - ALUMINUM

- Finishes the exposed Connector at the end of a run.
- Slotted Connector not included.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	End-of-Run Trim - Aluminum	EVPERTA30	58	30	2 7/8
	EVPERTA42	79	42	2 7/8	
	EVPERTA48	83	48	2 7/8	
	EVPERTA54	88	54	2 7/8	
	EVPERTA66	98	66	2 7/8	
	EVPERTA72	103	72	2 7/8	
	EVPERTA78	109	78	2 7/8	
	EVPERTA84	112	84	2 7/8	
	EVPERTA90	112	90	2 7/8	

EVPLERTA - END-OF-RUN TRIM FOR LIGHT PANELS - ALUMINUM

- Finishes the exposed Connector at the end of a run of the Light Panels.
- Slotted Connector not included.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	End-of-Run Trim for Light Panels - Aluminum	EVPLERTA30	59	26 1/4	2 7/8
	EVPLERTA42	69	38 1/4	2 7/8	
	EVPLERTA48	79	44 1/4	2 7/8	
	EVPLERTA54	91	50 1/4	2 7/8	
	EVPLERTA66	98	62 1/4	2 7/8	
	EVPLERTA72	101	68 1/4	2 7/8	
	EVPLERTA78	104	74 1/4	2 7/8	
	EVPLERTA84	110	80 1/4	2 7/8	
	EVPLERTA90	116	86 1/4	2 7/8	



EVPTVA - PANEL TRIM - VARIABLE HEIGHT -ALUMINUM

- Attaches to the exposed end of the taller panel when 2 panels of different height meet in straight run.
- Slotted Connector not included.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Panel Trim - Variable Height - Aluminum				
	EVPTVA06	23	6	2 7/8	
	EVPTVA12	32	12	2 7/8	
	EVPTVA18	39	18	2 7/8	
	EVPTVA24	52	24	2 7/8	
	EVPTVA30	59	30	2 7/8	
	EVPTVA36	69	36	2 7/8	

EVPTEA - PANEL EXTENSION TRIM - ALUMINUM

- Attaches to bottom of exposed end of panel to provide extension for End-of-Run post trim kit when using panel extensions.
- Does not include slotted connector nor connecting hardware.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Panel Extension Trim - Aluminum				
	EVPTEA12	29	12	2 7/8	
	EVPTEA18	39	18	2 7/8	
	EVPTEA24	50	24	2 7/8	

EVPVTF - FLAT TRIM - ALUMINUM

- To be used with 30"H posts as a replacement trim.
- For "U" trim configuration use three flat trim according to height specifications.
- For "L" trim configuration use two flat trim according to height configurations.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Flat Trim - Aluminum				
	EVPVTF30	19	29 1/8	2 7/8	
	EVPVTF36	20	34 1/8	2 7/8	
	EVPVTF42	23	41 1/8	2 7/8	
	EVPVTF48	29	47 1/8	2 7/8	
	EVPVTF54	29	53 1/8	2 7/8	
	EVPVTF66	32	65 1/8	2 7/8	
	EVPVTF72	45	72 1/8	2 7/8	
	EVPVTF78	33	77 1/8	2 7/8	
	EVPVTF84	36	83 1/8	2 7/8	
	EVPVTF90	34	89 1/8	2 7/8	
	EVPVTF96	38	95 1/8	2 7/8	



EVPTFEA - FLAT EXTENSION TRIM - ALUMINUM

- Finishes exposed faces of One-Way, Two-Way, Three-Way and Inline Panels.
- For reconfiguration and replacement use only.
- For "U" trim configuration use three flat trim according to height specification.

- For "L" trim configuration use two flat trim according to height specification.
- Aluminum Trim must be specified when using premium color paints.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Flat Extension Trim - Aluminum				
	EVPTFEA06	16	12 3/8	2 7/8	
	EVPTFEA12	18	12 3/8	2 7/8	
	EVPTFEA18	20	18 3/8	2 7/8	
	EVPTFEA24	20	24 3/8	2 7/8	
	EVPTFEA30	23	30 3/8	2 7/8	
	EVPTFEA36	29	36 3/8	2 7/8	
	EVPTFEA42	30	42 3/8	2 7/8	
	EVPTFEA48	32	48 3/8	2 7/8	
	EVPTFEA54	33	54 3/8	2 7/8	
	EVPTFEA66	36	66 3/8	2 7/8	
	EVPTFEA72	38	72 3/8	2 7/8	
	EVPTFEA78	38	78 3/8	2 7/8	
	EVPTFEA84	48	84 3/8	2 7/8	
	EVPTFEA90	50	90 3/8	2 7/8	
	EVPTFEA96	52	96 3/8	2 7/8	

EVPLTFA - FLAT TRIM FOR LIGHT PANELS - ALUMINUM

- Finishes exposed faces of One-Way, Two-Way, Three-Way and Inline Panels.
- For reconfiguration and replacement use only.
- For "U" trim configuration use three flat trim according to height specification.

- For "L" trim configuration use two flat trim according to height specification.
- Aluminum Trim must be specified when using premium color paints.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Flat Trim for Light Panels - Aluminum				
	EVPLTFA30	19	26 1/4	2 7/8	
	EVPLTFA42	23	38 1/4	2 7/8	
	EVPLTFA48	29	44 1/4	2 7/8	
	EVPLTFA54	29	50 1/4	2 7/8	
	EVPLTFA66	32	62 1/4	2 7/8	
	EVPLTFA72	32	68 1/4	2 7/8	
	EVPLTFA78	33	74 1/4	2 7/8	
	EVPLTFA84	33	80 1/4	2 7/8	
	EVPLTFA90	34	86 1/4	2 7/8	

EVPTTA - PANEL TOP TRIM - ALUMINUM - FIELD INSTALLED

- This trim can span an Inline Connector, but not a Post Connector.

- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Panel Top Trim - Aluminum				
	EVPTTA18F	18	18	2 7/8	
	EVPTTA24F	23	24	2 7/8	
	EVPTTA30F	30	30	2 7/8	
	EVPTTA36F	33	36	2 7/8	
	EVPTTA42F	39	42	2 7/8	
	EVPTTA48F	50	48	2 7/8	
	EVPTTA54F	57	54	2 7/8	
	EVPTTA60F	63	60	2 7/8	
	EVPTTA66F	69	66	2 7/8	
	EVPTTA72F	75	72	2 7/8	
	EVPTTA78F	83	78	2 7/8	
	EVPTTA84F	91	84	2 7/8	
	EVPTTA90F	97	90	2 7/8	



EVPTTA96F	104	96	2 7/8
-----------	-----	----	-------

EVPTNTA - PANEL TOP SINGLE NOTCHED TRIM - ALUMINUM - FIELD INSTALLED

- Used when connecting a lower Panel to a higher Panel
- This trim can span an Inline Connector, but not a Post Connector.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPTNTA18F	20	18	2 7/8	
Panel Top Singled Notched Trim - Aluminum	EVPTNTA24F	27	24	2 7/8	
	EVPTNTA30F	30	30	2 7/8	
	EVPTNTA36F	33	36	2 7/8	
	EVPTNTA42F	38	42	2 7/8	
	EVPTNTA48F	52	48	2 7/8	
	EVPTNTA54F	58	54	2 7/8	
	EVPTNTA60F	66	60	2 7/8	
	EVPTNTA66F	70	66	2 7/8	
	EVPTNTA72F	75	72	2 7/8	
	EVPTNTA78F	81	78	2 7/8	
	EVPTNTA84F	88	84	2 7/8	
	EVPTNTA90F	93	90	2 7/8	
	EVPTNTA96F	97	96	2 7/8	

EVPTDNTA - PANEL TOP DOUBLE NOTCHED TRIM - ALUMINUM - FIELD INSTALLED

- Used when connecting a lower Panel to a higher Panel
- This trim can span an Inline Connector, but not a Post Connector.
- Please note that actual cut sizes are nominally smaller than quoted

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVPTDNTA18F	23	18	2 7/8	
Panel Top Double Notched Trim - Aluminum	EVPTDNTA24F	30	24	2 7/8	
	EVPTDNTA30F	33	30	2 7/8	
	EVPTDNTA36F	36	36	2 7/8	
	EVPTDNTA42F	39	42	2 7/8	
	EVPTDNTA48F	53	48	2 7/8	
	EVPTDNTA54F	59	54	2 7/8	
	EVPTDNTA60F	69	60	2 7/8	
	EVPTDNTA66F	74	66	2 7/8	
	EVPTDNTA72F	80	72	2 7/8	
	EVPTDNTA78F	87	78	2 7/8	
	EVPTDNTA84F	60	87	2 7/8	
	EVPTDNTA90F	95	90	2 7/8	
	EVPTDNTA96F	99	96	2 7/8	

EVSC12 - SLOT COVER

- Covers the slots of a slotted connector between modules as well as corner post situation.
- Available in all standard colors (Black, Tungsten, White and Nevada)
- Sold per foot. The desired quantity of the slot covers is the required length in feet.
- An easy way to calculate the required length is to sum the length of all inline connectors used in a project (including the posts) and multiply by 2.
- Should be field cut to required length.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVSC12	10			
Slot Cover					



electrical

STEP-BY-STEP SPECIFICATION – 8-WIRE ELECTRICAL SYSTEM

Step 1 **Determine the location of the source power entering the Panel Run.**

1. At the base of the Panel.
 - (a) Use EVE8FR1 Reversible Floor Power Entry (default to EVE8FR1).
 - (b) Select the Panel to which the Floor Power Entry will be attached. This Panel requires an EVEPD Power Distribution Housing.
 - (c) Select the side of the Panel and the receptacle outlet to which the Floor Power Entry is to be attached.
2. From the ceiling.
 - (a) Use EVE8EC1 Ceiling Power Entry.
 - (b) Select the post through which to feed the Ceiling Power Entry.
 - (c) One Panel adjacent to the selected post requires an EVEPD Power Distribution Housing.
 - (d) Attach Ceiling Power entry to the nearest end of the Power Distribution Housing.

Step 2 **Determine which Panels are to be powered.**

1. Use EVE8PD Power Distribution Housing that corresponds with the width of the Panel.

BELTLINE TIPS:

DO - use a 17" long Mesh Beltline Jumper when making 90 degree turns in the Beltline raceways only.

DO NOT - use a 20" long Metal Flex Jumper when attempting to make 90 degree turns in the Beltline Raceways. The end connector is too long to make the turn.

DO - use a 20" long Metal Flex Jumper when traveling through a Beltline Post, in a straight line only.

DO NOT - use a 17" long Mesh Beltline Jumper Traveling through a Beltline Post, in a straight line only. The Jumper is too short to make the connection.

Step 3 **Connect power to the powered Panels.**

1. Use EVE8CP16 Jumper Cable between two adjacent powered Panels, separated by an Inline Connector.
2. Use EVE8CP18 Jumper Cable between two adjacent powered Panels separated by a post.
3. Use EVE8CP Pass-Through Cables to connect powered Panels that are separated by one or more non-powered Panels (maximum distance between the powered Panels is 16 feet).
 - (a) The length of the Pass-Through Cable is calculated by adding together the widths of the non-powered Panels (that separate the two powered Panels) and applying an additional 16" to the total. (EVEPD Power Distribution Housing is positioned 8" from the ends of the powered Panel.) (b) An additional 3" must be added to the Pass-Through Cable for each post that the cable passes through.
4. From the price list, select the EVE8CP Pass-Through Cable that matches the calculated length. If the length is between listed sizes, use the next size up.

Step 4 **Determine the location and circuitry of the receptacles.**

1. Each powered Panel has four (4) potential locations for EVE8RD Duplex Receptacles – 2 per side. (Exception: 24" wide Panel has only two potential locations – 1 per side, 18" wide Panel has no locations for receptacles.)
2. At each receptacle location there is a choice of four circuit options. Select a circuit option for each location. Circuits one & two are utility circuits; circuits A & B are dedicated circuits.

EVOLVE'S MODIFIED 8-WIRE ELECTRICAL SYSTEM

Evolve has modified its 8-Wire Electrical System to stay abreast of changing industry standards.

Evolve's electrical system allows for the integration of the commonly required "2+2" configuration (2 utility circuits, 2 dedicated circuits) found in the source power of most of today's North American buildings.

This system is rated for connection to:

1. A grounded 120/240V, single phase, 20 A, 60Hz
2. A 120/208V, 3 phase, 20 A, 60Hz branch circuit

EQUIPMENT AMPERAGE

Calculator	0.25
Electric Eraser	0.50
Pencil Sharpener	1.00
Radio	0.05
Paper Shredder	4.40 - 13.00
Electric Typewriter	1.20
Personal Computer	2.00 - 4.00
Video Display Terminal	0.08
Draft / Letter Quality Printer	1.20 - 3.00

Data/Comm

Evolve's duplex receptacle openings will now conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38 +/- .035 x 2.71 +/- .04. There will no longer be the need to use adapter plates to reduce the size of Evolve's raceway opening, or to use Evolve dedicated data plates for data/comm terminations.

Transition



A transition cable is available to connect the previous electrical system prior to April 1, 2005 to the current system when adding Panels to an existing installation. Also, new raceway covers with the smaller openings can be provided and applied to existing Panels when retrofitted with new electrics.

Fan	1.00
Heater	8.50 - 12.50
Coffee Pot	15.00
Task Light	1.00
Slide Projector	2.00 - 6.00
Laser Printer	5.00 - 8.00
Processor / Disk Unit	1.00 - 10.00
Desk Top Plotter	1.50

Some equipment, such as large copiers, printers, plotters, heaters and coffee makers may occupy most of the circuit capacity. It is recommended that such devices be supplied with the power directly from the wall or building receptacle.



WIRING SCHEMATIC



DEFINING “2 + 2” WIRING CONFIGURATIONS

2 + 2 Configuration (8 wire, 4 circuit)

Two Utility Circuits [Evolve's #1 & #2 circuits] share one neutral wire and one ground wire. (2 hot [circuit] wires + 1 neutral wire*** + 1 green ground wire* = 4 wires)

Two Dedicated Circuits [Evolve's "A" & "B" circuits] share one neutral wire and one ground wire. (2 hot [circuit] wires + 1 neutral wire *** + 1 green/yellow ground wire** = 4 wires)

NOTE-

It is the ground wire that makes the difference between "Utility" and "Dedicated" circuits. Refer to Wiring Schematics found in the Price List.

* A Green ground wire is a "system" ground. This means it could be grounded to any piece of metal, including the Panel.


** A Green/Yellow ground wire is isolated within the wiring conduit, all the way back to the box at the source (building ground).

*** All Neutral Wires are 10 gauge rather than 12 gauge, meaning they are larger than normal, allowing greater protection against "noise" or interference on the circuit.

This page provides an exploded view of a sample configuration highlighting each **Electrical** component required when specifying this configuration.


Components

- A. EVE8PD42** Power Distribution Housing
Note: 8 wire, 4 circuits (3rd/4th circuits dedicated) labeled A or B.
- B. EVE8CP16** Jumper Cable
Note: EVE8CP16 connects two powered panels positioned side by side, separated by an Inline Connector
EVE8CP18 connects two powered panels separated by a post.
- C. EVE8RD** Duplex Receptacle
- D. EVE8CP** Pass-Through Cable
Note: Pass-Through Extension Cable (EVE8CPF154) available – extends power capability beyond 208".



This page provides an exploded view of a sample configuration highlighting each **Beltline Power Panel** component required when specifying this configuration.


A. EVE8PD36	Power Distribution Housing Note: 8 wire, 4 circuits (3rd/4th circuits dedicated) labeled A or B.	E. EVE8CP18	Jumper Cable Note: EVE8CP18 connects two powered panels separated by a post, in a straight line.
B. EVE8CP17	Jumper Cable Note: EVE8CP17 connects two powered panels positioned side by side, separated by an Inline Connector	F. EVE8CP17	Jumper Cable Note: EVE8CP17 connects two powered panels separated by a post, for turns through post.
C. EVE8RD	Duplex Receptacle	G. EVE8CPCP	Base to Belt Pass Through Kit Note: For use in Chimney Panels only.
D. EVE8CP	Pass-Through Cable Note: Pass-Through Extension Cable (EVE8CPF154) available – extends power capability beyond 208".		



ELECTRICAL


EVE8PD - POWER DISTRIBUTION HOUSING

- Power housing is specified per panel size (e.g. EVE8PD36 is for use in a 36" panel).
- 8 wire, 4 circuits (2+2 configuration).
- Provides two duplex receptacles per panel side on all panel widths except the 24" wide panel.
- 24" wide panel allows for only one (1) duplex receptacle per panel side.
- Each power distribution housing supports 15-20 amps.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Power Distribution Housing				
	EVE8PD24	175	6 1/4		
	EVE8PD30	236	11 1/2		
	EVE8PD36	248	17 1/2		
	EVE8PD42	254	23 1/2		
	EVE8PD48	275	29 1/2		
	EVE8PD54	277	39 1/4		
	EVE8PD60	278	41 1/2		

EVE8CP16 - JUMPER CABLE

- The EVE8CP16 electrically connects two powered panels positioned side by side, separated by an Inline connector.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Jumper Cable	EVE8CP16	146	16	


EVE8CP - FLEXIBLE MESH JUMPER CABLE

- Used to connect two power distribution housings at the beltline level at 90 degrees.
- 18.5" flexible mesh jumper replaces EVE8CP20 jumper for corner post applications.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Flexible Mesh Jumper Cable	EVE8CP17	135	17 1/2	
		EVE8CP18	167	18 1/2	

EVE8CP-CP - CHIMNEY PANEL JUMPER CABLE KIT

- Contains two (2) 17" flexible harnesses and one (1) "I" connector.
- Used to connect electric from the base to the beltline raceway in Beltline Powered Chimney panel.
- Must use in conjunction with base power distribution harness and beltline power distribution harness (sold separately).


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Chimney Panel Jumper Cable Kit	EVE8CP-CP	365		



ELECTRICAL


EVE8CPXX-H - PASS-THROUGH CABLE

- Flexible metal conduit with wire mesh distributes electrical power through non-powered beams.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached). To this, add 16" (distance from the edge of the panel to the distribution housing x 2).

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Pass-Through Cable				
	EVE8CP40-H	226	40		
	EVE8CP46-H	234	46		
	EVE8CP52-H	240	52		
	EVE8CP58-H	255	58		
	EVE8CP64-H	266	64		
	EVE8CP70-H	274	70		
	EVE8CP76-H	277	76		
	EVE8CP82-H	288	82		
	EVE8CP88-H	298	88		
	EVE8CP94-H	305	88		
	EVE8CP100-H	315	100		
	EVE8CP106-H	330	106		
	EVE8CP118-H	346	118		
	EVE8CP130-H	380	130		
	EVE8CP142-H	397	142		
	EVE8CP154-H	416	154		
	EVE8CP172-H	447	172		
	EVE8CP190-H	468	190		
	EVE8CP208-H	486	208		

EVE8CI-1 - "I" CONNECTOR

- Female - Female connector used to connect two Pass-Through Cables

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	"I" Connector	EVE8CI-1	101		




ELECTRICAL

EVE8RD - DUPLEX RECEPTACLE - 15 AMPS

- Duplex receptacles are rated for 15 Amps.
- EVE8RD1 = Circuit #1 (utility circuit)
- EVE8RD2 = Circuit #2 (utility circuit)
- EVE8RDA = Circuit A (dedicated)
- EVE8RDB = Circuit B (dedicated)

NOTE:

- EVE8RD1 and EVE8RD2 (#1 and #2 share common ground)
- EVE8RDA and EVE8RDB (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- Standard in black. Available in White or Nevada with upcharge.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Duplex Receptacle				
	EVE8RD1	39	2	4 5/8	1 1/4
	EVE8RD2	39	2	4 5/8	1 1/4
	EVE8RDA	39	2	4 5/8	1 1/4
	EVE8RDB	39	2	4 5/8	1 1/4
	EVE8RD1SND	44	2	4 5/8	1 1/4
	EVE8RD2SND	44	2	4 5/8	1 1/4
	EVE8RDASND	44	2	4 5/8	1 1/4
	EVE8RDBSND	44	2	4 5/8	1 1/4
	EVE8RD1WHT	44	2	4 5/8	1 1/4
	EVE8RD2WHT	44	2	4 5/8	1 1/4
	EVE8RDAWHT	44	2	4 5/8	1 1/4
	EVE8RDBWHT	44	2	4 5/8	1 1/4

EVE8RD - DUPLEX RECEPTACLE - 20 AMPS

- Duplex receptacles are rated for 20 Amps.
- EVE8RD1-20 = Circuit #1 (utility circuit)
- EVE8RD2-20 = Circuit #2 (utility circuit)
- EVE8RDA-20 = Circuit #A (dedicated)
- EVE8RDB-20 = Circuit #B (dedicated)

NOTE:

- EVE8RD1-20 and EVE8RD2-20 (#1 and #2 share common ground)
- EVE8RDA-20 and EVE8RDB-20 (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed) not to exceed total 20 Amps per circuit
- Standard in black. Available in White or Nevada with upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Duplex Receptacle				
20 amps					
	EVE8RD1-20	60	2	4 5/8	1 1/4
	EVE8RD2-20	60	2	4 5/8	1 1/4
	EVE8RDA-20	60	2	4 5/8	1 1/4
	EVE8RDB-20	60	2	4 5/8	1 1/4
	EVE8RD1-20SND	66	2	4 5/8	1 1/4
	EVE8RD2-20SND	66	2	4 5/8	1 1/4
	EVE8RDA-20SND	66	2	4 5/8	1 1/4
	EVE8RDB-20SND	66	2	4 5/8	1 1/4
	EVE8RD1-20WHT	66	2	4 5/8	1 1/4
	EVE8RD2-20WHT	66	2	4 5/8	1 1/4
	EVE8RDA-20WHT	66	2	4 5/8	1 1/4
	EVE8RDB-20WHT	66	2	4 5/8	1 1/4




ELECTRICAL

EVE8RDXCA - CONTROLLED DUPLEX RECEPTACLE

- Meets California Title 24, Federal and LEED certification guidelines
- Allows circuit to be controlled or switched off when utility is not in use.
- Duplex receptacles are rated for 15 Amps.
- EVE8RD1CA = Circuit #1 (utility circuit)
- EVE8RD2CA = Circuit #2 (utility circuit)
- EVE8RDACA = Circuit A (dedicated)
- EVE8RDBCA = Circuit B (dedicated)


NOTE:

- EVE8RD1CA and EVE8RD2CA (#1 and #2 share common ground)
- EVE8RDACA and EVE8RDBCA (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- Available in BLK finish only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Duplex Receptacle				
	EVE8RD1CA	42	2	4 5/8	1 1/4
	EVE8RD2CA	42	2	4 5/8	1 1/4
	EVE8RDACA	42	2	4 5/8	1 1/4
	EVE8RDBCA	42	2	4 5/8	1 1/4


EVE8RD - DUPLEX RECEPTACLE TO CONVERT STANDARD 2 + 2 SYSTEM TO 3 + 1

- Duplex receptacle are rated for 15 Amps
- EVE8RDA-4 = Duplex receptacle A without triangle to be utility circuit
- EVE8RDB-4 = Duplex receptacle B without triangle to be utility circuit
- Up to 6 receptacles per circuit (24 per infeed) not to exceed total 15 Amps per circuit
- Standard in black. Available in White or Nevada with upcharge.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Duplex Receptacle				
	EVE8RDA-4	39	2	4 5/8	1 1/4
	EVE8RDB-4	39	2	4 5/8	1 1/4
	EVE8RDA-4SND	42	2	4 5/8	1 1/4
	EVE8RDB-4WHT	42	2	4 5/8	1 1/4
	EVE8RDA-4SND	42	2	4 5/8	1 1/4
	EVE8RDA-4WHT	42	2	4 5/8	1 1/4

EVEUSB01 - USB MODULE

- Includes two USB ports.
- Available in White and Black.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	USB Module - White	EVEUSB01WHT	242	2	4 5/8
	USB Module - Black	EVEUSB01BLK	242	2	4 5/8



ELECTRICAL


EVE8FR1 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptacle by snapping into the base power way or Beltline power way.
- Includes 72" long flexible vinyl conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Reversible Floor Power Entry	EVE8FR1 EVE8FR2	393 509	72 144	


EVE8F - FLOOR POWER ENTRY

- Snaps in end of power distribution housing.
- Includes flexible vinyl conduit.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Floor Power Entry	EVE8F1P EVE8F2P	381 493	72 144	


VE8EC - CEILING POWER ENTRY

- Snaps into the end of a Power Distribution Housing.
- Flexible metal conduit extends into the ceiling through a corner post and post extension.
- Must be hard wired to source power by a licensed electrician.
- 4" junction box included.
- Post extension ordered separately
- Can feed directly into beltline power when Beltline Post Connectors are specified.
- Cannot feed through Inline or End-of-run Connectors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	L	D
	Ceiling Power Entry	EVE8EC1 EVE8EC2 EVE8EC3	304 532 600	132 144 180	

EVEENY-2 - HARDWARE POWER ENTRY BOX - NEW YORK

- A licensed electrician must provide hard wire connection within the junction box.
- Not for use in panels less than 36"W.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Hardware Power Entry Box - New York	EVEENY2	503	3	28
					2 1/5




ELECTRICAL

EVEJBC-1 - HARDWARE JUNCTION BOX - CHICAGO


- Can be retrofitted in any size of panel at the receptacle location.
- Gives access from one side only at each location.

- Customer to supply conduit, wiring, receptacle, and face plate.
- 2 per panel, except 24" panels only one is needed.
- A licensed electrician must provide hardware connection with the junction box.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Hardware Junction Box - Chicago	EVEJBC-1	116		

EVDPE - POST EXTENSION DATA/COMM LAY-IN

- Attaches to the top of a post to bring power and/or data cables from the ceiling to the panel power way
- Three-sided power pole with snap-on fourth side.
- Post extension can be opened on one side for lay-in or power and/or data cables.
- Made of aluminum and can be field cut.
- Accommodates up to 25CAT 5 Cables with electric. Accommodates up to 45 CAT 5 Cables without electric.
- Actual size interior dimension of post, 1.80"x 1.80"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Post Extension Data/Comm Lay-in	EVDPE64 EVDPE82	195 236	64 82	2 2

EVDP6E - 60° POST EXTENSION DATA/COMM LAY-IN

- Attaches to the top of a 60° corner post to bring power and/or data cables from the ceiling to the panel power way.
- Two-sided power pole with snap-on third side.
- Post extension can be opened on one side for lay-in or power and/or data cables.
- Made of aluminum and can be field cut.
- Accommodates up to 6 CAT 5 Cables with electric. Accommodates up to 20 CAT 5 Cables without electric.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	60° Post Extension Data/Comm Lay-in	EVDP6E64 EVDP6E82	195 236	64 82	2 2



ELECTRICAL


EVDP4E - 45° POST EXTENSION DATA/COMM LAY-IN

- Attaches to the top of at 45° corner post to bring power and/or data cables from the ceiling to the panel power way.
- Two-sided power pole with snap-on third side.
- Post extension can be opened on one side for lay-in or power and/or data cables.
- Made of aluminum and can be field cut.
- Accommodates up to 6 CAT 5 Cables with electric. Accommodates up to 20 CAT 5 Cables without electric.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	45° Post Extension Data/Comm Lay-in	EVDP4E64 EVDP4E84	204 204	64 84	3.65 3.65


EVLEDES - STARTER LED TASK LIGHT

- Undercabinet slim profile LED linear light fixture with lens and On/Off switch.
- May be used as stand-alone or extended with add-on section below (EVLEDES_DSC).
- Plug-in power supply with 72" cord length plus 78" DC cable.
- Includes magnet mounting bracket with optional adhesive metal plate.
- Light enclosure in clear anodizing finish. Color temperature cool white 4000K.
- Lifespan rated 30,000 hours.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Led Task Light	EVLEDES24 EVLEDES36 EVLEDES48	297 341 379	1 1 1	22.9 33.5 45.5

EVLEDES - ADD-ON LED TASK LIGHT

- Undercabinet slim profile LED linear add-on light fixture with lens.
- Daisy chain unit with 39" linking cable, no power supply.
- Add-on units can only be linked up to a total of 48 watts per power supply; this is equivalent to 10 feet of nominal length of light per power supply.
- Includes magnet mounting bracket with optional adhesive metal plate. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Led Task Light	EVLEDES24DSC EVLEDES36DSC EVLEDES48DSC	243 286 325	1 1 1	24 36 48




ELECTRICAL

EVLEDESOS - OCCUPANCY SENSOR

- Inline add-on controller for dimming and occupancy sensor.

- Sensor bypass switch.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVLEDESOS	122	6	2.4	2

EVELEDVS - VOYAGE LED SINGLE LIGHT FIXTURE

- Single arm option with 6 ft. cord.
- Touch & hold dimming capability.
- Brightness adjustment from 100% to 15%.

- Available in Designer White (WHT), Black (BLK) or Silver (SIL).
- Mercury free LEDs and 94% post consumer recyclability by weight.
- Mounting accessories sold separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVELEDVS	817			
Voyage LED Single Light Fixture w/Occupancy Sensor	EVELEDVSO	1210			

EVELEDVD - VOYAGE LED DOUBLE LIGHT FIXTURE

- Double arm option with 6 ft. cord.
- Touch & hold dimming capability.
- Brightness adjustment from 100% to 15%.

- Available in Designer White (WHT), Black (BLK) or Silver (SIL).
- Mercury free LEDs and 94% post consumer recyclability by weight.
- Mounting accessories sold separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVELEDVD	830			
Voyage LED Double Light Fixture w/Occupancy Sensor	EVELEDVDO	1227			

EVELEDRS - REVO LED SINGLE LIGHT FIXTURE

- Single arm option with 9 ft. cord.
- Touch & hold dimming capability.
- Brightness adjustment from 100% to 15%.

- Available in Designer White (WHT), Black (BLK) or Silver (SIL).
- Mercury free LEDs and 94% post consumer recyclability by weight.
- Mounting accessories sold separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVELEDRS	817			
Revo LED Single Light Fixture w/Occupancy Sensor	EVELEDRSO	1210			



ELECTRICAL

EVELEDRD - REVO LED DOUBLE LIGHT FIXTURE

- Double arm option with 9 ft. cord.
- Touch & hold dimming capability.
- Brightness adjustment from 100% to 15%.
- Available in Designer White (WHT), Black (BLK) or Silver (SIL).
- Mercury free LEDs and 94% post consumer recyclability by weight.
- Mounting accessories sold separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Revo LED Double Light Fixture	EVELEDRD	830			
Revo LED Double Light Fixture w/Occupancy Sensor	EVELEDRDO	1227			

EVELEDAFS - FREESTANDING BASE

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Freestanding Base	EVELEDAFS	232			

EVELEDACM - CLAMP MOUNT

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Clamp Mount	EVELEDACM	207			

EVELEDASW - SLATWALL MOUNT

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Slatwall Mount	EVELEDASW	207			



ELECTRICAL

EVELEDAPM - PANEL MOUNT


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Panel Mount	EVELEDAPM	207			

EVELEDASM - SURFACE MOUNT

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Surface Mount	EVELEDASM	207			


EVECC - CORD COVER

- Attaches to panels vertically between modules to provide enclosures for power or data cords.
- Available in 21" and 36" lengths, 6 per pack.
- Can be field cut to required length.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Inline Cord Cover For use at panel Inline connections	EVECC121 EVECC136	38 57	21	36	
Corner Cord Cover For use at panel Inline connections	EVECC221 EVECC236	38 57	21	36	

EVH8RC - RACEWAY COVERS

- Raceway Cover with 1.38" x 2.71" duplex receptacle openings.
- Raceway Covers are sold individually.
- Includes up to three receptacle opening shields depending on width of raceway cover.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Raceway Covers	EVH8RC18 EVH8RC24 EVH8RC30 EVH8RC36 EVH8RC42 EVH8RC48 EVH8RC54 EVH8RC60	27 39 53 59 66 71 83 91	6	18	
			6	24	
			6	30	
			6	36	
			6	42	
			6	48	
			6	54	
			6	60	



ELECTRICAL

EVEMAE - MINI-ADAPT POWER MODULE

- Attaches to scoop at the back of the worksurface.
- Includes two Simplex outlets.
- 6' black cord
- Available in black only.
- Note: Height (H) is measured above the worksurface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVEMAE1	250	2	3 5/8	3

EVEMAD - MINI-ADAPT POWER MODULE

- Attaches to scoop at the back of the worksurface.
- Includes two Voice/Data Port, Voice/Data Adapter Kit.
- Accepts Cat3, Cat 5, Cat 5e, Cat 6 jacks.
- Available in black only.
- Note: Height (H) is measured above the worksurface.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVEMAD1	203	2	3 5/8	3
					

EVED50AC - CLAMP MOUNT 2 POWER/USB-A&C

- Ashley Duo clamp mount power module with two 15 amp 120 Volt AC receptacles
- 2.4 amp USB-A port and 60 watt USB-C power delivery port
- 10' power cord with molded plug
- UL listed: UL 962A.
- Clamp accommodates worksurfaces 0.5" to 1.5" thick
- Fastened with thumb screws.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVED50ACW	525	1.8	5.5	2.8
Black Module, Silver Bracket	EVED50ACB	525	1.8	5.5	2.8

EVEDU51AC - UNDER MOUNT 2 POWER/USB-A&C

- Ashley Duo under mount power module with two 15 amp 120 Volt AC receptacles.
- 2.4 amp USB-A port and 60 watt USB-C power delivery port.
- 10' power cord with molded plug.
- UL listed: UL 962A.
- Mountable under most worksurfaces.
- Installation template provided.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVEDU51ACW	525	3	5.5	3.2
Black Module, Silver Bracket	EVEDU51ACB	525	3	5.5	3.2



worksurfaces

THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF EVOLVE WORKSURFACES.


- Evolve thermally fused worksurfaces are 1" thick, high pressure is 1 1/16" and 1 7/16" thick. These are finished with 3 mm PVC edging on all sides.
- Standard laminate offerings are available in thermally-fused (TF) and most high pressure laminates (HP). See laminate listings for details.
- Wood grain laminates on corner worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- To avoid unsatisfactory results in laminate application when attaching two corner surfaces side by side, select "WG" surfaces for matching grain.
- Some wood grain laminate worksurfaces will have matching wood grain PVC trim unless specified otherwise.
- The depth of the worksurface scoops are 1 1/8" when measured from the panel the worksurface is attached to.



- All worksurfaces have threaded inserts for metal-to-metal connection for support hardware.
- All worksurfaces require support hardware. These are priced separately within this section.
- Communication and electrical wires are routed through a cable scoop located at the back of the worksurface. Depending on the specific surface, note that the number of cable scoops depends upon the width of the worksurface. All worksurface shapes have at least one scoop on the Panel edge.
- A 3/8" separation between the back of the worksurfaces and panels allows for cables to be moved to the panel seams and concealed by wire managers.
- Note: Wood veneer options for worksurfaces are available at an upcharge and with an extended lead time. Contact Evolve Customer Support for details.
- Tungsten (TUN) and Designer White (DWT) trim available at no charge.
- Note the following abbreviations:

TF = Thermally-Fused Laminate; (1") HP = High-Pressure Laminate (1 1/16"); HPW = High-Pressure Laminate (1 7/16"); WG = Wood Grain

One Scoop EVWS 24" - 48"



Two Scoops EVWS 54" - 72"



One Scoop EVWVL 24" - 48"



Two Scoops EVWVL 54" - 72"



This page provides a three dimensional view of a sample configuration highlighting each **Worksurface** component required when specifying this configuration.


Components

A. EVVWL2436 Curvilinear Worksurface – Left
Note: When deepest end equals 24", opposite depth is 18"
When deepest end equals 30", opposite depth is 24"

B. EVWCC3618 Corner Curved Worksurface


C. EVWVR2436 Curvilinear Worksurface – Right

D. EVWTEV1536 End Transaction Surface with Cut-out




WORKSURFACES


GRAIN DIRECTION




EVWS Worksurfaces




EVWSNS Worksurfaces




EVWVR Worksurfaces




EVWCC Worksurfaces




EVWCCxxxWG Worksurfaces




EVWCK Worksurfaces




EVWCKxxxxWG Worksurfaces




EVWCF Worksurfaces




EVWCFxxxxWG Worksurfaces




EVWCE Worksurfaces




EVWC4C Worksurfaces




EVWC4K Worksurfaces




EVWC6C Worksurfaces




EVWC6K Worksurfaces




EVWL Worksurfaces




EVWHL Worksurfaces




EVWBTL/R Worksurfaces




EVWD Worksurfaces




EVWSWL/R Worksurfaces




EVWSWNSL/R Worksurfaces




EVWP Worksurfaces




EVWPL/R Worksurfaces




EVWQR and EVWQRC Worksurfaces




EVWR Worksurfaces




EVWT, EVWTV, EVWTW, EWTEV,
EVWTD, EVWTDV, EVWTDD
Worksurfaces




EVWTCLxxxxWG Worksurfaces



EVWTC Worksurfaces



EVW4T Worksurface




EVW6T Worksurfaces



EVWS - STRAIGHT WORKSURFACE


- Support hardware must be ordered separately. See listing in this section of the price book.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		TF	HP ADD	HPW ADD	D	W	
	Straight Worksurface - 18" Deep	EVWS1824P EVWS1830P EVWS1836P EVWS1842P EVWS1848P EVWS1854P EVWS1860P EVWS1866P EVWS1872P EVWS1878P EVWS1884P EVWS1890P EVWS1896P	158 165 188 243 290 342 384 401 419 593 636 681 726	61 64 71 98 113 137 151 158 163 309 330 353 379	165 180 198 267 316 375 417 432 450 753 815 868 927	18 18 18 18 18 18 18 18 18 18 18 18 18	24 30 36 42 48 54 60 66 72 78 84 90 96
Straight Worksurface - 24" Deep	EVWS2424P EVWS2430P EVWS2436P EVWS2442P EVWS2448P EVWS2454P EVWS2460P EVWS2466P EVWS2472P EVWS2478P EVWS2484P EVWS2490P EVWS2496P	160 171 193 246 294 346 387 405 422 678 682 681 726	61 66 73 98 118 136 149 159 162 194 200 353 379	167 180 200 268 323 375 417 434 450 629 638 868 927	24 24 24 24 24 24 24 24 24 24 24 24 24	24 30 36 42 48 54 60 66 72 78 84 90 96	
Straight Worksurface - 30" Deep	EVWS3024P EVWS3030P EVWS3036P EVWS3042P EVWS3048P EVWS3054P EVWS3060P EVWS3066P EVWS3072P EVWS3078P EVWS3084P EVWS3090P EVWS3096P	188 198 235 328 346 380 405 421 445 842 855 851 907	70 81 90 126 136 145 159 163 174 248 244 445 471	195 220 248 350 375 405 434 451 483 789 791 1089 1157	30 30 30 30 30 30 30 30 30 30 30 30 30	24 30 36 42 48 54 60 66 72 78 84 90 96	







EVWSNSC - STRAIGHT WORKSURFACE NO SCOOP

- There is no scoop on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	PRICE		DIMENSIONS/INCHES	
		TF	HP ADD	D	W
	Straight Worksurface No Scoops - 24" Deep	EWWSNSC2424	160	61	24 24
		EWWSNSC2430	171	234	24 30
		EWWSNSC2436	193	73	24 36
		EWWSNSC2442	246	98	24 42
		EWWSNSC2448	294	118	24 48
		EWWSNSC2454	346	136	24 54
		EWWSNSC2460	387	149	24 60
		EWWSNSC2466	405	159	24 66
		EWWSNSC2472	422	162	24 72
		EWWSNSC2478	678	194	24 78
		EWWSNSC2484	682	200	24 84
		EWWSNSC2490	681	353	24 90
		EWWSNSC2496	726	379	24 96
	Straight Worksurface No Scoops - 30" Deep	EWWSNSC3024	188	70	30 24
		EWWSNSC3030	198	81	30 30
		EWWSNSC3036	235	90	30 30
		EWWSNSC3042	328	126	30 42
		EWWSNSC3048	346	136	30 48
		EWWSNSC3054	380	145	30 54
		EWWSNSC3060	405	159	30 60
		EWWSNSC3066	421	163	30 66
		EWWSNSC3072	445	174	30 72
		EWWSNSC3078	842	248	30 78
		EWWSNSC3084	855	244	30 84
		EWWSNSC3090	851	445	30 90
		EWWSNSC3096	907	471	30 96

EVWSWNSC - WEDGE WORKSURFACE NO SCOOP


- There is no scoop on this worksurface.

DIMENSIONS/INCHES	PRODUCT CODE	PRICE		DIMENSIONS/INCHES	
		TF	HP ADD	D1	D2
	Straight Wedge Worksurface No Scoops - Left	EWWSWNSC241848	412	120	24 18 48
		EWWSWNSC241854	465	596	24 18 54
		EWWSWNSC241860	513	152	24 18 60
		EWWSWNSC241866	569	163	24 18 66
		EWWSWNSC241872	616	182	24 18 72
		EWWSWNSC302448	513	152	30 24 48
		EWWSWNSC302454	577	744	30 24 54
		EWWSWNSC302460	642	824	30 24 60
		EWWSWNSC302466	705	908	30 24 66
		EWWSWNSC302472	770	989	30 24 72
	Straight Wedge Worksurface No Scoops - Right	EWWSWNSC182448	412	120	24 18 48
		EWWSWNSC182454	465	596	24 18 54
		EWWSWNSC182460	513	152	24 18 60
		EWWSWNSC182466	569	163	24 18 66
		EWWSWNSC182472	616	182	24 18 72
		EWWSWNSC243048	513	152	30 24 48
		EWWSWNSC243054	577	744	30 24 54
		EWWSWNSC243060	642	824	30 24 60
		EWWSWNSC243066	705	908	30 24 66
		EWWSWNSC243072	770	989	30 24 72



EVWSP - STRAIGHT WORKSURFACE TO SPAN-A-POST

- Support hardware must be ordered separately. See listing in this section of the price book.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	TF	PRICE		DIMENSIONS/INCHES	
			HP ADD	HPW ADD	D	W
	Straight Worksurface to Span-a-Post - 18" Deep	EVWSP1827P	183	97	235	18 27
		EVWSP1833P	165	110	266	18 33
		EVWSP1839P	242	128	310	18 39
		EVWSP1845P	290	128	332	18 45
		EVWSP1851P	344	136	374	18 51
		EVWSP1857P	384	151	416	18 57
		EVWSP1863P	401	158	432	18 63
		EVWSP1869P	419	163	451	18 69
		EVWSP1875P	445	233	569	18 75
		EVWSP1881P	583	170	540	18 81
		EVWSP1887P	595	171	548	18 87
	Straight Worksurface to Span-a-Post - 24" Deep	EVWSP2427P	232	120	289	24 27
		EVWSP2433P	277	142	350	24 33
		EVWSP2439P	321	167	409	24 39
		EVWSP2445P	364	192	466	24 42
		EVWSP2451P	411	214	523	24 48
		EVWSP2457P	454	238	582	24 57
		EVWSP2463P	502	262	638	24 63
		EVWSP2469P	546	283	695	24 69
		EVWSP2475P	678	221	668	24 75
		EVWSP2481P	682	283	764	24 81
		EVWSP2487P	694	342	856	24 84
	Straight Worksurface to Span-a-Post - 30" Deep	EVWSP3027P	286	151	365	30 27
		EVWSP3033P	344	179	434	30 33
		EVWSP3039P	397	210	511	30 39
		EVWSP3045P	454	238	582	30 45
		EVWSP3051P	513	267	652	30 48
		EVWSP3057P	570	297	726	30 57
		EVWSP3063P	624	325	798	30 63
		EVWSP3069P	681	353	868	30 69
		EVWSP3075P	842	280	836	30 75
		EVWSP3081P	855	289	862	30 81
		EVWSP3087P	898	395	1041	30 87

EVVVL - CURVILINEAR WORKSURFACE - LEFT

- When deepest end equals 24", the opposite depth is 18". When deepest end equals 30", the opposite depth is 24".
- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		TF	HP ADD	HPW ADD	D	W	
	Curvilinear Worksurface - 24" Deep	EVVVL2424P EVVVL2430P EVVVL2436P EVVVL2442P EVVVL2448P EVVVL2454P EVVVL2460P EVVVL2466P EVVVL2472P EVVVL2478P EVVVL2484P	204 214 254 294 340 380 411 453 487 678 682	80 81 99 118 134 145 173 185 214 194 200	220 227 278 323 363 405 462 503 560 629 638	24 24 24 24 24 24 24 24 24 24 24	24 30 36 42 48 54 60 66 72 78 84
	Curvilinear Worksurface - 30" Deep	EVVVL3024P EVVVL3030P EVVVL3036P EVVVL3042P EVVVL3048P EVVVL3054P EVVVL3060P EVVVL3066P EVVVL3072P EVVVL3078P EVVVL3084P	214 224 267 363 380 421 453 487 517 842 855	81 86 112 140 145 163 185 214 238 248 244	227 234 294 389 405 451 503 560 613 789 791	30 30 30 30 30 30 30 30 30 30 30	24 30 36 42 48 54 60 66 72 78 84

EVVVR - CURVILINEAR WORKSURFACE - RIGHT

- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24".
- Support hardware must be ordered separately. See listing in this section of the price book.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		TF	HP ADD	HPW ADD	D	W	
	Curvilinear Worksurface - 24" Deep	EVVVR2424P EVVVR2430P EVVVR2436P EVVVR2442P EVVVR2448P EVVVR2454P EVVVR2460P EVVVR2466P EVVVR2472P EVVVR2478P EVVVR2484P	204 214 254 294 340 380 411 453 487 678 682	80 81 99 118 134 145 173 185 214 194 200	220 227 278 323 363 405 462 503 560 629 638	24 24 24 24 24 24 24 24 24 24 24	24 30 36 42 48 54 60 66 72 78 84
	Curvilinear Worksurface - 30" Deep	EVVVR3024P EVVVR3030P EVVVR3036P EVVVR3042P EVVVR3048P EVVVR3054P EVVVR3060P EVVVR3066P EVVVR3072P EVVVR3078P EVVVR3084P	214 224 267 363 380 421 453 487 517 842 855	81 86 112 140 145 163 185 214 238 248 244	227 234 294 389 405 451 503 560 613 789 791	30 30 30 30 30 30 30 30 30 30 30	24 30 36 42 48 54 60 66 72 78 84



EVWCC - CORNER CURVED WORKSURFACE

- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
		TF	HP ADD	HPW ADD	D	W
Corner Curved Worksurface - 36"	EVWCC3618P	534	173	525	18	36
	EVWCC3624P	583	193	579	24	36
	EVWCC3618WGP	595	194	585	18	36
	EVWCC3624WGP	655	214	644	24	36
Corner Curved Worksurface - 42"	EVWCC4224P	789	257	781	24	42
	EVWCC4230P	858	278	839	30	42
	EVWCC4224WGP	885	340	949	24	42
	EVWCC4230WGP	962	310	940	30	42
Corner Curved Worksurface - 48"	EVWCC4824P	923	279	874	24	48
	EVWCC4830P	966	417	1105	30	48



EVWCC - CORNER ASYMMETRICAL WORKSURFACE

- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
		TF	HP ADD	HPW ADD	D1	D2
Corner Worksurface - 36" x 36" x 18" x 24"	EVWCC36361824P	593	139	504	18	24
	EVWCC36362418P	593	139	504	24	18
	EVWCC36361824WGP	662	159	564	18	24
	EVWCC36362418WGP	662	159	564	24	18
Corner Worksurface - 36" x 36" x 24" x 30"	EVWCC36362430P	639	134	518	24	30
	EVWCC36363024P	639	134	518	30	24
	EVWCC36362430WGP	715	149	579	24	30
	EVWCC36363024WGP	715	149	579	30	24
Corner Worksurface - 42" x 42" x 18" x 24"	EVWCC42421824P	806	278	818	18	24
	EVWCC42422418P	806	278	818	24	18
	EVWCC42421824WGP	904	311	914	18	24
	EVWCC42422418WGP	904	311	914	24	18
Corner Worksurface - 42" x 42" x 24" x 30"	EVWCC42422430P	871	477	1150	24	30
	EVWCC42423024P	871	477	1150	30	24
	EVWCC42422430WGP	976	534	1282	24	30
	EVWCC42423024WGP	976	534	1282	30	24
Corner Worksurface - 48" x 48" x 24" x 30"	EVWCC48482430P	1115	420	1182	24	30
	EVWCC48483024P	1115	420	1182	30	24




EVWCK - CORNER KEYBOARD WORKSURFACE

- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		TF	HP ADD	HPW ADD	D	W	
	Corner Keyboard Worksurface - 36"	EVWCK3618P EVWCK3624P EVWCK3618WGP EVWCK3624WGP	541 695 607 782	174 195 195 218	530 638 594 713	18 24 18 24	36 36 36 36
	Corner Keyboard Worksurface - 42"	EVWCK4224P EVWCK4230P EVWCK4224WGP EVWCK4230WGP	798 909 893 1017	265 345 292 387	791 970 886 1083	24 30 24 30	42 42 42 42
	Corner Keyboard Worksurface - 48"	EVWCK4824P EVWCK4830P	973 1081	421 446	1117 1209	24 30	48 48

EVWCF - FIVE-SIDED WORKSURFACE


- When specifying woodgrain laminate (WG) for corner worksurfaces 42" wide or less, choose from a diagonally run grain for an upcharge or standard application at no upcharge.
- Support hardware must be ordered separately. See listings in this section.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		TF	HP ADD	HPW ADD	D	W	
	Five-Sided Keyboard Worksurface - 30"	EVWCF3012P EVWCF3612P	372 492	126 162	681 561	12 12	30 30
	Five-Sided Keyboard Worksurface - 36"	EVWCF3618P EVWCF3624P EVWCF3618WGP EVWCF3624WGP	534 583 595 655	173 193 195 214	525 579 587 644	18 24 18 24	36 36 36 36
	Five-Sided Keyboard Worksurface - 42"	EVWCF4224P EVWCF4230P EVWCF4224WGP EVWCF4230WGP	789 858 882 962	257 278 288 309	781 839 871 937	24 30 24 30	42 42 42 42
	Five-Sided Keyboard Worksurface - 48"	EVWCF4824P EVWCF4830P	923 966	279 417	874 1105	24 30	48 48



EVWCEL - EXTENDED CURVED CORNER - LEFT

- There are three cable scoops on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES			
		TF	HP ADD	HPW ADD	D1	D2	W	
	Extended Curved Corner - 36" x 24"	EVWCEL362448P EVWCEL362460P EVWCEL362466P EVWCEL362472P EVWCEL362478P EVWCEL362484P	723 787 865 954 1021 1099	203 224 247 278 292 318	662 727 800 889 949 1023	36 36 36 36 36 36	24 24 24 24 24 24	48 60 66 72 78 84
	Extended Curved Corner - 42" x 24"	EVWCEL422460P EVWCEL422466P EVWCEL422472P EVWCEL422478P EVWCEL422484P	829 909 1006 1075 1157	235 265 288 310 330	763 847 929 996 1077	42 42 42 42 42	24 24 24 24 24	60 66 72 78 84
	Extended Curved Corner - 42" x 30"	EVWCEL423060P EVWCEL423066P EVWCEL423072P EVWCEL423078P EVWCEL423084P	930 1021 1115 1197 1275	270 292 321 344 365	868 949 1036 1110 1182	42 42 42 42 42	30 30 30 30 30	60 66 72 78 84
	Extended Curved Corner - 48" x 24"	EVWCEL482460P EVWCEL482466P EVWCEL482472P EVWCEL482478P EVWCEL482484P	982 1058 1137 1247 1301	235 292 341 326 373	840 969 1077 1113 1201	48 48 48 48 48	24 24 24 24 24	60 66 72 78 84
	Extended Curved Corner - 48" x 30"	EVWCEL483060P EVWCEL483066P EVWCEL483072P EVWCEL483078P EVWCEL483084P	1036 1127 1225 1316 1387	300 329 353 381 403	966 1053 1138 1230 1295	48 48 48 48 48	30 30 30 30 30	60 66 72 78 84

EVWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price list.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		TF	HP ADD	HPW ADD	D1	D2	W
	EVWCER362448P EVWCER362460P EVWCER362466P EVWCER362472P EVWCER362478P EVWCER362484P	723 787 865 954 1021 1099	203 224 247 278 292 318	662 727 800 889 949 1023	36 36 36 36 36 36	24 24 24 24 24 24	48 60 66 72 78 84
Extended Curved Corner - 36" x 24"							
Extended Curved Corner - 42" x 24"	EVWCER422460P EVWCER422466P EVWCER422472P EVWCER422478P EVWCER422484P	829 909 1006 1075 1157	235 265 288 310 330	763 847 929 996 1077	42 42 42 42 42	24 24 24 24 24	60 66 72 78 84
Extended Curved Corner - 42" x 30"	EVWCER423060P EVWCER423066P EVWCER423072P EVWCER423078P EVWCER423084P	930 1021 1115 1197 1275	270 292 321 344 365	868 949 1036 1110 1182	42 42 42 42 42	30 30 30 30 30	60 66 72 78 84
Extended Curved Corner - 48" x 24"	EVWCER482460P EVWCER482466P EVWCER482472P EVWCER482478P EVWCER482484P	982 1058 1137 1247 1301	235 292 341 326 373	840 969 1077 1113 1201	48 48 48 48 48	24 24 24 24 24	60 66 72 78 84
Extended Curved Corner - 48" x 30"	EVWCER483060P EVWCER483066P EVWCER483072P EVWCER483078P EVWCER483084P	1036 1127 1225 1316 1387	300 329 353 381 403	966 1053 1138 1230 1295	48 48 48 48 48	30 30 30 30 30	60 66 72 78 84

EVWC4C - CURVED CORNER SURFACE FOR 45° POST

- Support hardware must be ordered separately. See the listing in this section.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
		TF	HP ADD	HPW ADD	D	W
	EVWC4C1824P EVWC4C1830P EVWC4C1836P EVWC4C1842P EVWC4C1848P	510 785 1115 1391 1623	149 227 324 403 469	476 732 1041 1297 1511	18 18 18 18 18	24 30 36 42 48
Corner Curved Surface for 45° Post - 18"						
Corner Curved Surface for 45° Post - 24"	EVWC4C2424P EVWC4C2430P EVWC4C2436P EVWC4C2442P EVWC4C2448P	611 914 1276 1391 1825	179 267 372 403 526	571 852 1189 1297 1701	24 24 24 24 24	24 30 36 42 48
Corner Curved Surface for 45° Post - 30"	EVWC4C3024P EVWC4C3030P EVWC4C3036P EVWC4C3042P EVWC4C3048P	712 1127 1276 1563 2028	210 220 372 453 585	666 890 1189 1458 1888	30 30 30 30 30	24 30 36 42 48



EVWC4K - KEYBOARD CORNER SURFACE FOR 45° POST

- Support hardware must be ordered separately. See the listing in this section.
- Worksurfaces greater than 48" wide require additional structural support.

- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
		TF	HP ADD	HPW ADD	D	W
Keyboard Curved Surface for 45° Post - 18"	EVWC4K1824P	510	149	476	18	24
	EVWC4K1830P	785	227	732	18	30
	EVWC4K1836P	1115	324	1041	18	36
	EVWC4K1842P	1391	403	1297	18	42
	EVWC4K1848P	1623	469	1511	18	48
Keyboard Curved Surface for 45° Post - 24"	EVWC4K2424P	611	179	571	24	24
	EVWC4K2430P	914	267	852	24	30
	EVWC4K2436P	1276	372	1189	24	36
	EVWC4K2442P	1391	403	1297	24	42
	EVWC4K2448P	1825	526	1701	24	48
Keyboard Curved Surface for 45° Post - 30"	EVWC4K3024P	712	210	666	30	24
	EVWC4K3030P	1045	220	890	30	30
	EVWC4K3036P	1276	372	1189	30	36
	EVWC4K3042P	1563	453	1458	30	42
	EVWC4K3048P	2028	585	1888	30	48

EVWC6C - CURVED CORNER SURFACE FOR 60° POST

- Support hardware must be ordered separately. See the listing in this section.

- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP ADD	HPW ADD	ADD	W
Curved Curved Surface for 60° Post - 18"	EVWC6C1824P	409	137	409	18	24
	EVWC6C1830P	638	88	448	18	30
	EVWC6C1836P	954	129	670	18	36
	EVWC6C1842P	1169	159	820	18	42
	EVWC6C1848P	1592	216	1117	18	48
Curved Curved Surface for 60° Post - 24"	EVWC6C2424P	478	69	341	24	24
	EVWC6C2430P	850	118	596	24	30
	EVWC6C2436P	954	129	670	24	36
	EVWC6C2442P	1459	195	1019	24	42
	EVWC6C2448P	1592	216	1117	24	48
Curved Curved Surface for 60° Post - 30"	EVWC6C3024P	478	69	341	30	24
	EVWC6C3030P	850	118	596	30	30
	EVWC6C3036P	954	129	670	30	36
	EVWC6C3042P	1459	195	1019	30	42
	EVWC6C3048P	1592	216	1117	30	48

EVWC6K - CURVED CORNER SURFACE FOR 60° POST

- Support hardware must be ordered separately. See the listing in this section.


- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
		TF	HP ADD	HPW ADD	D	W
Keyboard Curved Surface for 60° Post - 18"	EVWC6K1824P	400	145	417	18	24
	EVWC6K1830P	638	88	448	18	30
	EVWC6K1836P	954	129	670	18	36
	EVWC6K1842P	1169	159	820	18	42
	EVWC6K1848P	1592	216	1117	18	48
Keyboard Curved Surface for 60° Post - 24"	EVWC6K2424P	850	118	596	24	24
	EVWC6K2430P	954	129	670	24	36
	EVWC6K2442P	1459	195	1019	24	42
	EVWC6K2448P	1592	216	1117	24	48
Keyboard Curved Surface for 60° Post - 30"	EVWC6K3024P	850	118	596	30	24
	EVWC6K3030P	952	318	950	30	36
	EVWC6K3036P	1302	438	1303	30	42
	EVWC6K3042P	1577	540	1594	30	48

WORKSURFACES

EVWL - "L" WORKSURFACE


- There are three cable scoops on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price list.
- Must be specified either left or right handed.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
		TF	HP ADD	HPW ADD	D	W
	"L" Worksurface	EVWL2472P EVLRL2472P	819 819	310 310	866 866	24 72 24 72

Right shown

EVWBT - 30" TRANSITION WORKSURFACE


- Support hardware must be ordered separately. See the listing in this section of the price list.
- Opposing side of 30" deep (D1) Transition Worksurface has depth of 24" (D2).
- Scoops located on back edge only.
- Must be specified as right or left handed.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		TF	HP ADD	HPW ADD	D1	D2	W
	Transition Worksurface - Left - 30"	EVWBT3060P EVWBT3066P EVWBT3072P	644 711 772	188 204 226	601 659 723	30 24 30 24 30 24	60 66 72
	Transition Worksurface - Right - 30"	EVWBT3060P EVWBT3066P EVWBT3072P	644 711 772	188 204 226	601 659 723	30 24 30 24 30 24	60 66 72

Left shown

EVWBT - 36" TRANSITION WORKSURFACE

- Support hardware must be ordered separately. See the listing in this section of the price list.
- Opposing side of 36" deep (D1) Transition Worksurface has depth of 30" (D2).
- Scoops located on back edge only.
- Must be specified as right or left handed.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		TF	HP ADD	HPW ADD	D1	D2	W
	Transition Worksurface - Left - 36"	EVWBT3660P EVWBT3666P EVWBT3672P	772 850 927	226 247 269	723 793 865	36 30 36 30 36 30	60 66 72
	Transition Worksurface - Right - 36"	EVWBT3660P EVWBT3666P EVWBT3672P	772 850 927	226 247 269	723 793 865	36 30 36 30 36 30	60 66 72


Left shown



WORKSURFACES

EVWSH - STRAIGHT EDGE HATCHET WORKSURFACE (LEFT SHOWN)


- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included
- Must be specified either left or right handed.
- Wood Grain Laminates do not run diagonally on Hatchet Corners
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE	DIMENSIONS/INCHES		
			D1	D2	W
	Straight Edge Hatchet Worksurface - Left	EVWSHL3672P	1245	36	30
	Straight Edge Hatchet Worksurface - Right	EVWSHR3672P	1245	36	30

Left Shown


EVWD - "D" WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price list.
- Monoleg is included
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE	DIMENSIONS/INCHES				
			TF	HP ADD	HPW ADD	D	W
	"D" Worksurface - 24"	EVWD2442P	583	233	635	24	42
		EVWD2448P	603	232	644	24	48
		EVWD2460P	633	243	678	24	60
		EVWD2472P	678	265	733	24	72
	"D" Worksurface - 30"	EVWD3048P	642	257	705	30	48
		EVWD3060P	678	265	733	30	60
		EVWD3072P	748	290	810	30	72

EVWPTR - "P" TOP


- There is one scoop on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Must be specified either left or right handed.
- Monoleg is included.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE	DIMENSIONS/INCHES					
			TF	HP ADD	HPW ADD	D1	D2	W
	"P" Top Worksurface - 24" Right	EVWPTR245430P	893	262	835	24	30	54
		EVWPTR246030P	959	257	864	24	30	60
		EVWPTR246630P	1004	278	914	24	30	66
		EVWPTR247230P	1057	286	952	24	30	72
	"P" Top Worksurface - 30" Right	EVWPTR306036P	1057	278	941	30	36	60
		EVWPTR306636P	1142	268	970	30	36	66
		EVWPTR307236P	1221	257	992	30	36	72
	"P" Top Worksurface - 24" Left	EVWPTL245430P	893	262	835	24	30	54
		EVWPTL246030P	959	257	864	24	30	60
		EVWPTL246630P	1004	278	914	24	30	66
		EVWPTL247230P	1057	286	952	24	30	72
	"P" Top Worksurface - 30" Left	EVWPTL306036P	1057	278	941	30	36	60
		EVWPTL306636P	1142	268	970	30	36	66
		EVWPTL307236P	1221	257	992	30	36	72

Left Hand Shown



EVWSW - STRAIGHT WEDGE WORKSURFACES

- There is one scoop on this worksurface.
- Must be specified either left or right handed.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES			
		TF	HP	HPW	D1	D2	W	
	Straight Wedge Worksurface - Left	EWWSW241848P EWWSW241854P EWWSW241860P EWWSW241866P EWWSW241872P	412 465 513 569 616	120 135 152 163 182	381 432 483 527 579	24 24 24 24 24	18 18 18 18 18	48 54 60 66 72
		EWWSW302448P EWWSW302454P EWWSW302460P EWWSW302466P EWWSW302472P	513 577 642 705 770	152 171 185 204 222	483 538 598 659 715	30 30 30 30 30	24 24 24 24 24	48 54 60 66 72
	Straight Wedge Worksurface - Right	EWWSW182448P EWWSW182454P EWWSW182460P EWWSW182466P EWWSW182472P	412 465 513 569 616	120 135 152 163 182	381 432 483 527 579	18 18 18 18 18	24 24 24 24 24	48 54 60 66 72
		EWWSW243048P EWWSW243054P EWWSW243060P EWWSW243066P EWWSW243072P	513 577 642 705 770	152 171 185 204 222	483 538 598 659 715	24 24 24 24 24	30 30 30 30 30	48 54 60 66 72

EVWSWNSC - STRAIGHT WEDGE WORKSURFACES NO SCOPS


- There is no scoop on this worksurface.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Must be specified either left or right handed.
- Surfaces not available in HPW.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		TF	HP ADD		D1	D2	W
	Straight Wedge Worksurface No Scoops - Left	EVWSWNSC241848 EVWSWNSC241854 EVWSWNSC241860 EVWSWNSC241866 EVWSWNSC241872	412 465 513 569 616	120 135 152 163 182	24 24 24 24 24	18 18 18 18 18	48 54 60 66 72
		EVWSWNSC302448 EVWSWNSC302454 EVWSWNSC302460 EVWSWNSC302466 EVWSWNSC302472	513 577 642 705 770	152 171 185 204 222	30 30 30 30 30	24 24 24 24 24	48 54 60 66 72
	Straight Wedge Worksurface No Scoops - Right	EVWSWNSC182448 EVWSWNSC182454 EVWSWNSC182460 EVWSWNSC182466 EVWSWNSC182472	412 465 513 569 616	120 135 152 163 182	18 18 18 18 18	24 24 24 24 24	48 54 60 66 72
		EVWSWNSC243048 EVWSWNSC243054 EVWSWNSC243060 EVWSWNSC243066 EVWSWNSC243072	513 577 642 705 770	152 171 185 204 222	24 24 24 24 24	30 30 30 30 30	48 54 60 66 72



EVWPL - PIANO TOP - LEFT


- There is one scoop on this worksurface.
- Monoleg is included.
- Wood Grain Laminates do not run diagonally on Extended Curved Corners.
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	PRICE	DIMENSIONS/INCHES					
	TF	HP ADD	HPW ADD	D1	D2	W		
	Piano Top - Left - 36" x 18"	EVWPL361848P EVWPL361854P EVWPL361860P EVWPL361866P EVWPL361872P	810 888 954 1029 1098	262 247 244 235 232	791 810 840 865 890	36 36 36 36 36	18 18 18 18 18	48 54 60 66 72
Piano Top - Left - 36" x 24"	EVWPL362448P EVWPL362454P EVWPL362460P EVWPL362466P EVWPL362472P	819 893 965 1038 1105	262 247 242 235 232	796 818 840 867 894	36 36 36 36 36	24 24 24 24 24	48 54 60 66 72	
Piano Top - Left - 42" x 24"	EVWPL422454P EVWPL422460P EVWPL422466P EVWPL422472P	1098 1165 1289 1368	132 136 91 80	745 785 777 800	42 42 42 42	24 24 24 24	54 60 66 72	
Piano Top - Left - 42" x 30"	EVWPL423060P EVWPL423066P EVWPL423072P	1191 1317 1394	137 90 87	799 788 823	42 42 42	30 30 30	60 66 72	
Piano Top - Left - 48" x 24"	EVWPL482460P EVWPL482466P EVWPL482472P	1233 1366 1447	257 214 222	1001 997 1053	48 48 48	24 24 24	60 66 72	
Piano Top - Left - 48" x 30"	EVWPL483066P EVWPL483072P	1372 1454	212 222	998 1056	48 48	30 30	66 72	

EVWPR - PIANO TOP - RIGHT

- There is one scoop on this worksurface.
- Monoleg is included.
- Support hardware must be ordered separately. See listing in this section of the price book.

- Worksurfaces greater than 48" wide require additional structural support. Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	PRICE	DIMENSIONS/INCHES					
	TF	HP ADD	HPW ADD	D1	D2	W		
	Piano Top - Right - 36" x 18"	EVWPR361848P EVWPR361854P EVWPR361860P EVWPR361866P EVWPR361872P	810 888 954 1029 1098	262 247 244 235 232	791 810 840 865 890	36 36 36 36 36	18 18 18 18 18	48 54 60 66 72
Piano Top - Right - 36" x 24"	EVWPR362448P EVWPR362454P EVWPR362460P EVWPR362466P EVWPR362472P	819 893 965 1038 1105	262 247 242 235 232	796 818 840 867 894	36 36 36 36 36	24 24 24 24 24	48 54 60 66 72	
Piano Top - Right - 42" x 24"	EVWPR422454P EVWPR422460P EVWPR422466P EVWPR422472P	1098 1165 1289 1368	132 136 91 80	745 785 777 800	42 42 42 42	24 24 24 24	54 60 66 72	
Piano Top - Right - 42" x 30"	EVWPR423060P EVWPR423066P EVWPR423072P	1191 1317 1394	137 90 87	799 788 823	42 42 42	30 30 30	60 66 72	
Piano Top - Right - 48" x 24"	EVWPR482460P EVWPR482466P EVWPR482472P	1233 1366 1447	257 214 222	1001 997 1053	48 48 48	24 24 24	60 66 72	
Piano Top - Right - 48" x 30"	EVWPR483066P EVWPR483072P	1372 1454	212 222	998 1056	48 48	30 30	66 72	

EVWQR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- Left hand surface shown.
- The user edge abutting the adjacent worksurface runs straight for 3" before starting to curve.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
		TF	HP ADD	HPW ADD	D	W
Quarter Round Panel Worksurface - Left	EVWQL1818	175	59	173	18	18
	EVWQL2424	246	86	247	24	24
	EVWQL3030	324	99	310	30	30
Quarter Round Panel Worksurface - Right	EVWQRR1818	175	59	173	18	18
	EVWQRR2424	246	86	247	24	24
	EVWQRR3030	324	99	310	30	30

EVWQRC - QUARTER ROUND PANEL CORNER WORKSURFACE


- Wraps around a 90° corner post.
- The user edge abutting the adjacent worksurface runs straight for 3" before starting to curve.
- Support hardware must be ordered separately. See the listing in this section.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
		TF	HP ADD	HPW ADD	D	W
Quarter Round Panel Corner Worksurface	EVWQRC1818	204	69	201	18	18
	EVWQRC2424	292	95	288	24	24
	EVWQRC3030	362	120	354	30	30

EVWR - RADIUS WORKSURFACE


- Support hardware must be ordered separately. See listing in this section of the price book.
- Monoleg is included.
- Notched end is not finished.
- 18" and 24" come with one monoleg.
- 30" comes with two monolegs.
- Worksurfaces greater than 48" wide require additional structural support.
- Please choose from Designer White (DWT), Silver (SIL) or Black (BLK) for scoop covers.

DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		TF	HP	HPW	D	W
Radius Worksurface	EVWR18	503	196	541	18	39
	EVWR24	582	228	633	24	51
	EVWR30	1046	408	1127	30	63




EVWT - STRAIGHT TRANSACTION WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	PRICE		DIMENSIONS/INCHES	
			HP ADD	HPW ADD	D	W
	Straight Transaction Worksurface	EVWT1512	71	32	80	15 12
		EVWT1518	94	36	97	15 18
		EVWT1524	112	47	124	15 24
		EVWT1530	134	52	140	15 30
		EVWT1536	151	61	163	15 36
		EVWT1542	172	69	183	15 42
		EVWT1548	194	73	201	15 48
		EVWT1554	211	82	228	15 54
		EVWT1560	234	90	247	15 60
		EVWT1566	250	99	277	15 66
		EVWT1572	270	106	289	15 72
		EVWT1578	290	112	311	15 78
		EVWT1584	311	124	336	15 84

EVWTV - STRAIGHT TRANSACTION WORKSURFACE WITH CUT-OUT


- Used when mounted to a panel that has a taller panel against it in a straight run at an inline.
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	PRICE		DIMENSIONS/INCHES	
			HP ADD	HPW ADD	W	D
	Straight Transaction Worksurface with Cut-Out	EVWTV1524	128	41	122	15 24
		EVWTV1530	141	57	149	15 30
		EVWTV1536	163	59	167	15 36
		EVWTV1542	183	69	193	15 42
		EVWTV1548	204	75	216	15 48
		EVWTV1554	224	81	232	15 54
		EVWTV1560	243	82	243	15 60
		EVWTV1566	267	380	565	15 66
		EVWTV1572	281	109	301	15 72




EVWTCL - "L" CORNER TRANSACTION SURFACE

- When specifying this item along with a straight surface, deduct 12" from each return side.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	PRICE TF HP ADD	DIMENSIONS/INCHES	
			HPW ADD	D W
	"L" Corner Transaction Surface	EVWTCL90	206	70 204 15 21


EVWTCT - "T" CORNER TRANSACTION SURFACE

- When specifying this item along with a straight surface, deduct 12" from each return side
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	PRICE TF HP ADD	DIMENSIONS/INCHES	
			HPW ADD	D W
	"T" Corner Transaction Surface	EVWTCT90	182	70 194 15 27


EVWTE - END TRANSACTION SURFACE

- Extends 1" past end of run.
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	PRICE TF HP ADD	DIMENSIONS/INCHES	
			HPW ADD	D W
	End Transaction Surface	EVWTE1512	94	36 97 15 14
	EVWTE1518	112	47	124 15 20
	EVWTE1524	134	52	140 15 26
	EVWTE1530	151	61	163 15 32
	EVWTE1536	172	69	183 15 38
	EVWTE1542	194	73	201 15 44
	EVWTE1548	211	82	228 15 50
	EVWTE1554	234	90	247 15 56
	EVWTE1560	250	99	277 15 62
	EVWTE1566	270	106	289 15 68
	EVWTE1572	290	112	311 15 74

EVWTEV - END TRANSACTION SURFACE WITH CUT-OUT

- Used when mounted to a panel that has a taller panel against it in a straight run at an inline.
- Notched end is not finished.
- Support hardware must be ordered separately. See listing in this section of the price book.
- Extends 1" past end of run

DESCRIPTION	PRODUCT CODE	PRICE TF HP ADD	DIMENSIONS/INCHES	
			HPW ADD	D W
	End Transaction Surface with Cut-Out	EVWTEV1524	141	57 149 15 26
	EVWTEV1530	163	59	167 15 32
	EVWTEV1536	183	69	193 15 38
	EVWTEV1542	204	75	216 15 44
	EVWTEV1548	224	81	232 15 50
	EVWTEV1554	243	94	257 15 56
	EVWTEV1560	267	95	277 15 62
	EVWTEV1566	281	110	302 15 68
	EVWTEV1572	302	117	321 15 74



EVWTD - "D" TRANSACTION SURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.

DESCRIPTION	PRODUCT CODE	TF	PRICE		DIMENSIONS/INCHES	
			HP ADD	HPW ADD	D	W
	"D" Transaction Surface					
	EVWTD1530	171	66	180	15	37
	EVWTD1536	182	71	195	15	43
	EVWTD1542	201	80	218	15	49
	EVWTD1548	224	86	234	15	55
	EVWTD1554	242	97	265	15	61
	EVWTD1560	267	101	281	15	67
	EVWTD1566	282	113	311	15	73
	EVWTD1572	310	124	336	15	79

EVWTDV - END "D" TRANSACTION SURFACE WITH CUT-OUT

- Notched end is not finished.
- Used when mounted to a panel that has a taller panel against it in a straight run at an inline.
- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	PRICE		DIMENSIONS/INCHES	
			HP ADD	HPW ADD	D	W
	End "D" Transaction Surface with Cut-Out					
	EVWTDV1530	182	64	185	15	37
	EVWTDV1536	194	71	198	15	43
	EVWTDV1542	214	79	221	15	49
	EVWTDV1548	235	87	244	15	55
	EVWTDV1554	250	95	266	15	61
	EVWTDV1560	277	104	289	15	67

EVWTDD - DOUBLE "D" TRANSACTION SURFACE

- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	PRICE		DIMENSIONS/INCHES	
			HP ADD	HPW ADD	D	W
	Double "D" Transaction Surface					
	EVWTDD1548	250	99	277	15	63
	EVWTDD1560	290	112	311	15	75
	EVWTDD1572	340	134	363	15	87

EVW4T - CORNER TRANSACTION SURFACE FOR 45° POST


- Support hardware must be ordered separately. See listing in this section of the price book.

DESCRIPTION	PRODUCT CODE	TF	PRICE		DIMENSIONS/INCHES	
			HP ADD	HPW ADD	W	D
	Corner Transaction Surface for 45° Post					
	EVW4T1524	698	201	650	15	24
	EVW4T1530	870	254	815	15	30
	EVW4T1536	1218	353	1135	15	36
	EVW4T1542	1623	469	1511	15	42
	EVW4T1548	1739	502	1620	15	48





EVW6T - CORNER TRANSACTION SURFACE FOR 60° POST

- Support hardware must be ordered separately. See listing in this section of the price book.
- Worksurfaces greater than 48" wide require additional structural support.

	DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
			TF	HP ADD	HPW ADD	D	W
	Corner Transaction Surface for 60° Post	EVW6T1518 EVW6T1524 EVW6T1530 EVW6T1536 EVW6T1542 EVW6T1548	409 639 832 1156 1259 1646	135 217 280 388 423 552	401 638 832 1157 1262 1650	15 15 15 15 15 15	18 24 30 36 42 48


EVW9T - CORNER TRANSACTION SURFACE FOR 90° POST

- Support hardware must be ordered separately. See listing in this section of the price book.

	DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
			TF	HP ADD	HPW ADD	D	W
	Corner Transaction Surface for 90° Post - Left	EVW9TL1524 EVW9TL1530 EVW9TL1536 EVW9TL1542 EVW9TL1548	397 477 557 636 715	210 256 289 330 374	511 618 712 815 914	15 15 15 15 15	24 30 36 42 48
	Corner Transaction Surface for 90° Post - Right	EVW9TR1524 EVW9TR1530 EVW9TR1536 EVW9TR1542 EVW9TR1548	397 477 557 636 715	210 256 289 330 374	511 618 712 815 914	15 15 15 15 15	24 30 36 42 48


EVWMP - WORKSURFACE MODESTY PANEL

- Modesty panel fastens to the worksurface and monoleg to provide additional privacy and support
- Made of cold rolled steel
- Metal finish is durable epoxy powder coated.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			D	W			
	Worksurface Modesty Panel	EVWMP1242 EVWMP1248 EVWMP1260 EVWMP1272	136 136 162 182	12 12 12 12		26 32 44 56	

EVHEP - END PANEL


- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.
- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

	DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
			D	H			
	End Panel - 29" High	EVHEP2918 EVHEP2924 EVHEP2930	204 300 350	18 24 30		28 28 28	




EVWS - STRAIGHT WORKSURFACE - HEIGHT ADJUSTABLE

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		LP	HP ADD	HPW ADD	D	W	
	Straight Worksurface	EVWS2346 EVWS2352 EVWS2358 EVWS2364 EVWS2370 EVWS2376 EVWS2382	294 346 387 405 422 678 682	64 136 149 159 161 194 201	179 375 416 433 450 624 638	23 23 23 23 23 23 23	46 52 58 64 70 76 82
		EVWS2946 EVWS2952 EVWS2958 EVWS2964 EVWS2970 EVWS2976 EVWS2982	346 380 405 421 445 842 855	136 145 159 162 174 248 243	375 405 433 451 483 789 791	29 29 29 29 29 29 29	46 52 58 64 70 76 82


EVWS - STRAIGHT WORKSURFACE - HEIGHT ADJUSTABLE RETURNS

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		LP	HP ADD	HPW ADD	D	W	
	Straight Worksurface	EVWS2329 EVWS2335 EVWS2341 EVWS2347 EVWS2353 EVWS2359	171 193 246 294 346 387	64 73 98 118 136 149	179 200 268 323 375 416	23 23 23 23 23 23	29 35 41 47 53 59
		EVWS2929 EVWS2935 EVWS2941 EVWS2947 EVWS2953 EVWS2959	198 235 328 346 380 405	82 90 125 136 145 159	220 248 350 375 405 433	29 29 29 29 29 29	29 35 41 47 53 59


EVWCC - CORNER SURVED WORKSURFACE - HEIGHT ADJUSTABLE

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		LP	HP ADD	HPW ADD	D	W	
	Corner Curved Worksurface	EVWCC5223 EVWCC5823	1047 1394	460 565	1051 1112	23 23	52 58
		EVWCC4629 EVWCC5229 EVWCC5829	966 1047 1394	416 460 565	1102 1051 1112	29 29 29	46 52 58

EVWCEL - EXTENDED CORNER WORKSURFACE - HEIGHT ADJUSTABLE


- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		LP	HP ADD	HPW ADD	D1	D2	W
	Extended Corner Worksurface						
	EVWCEL462358	982	234	840	46	23	58
	EVWCEL462364	1058	292	970	46	23	64
	EVWCEL462370	1137	340	1075	46	23	70
	EVWCEL462376	1247	328	1112	46	23	76
	EVWCEL462382	1301	373	1201	46	23	82
	EVWCEL522358	1148	523	1027	52	23	58
	EVWCEL522364	1234	574	1128	52	23	64
	EVWCEL522370	1322	624	1232	52	23	70
	EVWCEL522376	1497	730	1439	52	23	76
	EVWCEL522382	1676	834	1641	52	23	82
	EVWCEL582364	1262	573	1128	58	23	64
	EVWCEL582370	1357	631	1242	58	23	70
	EVWCEL582376	1573	746	1467	58	23	76
	EVWCEL582382	1785	868	1711	58	23	82
	EVWCEL462958	1036	300	965	46	29	58
	EVWCEL462964	1127	329	1056	46	29	64
	EVWCEL462970	1225	353	1136	46	29	70
	EVWCEL462976	1316	380	1227	46	29	76
	EVWCEL462982	1387	401	1294	46	29	82
	EVWCEL522958	1192	541	1068	52	29	58
	EVWCEL522964	1282	598	1174	52	29	64
	EVWCEL522970	1375	651	1279	52	29	70
	EVWCEL522976	1558	759	1493	52	29	76
	EVWCEL522982	1741	867	1707	52	29	82
	EVWCEL582964	1349	621	1222	58	29	64
	EVWCEL582970	1444	679	1335	58	29	70
	EVWCEL582976	1635	791	1556	58	29	76
	EVWCEL582982	1829	904	1777	58	29	82




EVWCER - EXTENDED CORNER WORKSURFACE - HEIGHT ADJUSTABLE

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES		
		LP	HP ADD	HPW ADD	D1	D2	W
	Extended Corner Worksurface						
	EVWCER462358	982	234	840	46	23	58
	EVWCER462364	1058	292	970	46	23	64
	EVWCER462370	1137	340	1075	46	23	70
	EVWCER462376	1247	328	1112	46	23	76
	EVWCER462382	1301	373	1201	46	23	82
	EVWCER522358	1148	523	1027	52	23	58
	EVWCER522364	1234	574	1128	52	23	64
	EVWCER522370	1322	624	1232	52	23	70
	EVWCER522376	1497	730	1439	52	23	76
	EVWCER522382	1676	834	1641	52	23	82
	EVWCER582364	1262	573	1128	58	23	64
	EVWCER582370	1357	631	1242	58	23	70
	EVWCER582376	1573	746	1467	58	23	76
	EVWCER582382	1785	868	1711	58	23	82
	EVWCER462958	1036	300	965	46	29	58
	EVWCER462964	1127	329	1056	46	29	64
	EVWCER462970	1225	353	1136	46	29	70
	EVWCER462976	1316	380	1227	46	29	76
	EVWCER462982	1387	401	1294	46	29	82
	EVWCER522958	1192	541	1068	52	29	58
	EVWCER522964	1282	598	1174	52	29	64
	EVWCER522970	1375	651	1279	52	29	70
	EVWCER522976	1558	759	1493	52	29	76
	EVWCER522982	1741	867	1707	52	29	82
	EVWCER582964	1349	621	1222	58	29	64
	EVWCER582970	1444	679	1335	58	29	70
	EVWCER582976	1635	791	1556	58	29	76
	EVWCER582982	1829	2730	3606	58	29	82

EVWS - EXTENDED CURVED CORNER RETURN - HEIGHT ADJUSTABLE

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.

DESCRIPTION	PRODUCT CODE	PRICE			DIMENSIONS/INCHES	
		LP	HP ADD	HPW ADD	D	W
	Extended Corner Worksurface	EVWS2324 EVWS2336 EVWS2348	160 171 193	59 64 73	165 179 200	23 24 23 36 23 38
		EVWS2924 EVWS2936 EVWS2948	188 198 235	69 82 90	195 220 248	23 24 23 36 23 48

EVWC6C - 60 DEGREE CURVED CORNER WORKSURFACE - HEIGHT ADJUSTABLE

- Support hardware must be ordered separately. See listing in this section of the price book.
- There is no scoop in this worksurface.


DESCRIPTION	PRODUCT CODE	LIST PRICE			DIMENSIONS/INCHES	
		LP	HP ADD	HPW ADD	D	W
	Curved Corner Worksurface	EVWC6C2346 EVWC6C2352	1592 1700	214 832	1115 1641	23 46 23 52
		EVWC6C2946 EVWC6C2952	1592 1700	214 832	1115 1641	29 46 29 52



EVTHLEG - EVOLVE BRIDGES LEG

- Leg assembly attaches to panel for application which requires functionality of panels with environment of bridges tables.
- One leg with horizontal member connection to 1" increment slots in connector. Provides support to panel and panel connected worksurface at end of run- design coordinated with Bridges freestanding tables.
- Supports 24" and 30" deep worksurface
- One leg can support 2 adjoining worksurfaces by specifying 2 flat brackets.
- Leveling glides is standard


- No worksurface supporting beams, use panel cantilever and storage for worksurface support.
- One aluminum leg with steel structure - specify left or right and 24" or 30" deep for corresponding worksurface depth.
- Panel bracket, dislodgment clip and worksurface hardware included.
- Anodized aluminum upcharge \$32.00.
- Please specify paint finish.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Evolve Bridges Leg				
	EVRTHLEG24LL	470	29	2.5	24
	EVRTHLEG24RL	470	29	2.5	24
	EVRTHLEG30LL	493	29	2.5	30
	EVRTHLEG30RL	493	29	2.5	30

EVHPL - EVOLVE PRINCETON LEG



- Princeton leg supports Evolve worksurfaces
- Includes leveling glides

- Legs must be used with exact depth worksurfaces only
- Available in standard paint finishes

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Evolve Princeton Leg				
	EVHPL24	448	27.5	6.75	24
	EVHPL30	465	27.5	6.75	30

EVHPL - EVOLVE PRINCETON LEG WITH BRACKET

- Bracket attaches to back of Princeton leg and connects Princeton leg to panel connector
- Supports the worksurface and enhance stability of connected panels
- Includes levelling glides
- Available in standard paint finishes

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Evolve Princeton Leg with Left Bracket				
	EVHPL24L	493	27.5	6.75	24
	EVHPL30L	509	27.5	6.75	30
	Evolve Princeton Leg with Right Bracket				
	EVHPL24R	493	27.5	6.75	24
	EVHPL30R	509	27.5	6.75	30

EVHMEGR - METAL END GABLE ROUND LEG - NO HANDED

- Support the worksurface and enhances the stability of connected panels.
- Includes a leveling glide and decorative PVC sleeve to cover the glide.
- Attaches to Evolve Panels connectors.

- Available in standard paint colors.
- Mounting bracket is universal (LH or RH), attached with screws to back of leg.
- Note: No sharing, please use EVHMSL12 for sharing

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Metal End Gable Round Leg No Handed	EVHMEGR24 EVHMEGR30	313 329	29 29	2 2 23 29

EVHMEGS - METAL END GABLE SQUARE LEG - NO HANDED

- Support the worksurface and enhances the stability of connected panels.
- Includes a leveling glide and decorative PVC sleeve to cover the glide.
- Attaches to Evolve Panels connectors.


- Available in standard paint colors.
- Mounting bracket is universal attached with screws to back of leg.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Metal End Gable Round Leg No Handed	EVHMEGS24 EVHMEGS30	277 294	29 29	2 2 23 29

EVHMSL - METAL SUPPORT LEG

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Levelling glide may be extended up to 1 1/2" maximum.
- Flat brackets recommended to ensure alignment of neighboring surface.


- Available in standard paint colors.
- Not designed for use at the end of a worksurface.
- Handedness of support leg cannot be changed.
- Not designed to be used with radius worksurfaces.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Metal Support Leg	EVHMSL12	264	28	11 4

EVHMSSL - METAL SUPPORT SQUARE LEG

- Support two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a leveling glide and decorative PVC sleeve to cover the glide.


- Attaches to Evolve Panels.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Metal Support Square Leg	EVHMSSL12	238	29	2 11




EVHC - CANTILEVER FOR KEYBOARD WORKSURFACES

- Attaches a worksurface to a panel connector.
- Used to support two convergent worksurfaces.
- 2 flat brackets are included.
- Priced individually
- Specify handedness of each cantilever
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			D	W	H
	EVHC12L/R	118	12	6	12
	EVHC18L/R	118	18	6	
	EVHC24L/R	135	24	6	


EVHS - SUPPORT LEG

- Used in conjunction with a EVHC cantilever.
- Provides extra support where needed.
- Used to help support two convergent worksurfaces.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVHSL2918	110	23.38	0.75	12.5
	EVHSL2924	110	23.38	0.75	12.5
Support Leg - Right	EVHSR2918	110	23.38	0.75	12.5
	EVHSR2924	110	23.38	0.75	12.5


EVHCL - CORNER LEG WITH LEVELER

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- Leveling glide may be extended up to 1 1/2" maximum.
- 1.5" diameter
- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			H	W
	EVHCL1	140	28	28
	EVHCL2	140	28	

EVHMSL - MID SUPPORT LEG


- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- Leveling glide may be extended up to 1 1/2" maximum.
- 1.5" diameter.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			H	W
	EVHMSL1	101	28	28
	EVHMSL2	101	28	





EVHMSL - MID SUPPORT LEG

- Provides additional support for worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" square tube.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVHMSCL18	162	28	18	1.5

EVWS - 5" SURFACE TO STORAGE SUPPORT LEG


- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			H	
	EVWSRL01	63	4.5	
	EVWSSL01	63	4.5	

Round Square


EVHCB - CORNER BRACKETS

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
	EVHCB2	34	2.5	3.5

EVHTB - TRANSACTION BRACKETS


- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.
- Priced and shipped in pairs.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
	EVHTB2	34	2.5	3.5



EVHFB - FLAT BRACKET

- Must be used in conjunction with cantilevers or transaction brackets to ensure alignment of neighboring surfaces.
- Priced individually
- Available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
	Flat Bracket	EVHFB1	23	3 4


EVHCFB1- TIE PLATE

- Must be used in conjunction with cantilever or transaction brackets to ensure alignment of neighboring surfaces.
- Aligns with threaded metal inserts in worksurfaces.
- Priced individually.
- Available in black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	W
	Tie Plate	EVHCFB1	23	1.5 3.36


EVHPB - PEDESTAL BRACKET

- Attaches to back edge of a pedestal and connects a pedestal to panel connector.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			H	
	Pedestal Bracket	EVHPB1	39	11

EVHWSC - WORKSURFACE SUPPORT CHANNEL

- Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- Screws are included.
- Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			L	D
	Worksurface Support Channel	EVHWSC40 - for 54" wide table EVHWSC46 - for 60" wide table EVHWSC52 - for 66" wide table EVHWSC58 - for 72" wide table EVHWSC64 - for 78" wide table EVHWSC70 - for 84" wide table	86 93 99 112 125 136	40 5 46 5 52 5 58 5 64 5 70 5



EVHWCB1 - WORKSURFACE TO STORAGE BRACKETS

- Bracket connects Worksurface to Storage Towers as additional support.
- Bracket EVHWCB1 cannot fully support a Worksurface. It is to be used in conjunction with a Cantilever.
- Available in standard paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVHWCB1	14	1.25	2	2

EVHV - SINGLE SLOTTED WALL ADAPTER

- To attach system components to a fixed wall. The vertical wall adapter is a "U" shaped channel with a vertical row of 1" slots on center.
- Mounting hardware not included. Mounting hardware selection to be based on wall material.
- Use of wall rack requires lower tooth of top hook on cantilever or shelf to be notched in the field.
- Available in standard paint colors.
- Shipped & priced per pair.

NOTE:

- Care should be taken to mount adapters only to wall studs using correct fasteners. Failure to do this may result in collapse of the unit and subsequent possible personal injury.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			H	D
	EVHV01	99	60	.5

EVDCP - CENTRAL SUPPORT PANEL

- Supports and connects 2 worksurfaces
- Includes two end panel brackets, two levelling glides and modesty inter connect bracket (EVDECCR)
- Attaches to modesty panel
- End panel height is inclusive of panel glides extended to their fullest height
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			W	H
	EVDCP2910	193	10	28
	EVDCP2914	243	14	28
	EVDCP2610	172	10	28
	EVDCP2614	228	14	28



EVDHMSB - MID SUPPORT BRACKET

- Provides mid support for worksurfaces
- Recommended for any lengths over 42"
- Available in black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			D	W	H
 Mid Support Bracket	EVDHMSB	59	7 1/2	7 1/2	1/2

EVDECCR - MODESTY INTER-CONNECT BRACKET

- Attaches two modesty panels to a mid support panel

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			W	H	
 Modesty Inter-Connect Bracket	EVDECCR	33	12 1/2	4	

EVDHBLB - END PANEL "L" BRACKET

- Attaches a modesty panel to an end panel
- Available in black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			D	W	H
 End Panel "L" Bracket	EVDHBLB	34	1 1/2	12	1 1/2





NOTES



freestanding



EVWFR - RECTANGULAR FREESTANDING WORKSURFACE WITH CORNER LEGS

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			D	W	H	
	Rectangular Freestanding Worksurface with Round Corner Legs	EVWFR2448HP EVWFR2460HP EVWFR3048HP EVWFR3060HP	951 1102 1035 1133	24 24 30 30	48 60 48 60	29 29 29 29
	Rectangular Freestanding Worksurface with Square Corner Legs	EVWFRS2448HP EVWFRS2460HP EVWFRS3048HP EVWFRS3060HP	951 1102 1035 1133	24 24 30 30	48 60 48 60	29 29 29 29

EVWFS - SQUARE FREESTANDING WORKSURFACE WITH CORNER LEGS


- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			D	W	H	
	Square Freestanding Worksurface with Round Corner Legs	EVWFS36HP EVWFS42HP EVWFS48HP	1005 1153 1362	36 42 48	36 42 48	29 29 29
	Square Freestanding Worksurface with Square Corner Legs	EVWFSS36HP EVWFSS42HP EVWFSS48HP	1005 1153 1362	36 42 48	36 42 48	29 29 29



EVWFC - ROUND FREESTANDING WORKSURFACE WITH CORNER LEGS

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			W	H
	EVWFC36HP	1072	36	29
	EVWFC42HP	1289	42	29
	EVWFC48HP	1537	48	29
	EVWFCS36HP	1072	36	29
	EVWFCS42HP	1289	42	29
	EVWFCS48HP	1537	48	29

NOTES



storage

PRIME FILE FEATURES

- **THE LETTER "P" IN THE MODEL NUMBER DESIGNATES FULL PULL MODELS.**
- An earth friendly electrostatically applied coating protects the environment and provides a durable finish.
- Master keys and core keys are available; please contact your Global customer care representative.
- Five lateral file drawer configurations are available: two-high, three-high, four-high, five-high and six-high, all available in three height options (with the exception of the six-high cabinet which is available in letter-height only).
- **STANDARD LOCK BARS ARE ON BOTH SIDES OF CABINET PROVIDING INCREASED SECURITY.**
- A patented interlocking system prevents more than one drawer opening at a time to guard against tipping.
- An optional, fully-retractable posting shelf is available for five- and six-high lateral file cabinets to provide a convenient ledge.
- All drawer heights are based on a 1.6" module (the size of the posting shelf), then 3.2", 4.8", 6.4" to up to 16".
- The interior construction of the case permits drawer reconfiguration or retrofit at any time.
- Full extension ball bearing suspension with built-in feature to prevent drawer bounce back and creepage.
- 14.4"H Openings (with receding doors) will accommodate letter, legal and A4 hanging folders, plus **STANDARD THREE RING BINDERS**.
- 13.6"H Openings (with fixed drawer fronts) will accommodate letter, legal and A4 hanging folders, plus **EDP SUSPENDED DATA BINDERS**.
- 11.2"H Openings (with receding doors or fixed drawer fronts) will accommodate letter, legal or A4 hanging file folders.
- **DRAWER FRONTS HAVE A WELDED REINFORCEMENT CHANNEL FOR ADDITIONAL STRENGTH.**
- Four adjustable leveling glides are easily accessible from inside the cabinet to assist in quick and proper installation, with 1" adjustment.
- Label holders are included with full pull fronts to clearly identify the contents of each drawer.
- All lateral file accessories are Grey, except for the divider plates and EDP adapters are Black.
- Side-to-side hanging file bars permit hanging letter-, legal- or metric-size files in side-to-side arrangements
- Front-to-back file bars permit hanging letter-, legal- or metric-size files in a front-to-back arrangement. They are shipped in packages of two.
- **Counterweights are required for all cabinets with pull-out drawers and cabinets not located directly under a worksurface.**
- For environmental certifications, please visit globalfurnituregroup.com
- Lifetime Warranty. (See Terms and Conditions)

STANDARD PAINT COLORS

Black (BLK)	Blizzard (BZD)	Charcoal (CHR)
Designer White (DWT)	Fog (FOG)	Nevada (NEV)
Silver (SIL)	Stone Dust (SDT)	Taupe (TPE)
Tungsten (TUN)*		

*10% upcharge applies.

PREMIUM PAINT COLORS**

Black Coffee (BKC)	Bone (BNE)	Business Grey (BGR)
Claret (CLT)	Dark Chocolate (DCH)	Desert Putty (DPT)
Grey (GRY)	Ice (ICE)	Ivory (IVR)
Light Grey (LGR)	Metro (ME)	Mocha (MCH)
Moss (MOS)	Navy (NVY)	Oyster (OYS)
Sky (SKY)	Stone (STN)	Storm Grey (SGR)
Tahiti Sand (TSA)	Willow (WIL)	

- **Extended lead times for premium paints apply. Contact Evolve Customer Support for details.
- Global matte paint finishes are available on most Evolve Storage pieces without an up charge regardless of quantities.
- All Mica and Metallic paint finishes will incur a minimum up charge of 10%.
- All non-standard paint finishes must be approved by Evolve prior to placing an order.

GENERAL WARRANTY INFORMATION


- Evolve warrants all components of metal storage and filing for the lifetime of the product to the original purchaser.
















This page provides a three dimensional view of a sample configuration highlighting each storage component required when specifying this configuration.

Components

- A.** UUPFSBG Box, Box, File Pedestal
- B.** UUKSS Low-Profile Shelf
- C.** UULSF Overhead Flipper Door Storage Unit




INTERIOR CLEAR OPENING WIDTH DIMENSIONS AND FILING CAPACITY

	Letter	Legal	EDP
30" Wide Units side-to-side UULFA01 side-to-side file bars are included in standard product.	 Capacity - $26 \frac{5}{8}$ "	 Capacity - $26 \frac{5}{8}$ "	 Capacity - $26 \frac{7}{16}$ " Need ONE pair of EDPs.
	 Prime - $30 \frac{1}{2}$ "	 Prime - $15 \frac{1}{4}$ " + 10" side space	NOT AVAILABLE
30" Wide Units front-to-back Not Standard See chart to order the correct number of UULFA0718 per drawer.	Need ONE pair of UULFA01 & UULFA0718	Need ONE pair of UULFA01 & UULFA0718	
36" Wide Units side-to-side UULFA02 side-to-side file bars are included in standard product.	 Capacity - $32 \frac{5}{8}$ "	 Capacity - $32 \frac{5}{8}$ "	 Capacity - $32 \frac{5}{8}$ " Need ONE pair EDPs.
	 Prime - $30 \frac{1}{2}$ " + $6 \frac{1}{2}$ " side space	 Prime - $30 \frac{1}{2}$ "	NOT AVAILABLE
36" Wide Units front-to-back Not Standard See chart to order the correct number of UULFA0718 per drawer.	Need ONE pair of UULFA02 & UULFA0718	Need ONE pair of UULFA02 & UULFA0718	
42" Wide Units side-to-side UULFA03 side-to-side file bars are included in standard product.	 Capacity - $38 \frac{5}{8}$ "	 Capacity - $38 \frac{5}{8}$ "	 Capacity - $38 \frac{5}{8}$ " Need ONE pair EDPs.
	 Prime - $45 \frac{3}{4}$ "	 Prime - $30 \frac{1}{2}$ " + $6 \frac{1}{2}$ " side space	NOT AVAILABLE
42" Wide Units front-to-back Not Standard See chart to order the correct number of UULFA0718 per drawer.	Need TWO pairs of UULFA03 & UULFA0718	Need TWO pairs of UULFA03 & UULFA0718	




UULSF - OVERHEAD FLIPPER DOOR STORAGE UNIT

- Door retracts inside of cabinet.
- Ships fully assembled.
- Inside depth: 12.7".
- 54" and 60" wide models have two doors and two locks.
- Lock is included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Overhead Flipper Door Storage Unit	UULSF1324	742	14.6	13.5
	UULSF1330	753	14.6	13.5	30
	UULSF1336	776	14.6	13.5	36
	UULSF1342	817	14.6	13.5	42
	UULSF1348	870	14.6	13.5	48
	UULSF1354	921	14.6	13.5	54
	UULSF1360	971	14.6	13.5	60

UULSF - OVERHEAD FLIPPER DOOR STORAGE UNIT

- Inside depth: 15.7".
- Ships fully assembled.
- Door retracts inside storage unit.
- 54" and 60" wide models have two doors and two locks.
- Lock is included.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Overhead Flipper Door Storage Unit - Fully Assembled	UULSF1624	983	14.6	16.5
	UULSF1630	1007	14.6	16.5	30
	UULSF1636	1058	14.6	16.5	36
	UULSF1642	1125	14.6	16.5	42
	UULSF1648	1198	14.6	16.5	48
	UULSF1654	1266	14.6	16.5	54
	UULSF1660	1319	14.6	16.5	60

STORAGE

LAMINATE OVERHEAD STORAGE


EVS4DOH - LAMINATE OVERHEAD WITH HINGED DOOR

- Inside height - 13".
- Inside depth - 14".
- Laminate storage cabinet, available in standard Evolve laminate finishes.
- Hardware included to mount unit on the panels.
- Can be panel mounted or wall mounted.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVS4DOH24	1283	14.5	16.5	24
	EVS4DOH30	1460	14.5	16.5	30
	EVS4DOH36	1550	14.5	16.5	36
	EVS4DOH42	1746	14.5	16.5	42
	EVS4DOH48	1946	14.5	16.5	48
	EVS4DOH54	2428	14.5	16.5	54
	EVS4DOH60	2518	14.5	16.5	60
	EVS4DOH66	2639	14.5	16.5	66
	EVS4DOH72	2699	14.5	16.5	72


EVSOPOH - LAMINATE OVERHEAD OPEN

- Inside height - 13".
- Inside depth - 14".
- Laminate storage cabinet, available in standard Evolve laminate finishes.
- Hardware included to mount unit on the panels.
- Can be panel mounted or wall mounted.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSOPOH24	885	14.5	16.5	24
	EVSOPOH30	980	14.5	16.5	30
	EVSOPOH36	1069	14.5	16.5	36
	EVSOPOH42	1160	14.5	16.5	42
	EVSOPOH48	1374	14.5	16.5	48
	EVSOPOH54	1415	14.5	16.5	54
	EVSOPOH60	1505	14.5	16.5	60
	EVSOPOH66	1596	14.5	16.5	66
	EVSOPOH72	1686	14.5	16.5	72

EVSGDOH - LAMINATE OVERHEAD WITH SLIDING GLASS DOOR

- Inside height - 13".
- Inside depth - 12.5".
- Laminate storage cabinet, available in standard Evolve laminate finishes.
- Available in Tempered Frosted Glass only, with handle.
- Tracks for sliding glass available in Tungsten only.
- Hardware included to mount unit on the panels.
- Can be panel mounted or wall mounted.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSGDOH24	2558	14.5	16.5	24
	EVSGDOH30	2771	14.5	16.5	30
	EVSGDOH36	2956	14.5	16.5	36
	EVSGDOH42	3154	14.5	16.5	42
	EVSGDOH48	3414	14.5	16.5	48
	EVSGDOH54	3617	14.5	16.5	54
	EVSGDOH60	3809	14.5	16.5	60
	EVSGDOH66	4093	14.5	16.5	66
	EVSGDOH72	4334	14.5	16.5	72



EVSDAOH - DUAL ACCESS OVERHEAD

- Inside dimensions 13"high x 13"deep.
- Laminate Overhead. Available in standard Evolve laminate finishes

- Top mount on panels.
- Dual Access Overhead Support Brackets to be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Dual Access Overhead - Left	EVSDAOHL36	1127	15	14.125	36
	EVSDAOHL42	1224	15	14.125	42
	EVSDAOHL48	1279	15	14.125	48
	EVSDAOHL54	1377	15	14.125	54
	EVSDAOHL60	1430	15	14.125	60
Dual Access Overhead - Right	EVSDAOHR36	1127	15	14.125	36
	EVSDAOHR42	1224	15	14.125	42
	EVSDAOHR48	1279	15	14.125	48
	EVSDAOHR54	1377	15	14.125	54
	EVSDAOHR60	1430	15	14.125	60

EVSDAOHOS - DUAL ACCESS OVERHEAD WITH OPENING TO ONE SIDE

- Inside dimensions 13"high x 13"deep
- Laminate Overhead
- Available in standard Evolve laminate finishes


- Top mount on panels
- Dual Access Overhead with both opening to one side
- Dual Access Overhead Support Brackets to be ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Dual Access Overhead	EVSDAOHOS36	1182	15	14.125	36
	EVSDAOHOS42	1283	15	14.125	42
	EVSDAOHOS48	1341	15	14.125	48
	EVSDAOHOS54	1443	15	14.125	54
	EVSDAOHOS60	1502	15	14.125	60

EVSDAOHBKTE - END OF RUN BRACKET

- Bracket supports dual access overhead on one side only
- Includes one bracket, aluminum insert and end of run plastic cap


- End of run plastic cap attaches to end of run trim
- Bracket available in standard Evolve paint finishes

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
End of Run Single Bracket	EVSDAOHBKTE	101		6.5	12
2.5					
					

EVSDAOHCBKTER/L - END OF RUN CANTILEVER BRACKET

- Bracket supports dual access overhead on one side only
- Includes one bracket, aluminum insert and end of run plastic cap
- End of run plastic cap attaches to end of run trim

- Bracket available in standard Evolve paint finishes
- Bracket overhang to one side

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
End of Run Single Bracket Right End of Run Single Bracket Left	EVSDAOHCBKTER	101	6.5	12	2.5
	EVSDAOHCBKTEL	101	6.5	12	2.5
					




EVSDAOHBKTS - INLINE SINGLE BRACKET

- Bracket supports dual access overhead on one side only
- Includes one bracket, aluminum insert and inline plastic cap
- Inline plastic cap and top trim align
- Bracket available in standard Evolve paint finishes
- Single clamps must be used when inline single bracket is used

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSDAOHBKTS	101	6.5	12	2.5

EVSDAOHCBKTSR/L - INLINE SINGLE CANTILEVER BRACKET

- Bracket supports dual access overhead on one side only
- Includes one bracket, aluminum insert and inline plastic cap
- Inline plastic cap and top trim align
- Bracket available in standard Evolve paint finishes
- Bracket overhang to one side
- Note: Single clamps must be used when inline single bracket is used

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSDAOHCBKTSR	101	6.5	12	2.5
Inline Single Bracket Left	EVSDAOHCBKTSL	101	6.5	12	2.5

EVSDAOHBKTD - DOUBLE BRACKET

- Double Bracket supports sides of dual access overheads when overhead are side by side.
- Includes two brackets, aluminum insert and plastic caps.
- Plastic caps installed between brackets
- Brackets available in standard Evolve paint finishes.
- Single clamps must be used when double bracket is used.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSDAOHBKTD	200	6.5	12	4

EVSDAOHCBKTD - DOUBLE CANTILEVER BRACKET



- Double Bracket supports sides of dual access overheads when overhead are side by side
- Includes two brackets, aluminum insert and plastic caps
- Plastic caps installed between brackets
- Brackets available in standard Evolve paint finishes
- Bracket overhang to one side
- Note: Single clamps must be used when double bracket is used

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSDAOHCBKTD	200	6.5	12	4




EVSSOH - TOP MOUNT KD OVERHEAD WITH SLIDING GLASS DOOR LEFT

- Inside dimensions 13"high x 13"deep.
- Laminate Side Walls and Divider, available in standard laminate finishes
- Metal Shelves and Back Wall, available in standard paint finishes
- Available in Temperate Frosted Glass only
- Tracks for sliding glass available in Tungsten only
- Top mount on panels
- Ready for quick assembly on site
- Top Mount Overhead Support Brackets to be ordered separately

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSOHL30	1234	15	15	30
	EVSSOHL36	1365	15	15	36
	EVSSOHL42	1502	15	15	42
	EVSSOHL48	1597	15	15	48
	EVSSOHL54	1693	15	15	54
	EVSSOHL60	1847	15	15	60
	EVSSOHR30	1234	15	15	30
	EVSSOHR36	1365	15	15	36
	EVSSOHR42	1502	15	15	42
	EVSSOHR48	1597	15	15	48
	EVSSOHR54	1693	15	15	54
	EVSSOHR60	1847	15	15	60


EVSSOHBKTEE - END OF RUN BRACKET

- Bracket supports Top mount KD overhead on one side only
- Includes one bracket , aluminum insert and end of run plastic cap
- End of run plastic cap attaches to end of run trim
- Bracket available in standard Evolve paint finishes

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSOHBKTE	101	7.5	12	1.5


EVSSOHBKTS - INLINE SINGLE BRACKET

- Bracket supports Top mount KD overhead on one side only
- Includes one bracket , aluminum insert and inline plastic cap
- Inline plastic cap and top trim align
- Bracket available in standard Evolve paint finishes
- Single clamps must be used when inline single bracket is used

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSOHBKTS	101	7.5	12	1.5

EVSSOHBKTD - DOUBLE BRACKET

- Double Bracket supports sides of Top Mount KD overheads when overhead are side by side
- Includes two brackets, aluminum insert and plastic caps
- Plastic caps installed between brackets
- Brackets available in standard Evolve paint finishes
- Single clamps must be used when double bracket is used

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSOHBKTD	200	7.5	12	2


EVPIECH - 12 "H CHANNEL

- 12" channel to attach panel to side of center mount overhead
- Attaches with wood screws to side of installed center mount overhead with laminate sides
- Includes 12 "H channel and connecting hardware

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVPIECH12	53	12	3	

EVADA-PM - EASY-UP OVERHEAD STORAGE UNIT

- Panel Mounted Overhead Storage with metal sides and opaque door that retracts on top of the unit
- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 12" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- Not recommended for use with wall adapter.
- Unit can be converted into an upmount unit in the field by using EVADAxKIT.
- Shipped partially assembled.
- Available in standard Evolve paint colors only. Door made of opaque plastic.
**add 10% upcharge for Tungsten


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVADA30PM	1317	16	14.2	30
	EVADA36PM	1420	16	14.2	36
	EVADA42PM	1516	16	14.2	42
	EVADA48PM	1618	16	14.2	48
	EVADA54PM	1721	16	14.2	54
	EVADA60PM	1819	16	14.2	60



EVADA-UM - EASY-UP UPMOUNT OVERHEAD STORAGE UNIT


- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 12" deep.

- Unit includes attachment hardware, lock, mounting cantilevers and has a complete back.
- Shipped partially assembled.
- Available in standard Evolve paint colors only. Door made of opaque plastic.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Easy-Up Upmount Overhead Storage Unit				
	EVADA30UM	1561	16	14.2	30
	EVADA36UM	1634	16	14.2	36
	EVADA42UM	1725	16	14.2	42
	EVADA48UM	1815	16	14.2	48
	EVADA54UM	1910	16	14.2	54
	EVADA60UM	2016	16	14.2	60

UUKSS - LOW-PROFILE SHELF

- 12" deep panel-mounted storage shelf with back lip.
- Includes attachment hardware.
- Ships ready to assemble.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Low Profile Shelf				
	UUKSS24	151	7.5	14.7	24
	UUKSS30	162	7.5	14.7	30
	UUKSS36	179	7.5	14.7	36
	UUKSS42	185	7.5	14.7	42
	UUKSS48	193	7.5	14.7	48
	UUKSS54	201	7.5	14.7	54
	UUKSS60	210	7.5	14.7	60

EVSL - LAMINATED SHELF

- Laminated panel mounted wood shelf
- Shelf thickness is 1".
- Available in LP only.
- Includes attachment hardware.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Laminated Shelf				
	EVSL0818	232	1.125	18	8.5
	EVSL0824	250	1.125	24	8.5
	EVSL0830	269	1.125	30	8.5
	EVSL0836	288	1.125	36	8.5
	EVSL0842	311	1.125	42	8.5
	EVSL0848	328	1.125	48	8.5

EVHV - SINGLE SLOTTED WALL ADAPTER

- To attach system components to a fixed wall. The vertical wall adapter is a "U" shaped channel with a vertical row of 1" slots on center.
- Mounting hardware not included. Mounting hardware selection to be based on wall material.
- Use of wall rack requires lower tooth of top hook on cantilever or shelf to be notched in the field.

- Available in standard paint colors.
- Shipped & priced per pair.


NOTE:

- Care should be taken to mount adapters only to wall studs using correct fasteners. Failure to do this may result in collapse of the unit and subsequent possible personal injury.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
			D	H
 Single Slotted Wall Track	EVHV01	99	60	.5


EVADA-KIT - UPMOUNT CONVERSION KIT

- Converts an existing panel overhead storage unit EVADA-PM to an upmounted unit (EVADA-UM).
- When used on a 54" high panel, the top of the overhead will match the height of 66" high panels.
- Kit includes a back panel for the overhead and cantilevers.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Upmount Coverstion Kit	EVADA30KIT	279	16	30	2
	EVADA36KIT	294	16	36	2
	EVADA42KIT	310	16	42	2
	EVADA48KIT	325	16	48	2
	EVADA54KIT	339	16	54	2
	EVADA60KIT	356	16	60	2

EVADAPMKIT - PANEL MOUNT CONVERSION KIT

- Converts an existing up mount overhead storage unit EVADA-UM to a panel mounted overhead storage unit EVADA-PM.
- Kit includes panel mounted brackets.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 Panel Mount Coverstion Kit	EVADAPMKIT	66	16	2	.5



CS19XXBBF - WORKSURFACE SUPPORTING BOX/BOX/FILE 15" PEDESTAL

- Worksurface supporting, with predrilled holes in the top.
- Also available as freestanding with finished top.
- All drawer fronts feature a recessed, angled full pull.


- Pedestal height shown includes glide.
- Pencil tray and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$32.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	D	W	
	Worksurface Supporting Box/Box/File 15" Pedestal	CS1919BBF CS1923BBF CS1929BBF	588 605 686	27 58 27 58 27 58	18 58 22 58 29 58	15 15 15

CS19XXFF - WORKSURFACE SUPPORTING FILE/FILE 15" PEDESTAL

- Worksurface supporting, with predrilled holes in the top.
- Also available as freestanding with finished top.
- All drawer fronts feature a recessed, angled full pull.


- Pedestal height shown includes glide.
- Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$32.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	D	W	
	Worksurface Supporting File/File 15" Pedestal	CS1919FF CS1923FF CS1929FF	588 605 686	27 58 27 58 27 58	18 58 22 58 29 58	15 15 15

CS19FXXBBF - FREESTANDING BOX/BOX/FILE 15" PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.


- Counterweight, Pencil tray and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$32.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	D	W	
	Freestanding Box/Box/File 15" Pedestal	CS19F19BBF CS19F23BBF CS19F29BBF	605 623 701	27 58 27 58 27 58	18 58 22 58 29 58	15 15 15

CS19FXXFF - FREESTANDING FILE/FILE 15" PEDESTAL


- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.

- Counterweight and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$32.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	D	W	
	Freestanding File/File 15" Pedestal	CS19F19FF CS19F23FF CS19F29FF	605 623 701	27 58 27 58 27 58	18 58 22 58 29 58	15 15 15


CS19MPXXBF - MOBILE BOX/BOX/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.
- Counterweight, Pencil tray, and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$32.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Mobile Box/Box/File Pedestal	CS19MP19BBF CS19MP23BBF	801 843	27 7/8 27 7/8	18 5/8 22 5/8
					15 15


CS19MPXXFF - MOBILE FILE/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.
- Counterweight and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$32.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Mobile File/File Pedestal	CS19MP19FF CS19MP23FF	801 843	27 7/8 27 7/8	18 5/8 22 5/8
					15 15


CSMCPXXBFNC - MOBILE BOX/FILE PEDESTAL WITH 60MM CASTERS

- Mobile pedestal that includes one pencil tray.
- Includes factory installed counterweight.
- Lock is standard.
- 60mm high castors.
- For use with pedestal seat cushion. See model below.
- Casters do not lock.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$32.00 each list.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Mobile Box/File Pedestal with 60mm Castors	CSMCP19BFNC CSMCP23BFNC	870 888	23.7/8 23.7/8	18.5/8 22.5/8
					15 15

CSCUSH15 - PEDESTAL SEAT CUSHIONS

- Cushions will have single stitching at the seams.
- Velcro included for quick attachment to pedestal file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back.
- Cushions are for use on CSMCPXXBFNC Mobile Pedestals.
- Please choose a fabric from the standard cushion textiles on pages 94-96


DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES															DIM./INCH			YARDS		
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	H	D	W	
Pedestal Seat	CSCUSH15X18-5/8X1	220	256	283	319	374	397	445	524	583	650	785	932	1037	1180	1367	1633	1901	1	18.625	15	1
Cushions - 1" Thick	CSCUSH15X22-5/8X1	246	282	309	345	400	423	471	550	609	676	811	958	1060	1202	1389	1655	1924	1	22.625	15	1
																						
Pedestal Seat	CSCUSH15X18-5/8X2	243	278	303	341	397	420	468	545	605	671	805	955	1334	1523	1777	2131	2490	2	18.625	15	2
Cushions - 2" Thick	CSCUSH15X22-5/8X2	273	309	340	389	456	489	552	651	726	812	988	1174	1361	1551	1802	2158	2514	2	22.625	15	2



UUPFSBGXXP - PRIME SERIES BOX/BOX/FILE PEDESTAL - WORKSURFACE SUPPORTING

- Two box + one file drawer, locking pedestal.
- Top box drawer 4.8"H; middle box drawer 5.4"H; bottom file drawer 13.6"H (interior 12.5"H). -
- When selected in options, "1" makes the pedestal worksurface supporting, includes pre-drilled top holes for attaching to a worksurface.
- When selected in options, "2" includes a flush top for freestanding applications.
- Worksurface supporting peds can be specified without (NN) or with (W2) a counterweight.


- Freestanding pedestals can be specified without (NN), with concealed casters + counterweight (W1. Add (\$285) or with counterweight only (W2. Add \$240).
- To use as a worksurface supporting pedestal, please specify EVHPB5 separately.
- Pencil tray included top box drawer.
- Ships assembled one carton.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	UUPFSBG18P UUPFSBG22P UUPFSBG28P	771 779 862	28.2 28.2 28.2	18 22 28	15 15 15

UUPFOFGXXP - PRIME SERIES FILE/FILE PEDESTAL

- Two file drawer, locking pedestal.
- Top file drawer 11.2"H (interior 10.6"H); bottom file drawer 13.6"H (interior 12.5"H).
- When selected in options, "1" makes the pedestal worksurface supporting, includes pre-drilled top holes for attaching to a worksurface.
- When selected in options, "2" includes a flush top for freestanding applications.

- Worksurface supporting peds can be specified without (NN) or with (W2) a counterweight.
- Freestanding pedestals can be specified without (NN), with concealed casters + counterweight (W1. Add \$285) or with counterweight only (W2. Add \$240).
- To use as a worksurface supporting pedestal, please specify EVHPB5 separately.
- Ships assembled one carton.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	UUPFOFG18P UUPFOFG22P UUPFOFG28P	771 779 862	28.2 28.2 28.2	18 22 28	15 15 15

UUPFOBFXXP - PRIME SERIES BOX/FILE PEDESTAL

- One box and one file drawer, locking pedestal.
- Freestanding pedestals can be specified without (NN) or with (W2) a counterweight.
- Freestanding pedestals can be specified without (NN), with concealed casters +

counterweight (W1. Add \$285) or with counterweight only (W2. Add \$240).

- Pencil tray included in box drawer.
- Ships assembled one carton.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	UUPFOBF18P UUPFOBF22P UUPFOBF28P	771 779 862	20.8 20.8 20.8	18 22 28	15 15 15





UUPW0BFXXP - MOBILE BOX/FILE PEDESTAL WITH 60MM CASTERS

- One box and one file drawer; locking mobile pedestal.
- Pencil tray included in box drawer.
- 60mm casters, two locking/two non-locking.
- Ships assembled one carton.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Mobile Box/File Pedestal with 60mm Casters	UUPW0BF18P UUPW0BF22P UUPW0BF28P	932 939 1112	23.3 23.3 23.3	18 22 28	15 15 15

EVCUSHION15 - PEDESTAL SEAT CUSHIONS

- Cushions will have single stitching at the seams.
- Velcro included for quick attachment to pedestal file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back,
- Cushions are for use on Prime Mobile Pedestals.
- Please choose a fabric from the standard cushion textiles offering.

	DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES														DIM./INCH			YARDS			
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	H	D	W	
	Pedestal Seat Cushions - 1" Thick	EVCUSHION15X18X1 EVCUSHION15X19X1 EVCUSHION15X22X1 EVCUSHION15X23X1 EVCUSHION15X28X1 EVCUSHION15X29X1	220 220 246 246 325 325	259 259 286 286 376 376	287 287 315 355 408 408	329 387 416 416 467 467	387 415 441 494 545 545	415 468 494 581 582 582	468 553 581 646 651 651	553 620 581 719 767 767	620 691 646 867 854 854	691 841 719 867 954 954	1002 1002 1030 1030 1153 1153	926 926 947 947 1368 1368	1051 1051 1074 1074 1259 1259	1220 1220 1241 1241 1427 1427	1457 1457 1476 1476 1964 1964	1692 1692 1712 1712 2279 2279	1 1 1 1 1 1	18 19 22 23 28 29	15 15 15 15 15 15	1 1 1 1 1 1	
	Pedestal Seat Cushions - 2" Thick	EVCUSHION15X18X2 EVCUSHION15X19X2 EVCUSHION15X22X2 EVCUSHION15X23X2 EVCUSHION15X28X2 EVCUSHION15X29X2	243 243 273 273 362 362	282 282 312 312 410 410	309 309 340 340 445 445	349 349 382 382 502 502	408 408 440 440 582 582	437 437 468 468 619 619	490 490 523 523 688 688	576 576 606 606 803 803	642 642 673 673 890 890	713 713 744 744 990 990	861 879 894 894 1186 1186	1027 1027 1055 1055 1400 1400	944 944 968 968 1289 1289	1071 1071 1095 1095 1455 1455	1236 1236 1261 1261 1676 1676	1474 1474 1497 1497 1990 1990	1236 1236 1734 1734 2309 2309	2 2 2 2 2 2	18 19 22 23 28 29	15 15 15 15 15 15	2 2 2 2 2 2

EVHPB5 - PEDESTAL BRACKET

- Attaches to back edge of a pedestal and connects a pedestal to panel connector.
- Available in standard paint colors.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				H	
	Pedestal Bracket	EVHPB5	39		11




ALL PEDESTALS FEATURE

- Worksurface supporting pedestals are 28" h
- Pencil tray included with B/B/F pedestal
- Box drawer and file drawers mounted on full extension ball bearing slides
- All file drawers come with adjustable rails for legal or letter size hanging folders
- 1-Door pedestal comes handed left or right (handedness is determined by hinge side)
- 1-Door Pedestal includes one adjustable shelf
- Locks are standard on all units and match pull finish


EVL2PBBF - BOX/BOX/FILE WORKSURFACE SUPPORTING PEDESTAL

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Box/Box/File Worksurface Supporting Pedestal	EVL2PBBF18 EVL2PBBF23 EVL2PBBF29	1113 1231 1289	28 28 28	18 23 29
					15.5 15.5 15.5

EVL2PFF - FILE/FILE WORKSURFACE SUPPORTING PEDESTAL

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	File/File Worksurface Supporting Pedestal	EVL2PFF18 EVL2PFF23 EVL2PFF29	1010 1150 1209	28 28 28	15.5 15.5 15.5
					18 23 29

EVL2P1D - 1-DOOR WORKSURFACE SUPPORTING PEDESTAL

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	1-Door Worksurface Supporting Pedestal	EVL2P1D18(L/R) EVL2P1D23(L/R) EVL2P1D29(L/R)	847 936 1033	28 28 28	18 23 29
					15.5 15.5 15.5


ALL MOBILE PEDESTALS FEATURE

- Mobile pedestals with inset top are designed for use with cushion
- Pencil tray included with box drawer
- Box drawer and file drawers mounted on full extension ball bearing slides
- All file drawers come with adjustable rails for legal or letter size hanging folders

EVL2PBF - BOX/FILE MOBILE PEDESTAL W/STANDARD TOP


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Box/File Mobile Pedestal w/Standard Top	EVL2PBF20M EVL2PBF24M	1420 1420	22.69 22.69	20 24	15.5 15.5
					

EVL2PBF-MIT - BOX/FILE MOBILE PEDESTAL W/INSET TOP

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Box/File Mobile Pedestal w/Inset Top	EVL2PBF18MIT EVL2PBF24MIT	1331 1411	22 22	18 24	15.5 15.5
					


EVLPSTC - MOBILE PEDESTAL CUSHION (FOR USE WITH INSET TOP MOBILE PEDESTALS)

DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES															DIM./INCH			YARDS		
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	H	D	W	
Mobile Pedestal Cushion	EVLPSTC1518 EVLPSTC1524	326	365	384	420	466	487	536	605	661	721	844	977	1143	12851456	1717	1979		1	15.5	18	1
		377	406	434	468	517	538	580	656	710	772	890	1027	1193	13291503	1758	2019		1	15.5	24	1




EVFELT03BC-PET PIECE FOR SHELF FOR PEDESTAL WITH CLOSED BACK

- PET piece for shelf for pedestal with closed back
- Front edge at 45 degree

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVFELT03BC	45	12	12	.038


EVSSPH12BF - CUBE STORAGE BF

- Hanging storage
- Attaches to underside of worksurface
- File interior dimensions: 11 7/8" H x 11 13/16" W x 10 7/16" D
- Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Configuration box/file with door
- Includes lock
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSPH12BFKL	653	18.5	12	12
	EVSSPH12BFKR	653	18.5	12	12

EVSSPH12BFB - CUBE STORAGE BFB


- Hanging storage
- Attaches to underside of worksurface
- File interior dimensions: 11 7/8" H x 11 13/16" W x 10 7/16" D
- Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Configuration box/file with door/box
- Includes lock
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSPH12BFBKL	869	24	12	12
	EVSSPH12BFBKR	869	24	12	12




EVSSPH12BF - CUBE STORAGE BF

- Hanging storage
- Attaches to underside of worksurface
- File interior dimensions: 11 7/8" H x 11 13/16" W x 10 7/16" D
- Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Configuration box/file with door
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSPH12BFL EVSSPH12BFR	563 563	18.5 18.5	12 12	12 12

EVSSPH12BFB - CUBE STORAGE BFB

- Hanging storage
- Attaches to underside of worksurface
- File interior dimensions: 11 7/8" H x 11 13/16" W x 10 7/16" D
- Metal wire divider in file is 3-7/16" from side, can be installed either on the left or right side
- Configuration box/file with door/box
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSPH12BFL EVSSPH12BFR	781 781	24 24	12 12	12 12

EVSSPH12B - CUBE STORAGE B


- Hanging storage
- Attaches to underside of worksurface
- Configuration box
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSPH12B	219	11.5	12	12




EVSSPH12BB - CUBE STORAGE BB

- Hanging storage
- Attaches to underside of worksurface
- Configuration box/box
- Shipped KD

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVSSPH12BB	435	17	12	12


CS19XX-1X1FH - ONE 1/2 HEIGHT FIXED FRONT & ONE 12" FIXED FRONT LATERAL FILE

- 1/2 Height Box Drawer.
- 1 Fixed Drawer Front.
- Includes Lock.
- Lateral File Top is required when not installed under a worksurface.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	D	W	
	One 1/2 Height Fixed Front & One 12" Fixed Front Lateral File	CS1930P-1X1FH CS1936P-1X1FH CS1942P-1X1FH	1328 1418 1506	21.1875 21.1875 21.1875	19.25 19.25 19.25	30 36 42



CS19XX-1XSND - ONE 1/2 HEIGHT OPEN SHELF & ONE 12" OPEN SHELF LATERAL CABINET

- 1/2 Height Open Shelf.
- Bottom Open Shelf.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	D	W	
	One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	CS1930-1XSND CS1936-1XSND CS1942-1XSND	666 757 843	21.1875 21.1875 21.1875	19.25 19.25 19.25	30 36 42

CSCUSH19 - LATERAL SEAT CUSHIONS


- Cushions will have single stitching at the seams,
- Velcro included for quick attachment to lateral file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back.
- Please choose a fabric from the standard cushion textiles offering.

DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES															DIM./INCH			YRDS			
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	H	D	W		
	Lateral Seat Cushions - 1" Thick	CSCUSH19-25X30X1 CSCUSH19-25X36X1 CSCUSH19-25X42X1	401 416 431	446 461 475	481 496 511	530 547 560	605 620 634	638 653 667	705 720 733	809 824 836	889 904 917	979 994 1008	1163 1178 1191	1358 1372 1387	1518 1529 1466	1710 1720 1657	1951 1962 1902	2306 2317 2257	2661 2675 2613	1 1 1	19 19 19	30 36 42	1 1 1
	Lateral Seat Cushions - 2" Thick	CSCUSH19-25X30X2 CSCUSH19-25X36X2 CSCUSH19-25X42X2	445 456 473	490 501 518	525 536 553	574 585 604	649 659 667	682 693 710	747 758 775	850 861 881	931 942 959	1022 1033 1050	1205 1216 1233	1401 1412 1429	1478 1489 1500	1669 1678 1691	1914 1924 1933	2268 2277 2290	2626 2634 2645	2 2 2	19 19 18	30 36 42	2 2 2



UULPS0F18XXP - ONE 1/2 HEIGHT FIXED FRONT & ONE 12" FIXED FRONT LATERAL FILE

- Fixed front drawers, top box drawer front 6.4"H (interior 5.2"H) bottom file drawer front 11.2"H (interior 10.8"H).
- Side to side hanging bars included.
- Ships assembled one carton
- Locking.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	One 1/2 Height Fixed Front & One 12" Fixed Front Lateral File	UULPS0BF1830P UULPS0BF1836P UULPS0BF1842P	1797 1871 1935	21 21 21	18 18 18
					30 36 42


EVCUSHION18 - LATERAL SEAT CUSHIONS

- Cushions will have single stitching at the seams.
- Velcro included for quick attachment to lateral file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back.
- Please choose a fabric from the standard cushion textile offering.

DESCRIPTION	PRODUCT CODE	LIST PRICE/GRADES													DIM./INCH	YRDS	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
H	D	W															
Lateral Seat Cushions - 1" Thick	EVCUSHION18X30X1 EVCUSHION18X36X1 EVCUSHION18X42X1	341 392 427 482 561 597 669 783 871 806 1169 1382 1270 1441 1659 1976 2292	379 430 467 521 601 637 709 822 908 1008 1207 1422 1636 1849 2127 2528 2925	405 456 492 547 627 662 735 848 935 1035 1234 1450 1324 1495 1711 2026 2341	1 1 1	18 18 18	30 36 42	1 1 1									
Lateral Seat Cushions - 2" Thick	EVCUSHION18X30X2 EVCUSHION18X36X2 EVCUSHION18X42X2	1416 425 458 515 595 632 701 816 904 1003 1203 1416 1300 1467 1686 2002 2316	420 471 506 560 641 677 748 861 948 1049 1249 1461 1675 1890 2163 2564 2964	420 471 506 560 641 677 748 861 948 1049 1249 1461 1357 1525 1740 2057 2371	2 2 2	18 18 18	30 36 42	2 2 2									

EVT - LATERAL FILE TOPS

- Note the following abbreviations:
T = Thermally-Fused Laminate and H = High Pressure Laminate.
- Available in standard Evolve finishes.

DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES			
		LP	HP ADD	H	D	W	
	Lateral File Tops	EVT1830 EVT1836 EVT1842 EVT1860 EVT1872 EVT1884 EVT1890 EVT18108	175 198 239 323 380 530 572 691	71 83 129 234 247 183 206 267	1 1 1 1 1 1 1 1	18 18 18 18 18 18 18 18	30 36 42 60 72 84 90 108

CS19XXP - 2F12 - LATERAL FILES - 2 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Two fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Lateral Files - 2 Drawers with Counterweight				
	CS1930P-2F12	1054	27.14	19.25	30
	CS1936P-2F12	1136	27.14	19.25	36
	CS1942P-2F12	1181	27.14	19.25	42


CS19XXP - 3F12 - LATERAL FILES - 3 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Three fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Lateral Files - 3 Drawers with Counterweight				
	CS1930P-3F12	1312	39.52	19.25	30
	CS1936P-3F12	1383	39.52	19.25	36
	CS1942P-3F12	1444	39.52	19.25	42

CS19XXP - 4F12 - LATERAL FILES - 4 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Four fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Lateral Files - 4 Drawers with Counterweight				
	CS1930P-4F12	1675	51.89	19.25	30
	CS1936P-4F12	1754	51.89	19.25	36
	CS1942P-4F12	1888	51.89	19.25	42




CS19XXP - 5F12 - LATERAL FILES - 5 DRAWERS

- Four fixed front drawers plus top drawer with receding door and roll-out shelf.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.




- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- Lock included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Lateral Files - 5 Drawers	CS1930P-5F12	1994	66.39	19.25	30
	CS1936P-5F12	2082	66.39	19.25	36
	CS1942P-5F12	2196	66.39	19.25	42



UULF18P - 12" OPENING LATERAL FILE FIXED FRONT DRAWERS

- Fixed front file drawers, top drawer front 11.2"H (interior 10.6"H) bottom drawer front 13.6" H (interior 12.5"H).
- Locking.
- Side to side hanging bars included.
- Ships assembled one carton
- Counterweight (W2) available. Upcharge applies.
- Individually locking drawers (KID) available. Upcharge applies.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Lateral File - 2 High				
	UULF20G1830P	1531	28	18	30
	UULF20G1836P	1600	28	18	36
	UULF20G1842P	1689	28	18	42
	Add \$497 for counterweight (W2). Add \$408 for individually locking drawers (KID)				
	Lateral File - 3 High				
	UULF30G1830P	2006	39.2	18	30
	UULF30G1836P	2107	39.2	18	36
	UULF30G1842P	2230	39.2	18	42
	Add \$480 for counterweight (W2). Add \$822 for individually locking drawers (KID)				
	Lateral File - 4 High				
	UULF40H1830P	2546	53.6	18	30
	UULF40H1836P	2679	53.6	18	36
	UULF40H1842P	2839	53.6	18	42
	Add \$292 for counterweight (W2). Add \$1229 for individually locking drawers (KID)				
	Lateral File - 5 High				
	UULF50P1830P	3147	65.6	18	30
	UULF50P1836P	3279	65.6	18	36
	UULF50P1842P	3456	65.6	18	42
	Add \$292 for counterweight (W2). Add \$1643 for individually locking drawers (KID)				



EVT - LATERAL FILE TOPS

- Note the following abbreviations:
- T = Thermally-Fused Laminate
- H = High Pressure Laminate
- Available in standard Evolve finishes.


DESCRIPTION	PRODUCT CODE	LIST PRICE		DIMENSIONS/INCHES		
		LP	HP	H	D	W
Lateral File Tops	EVT1830	175	71	1	18	30
	EVT1836	198	83	1	18	36
	EVT1842	239	129	1	18	42
	EVT1860	323	234	1	18	60
	EVT1872	380	247	1	18	72
	EVT1884	530	183	1	18	84
	EVT1890	572	206	1	18	90
	EVT18108	691	267	1	18	108




LATERAL FILES FEATURES

- Worksurface supporting lateral files ship without a top
- All lateral files feature drawer interlocking system
- All file drawers come with adjustable rails for legal or letter size hanging folders
- "C" combo lateral includes a pencil tray with one box drawer.
- "C" combo lateral only locks on one side
- Lateral files with doors include one adjustable shelf
- Locks are standard on all units and match pull finish
- File drawers are mounted on full extension ball bearing slides

EVL2L2H - FILE/FILE WORKSURFACE SUPPORTING LATERAL FILE, 18"D & 22"D

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVL2L2H1830	1809	28	30	18
	EVL2L2H1836	1926	28	36	18
	EVL2L2H1842	2001	28	42	18
	EVL2L2H2230	1862	28	30	22
	EVL2L2H2236	1980	28	36	22
	EVL2L2H2242	2118	28	42	22

EVL2L2D - 2-DOOR WORKSURFACE SUPPORTING LATERAL FILE, 18"D & 22"D


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVL2L2D1830	1266	28	30	18
	EVL2L2D1836	1331	28	36	18
	EVL2L2D1842	1464	28	42	18
	EVL2L2D2230	1370	28	30	22
	EVL2L2D2236	1406	28	36	22
	EVL2L2D2242	1619	28	42	22




COMBO LATERAL FILES FEATURES

- Worksurface supporting lateral files ship without a top
- All lateral files feature drawer interlocking system
- All file drawers come with adjustable rails for legal or letter size hanging folders
- "C" combo lateral includes a pencil tray with one box drawer.
- "C" combo lateral only locks on one side
- Locks are standard on all units and match pull finish
- File drawers are mounted on full extension ball bearing slides

EVL2LCR - RIGHT-HAND WORKSURFACE SUPPORTING COMBO LATERAL FILE, 18"D & 22"D




DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Right-Hand Worksurface Supporting Combo Lateral File	EVL2LCR1830	2221	28	30
		EVL2LCR1836	2588	28	36
		EVL2LCR2230	2578	28	30
		EVL2LCR2236	2712	28	36
					18
					22

EVL2LCL - LEFT-HAND WORKSURFACE SUPPORTING COMBO LATERAL FILE, 18"D & 22"D

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	2-Door Worksurface Supporting Lateral File	EVL2LCL1830	2221	28	30
		EVL2LCL1836	2588	28	36
		EVL2LCL2230	2578	28	30
		EVL2LCL2236	2712	28	36
					18
					22





UUCCP - 12" OPENING MULTI STORAGE UNIT

- 2 lateral file drawers and storage with hinged doors.
- 2 Locks per unit is included, (1) for door (1) for drawers.
- Open shelving with one fixed and two adjustable shelves, Two lateral file drawers.
- Side-to-side hanging file bars included. Locking and full pull handle design.
- Counterweight (W2) available. Upcharge applies.
- Individually locking drawers (KID) available. Upcharge applies.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 12" Opening Multi Storage Unit - 4 High (50" High)	UUCC41G1830P	3213	49.6	18	30
	UUCC41G1836P	3439	49.6	18	36
	UUCC41G1842P	3702	49.6	18	42
Add \$292 for counterweight (W2). Add \$408 for individually locking drawers (KID)					
 12" Opening Multi Storage Unit - 4 High (54" High)	UUCC41H1830P	3372	53.6	18	30
	UUCC41H1836P	3606	53.6	18	36
	UUCC41H1842P	3741	53.6	18	42
Add \$292 for counterweight (W2). Add \$408 for individually locking drawers (KID)					
 12" Opening Multi Storage Unit - 5 High (3 Lateral)	UUCC51C1830P	3750	65.6	18	30
	UUCC51C1836P	4031	65.6	18	36
	UUCC51C1842P	4348	65.6	18	42
Add \$292 for counterweight (W2). Add \$822 for individually locking drawers (KID)					

UUSC - 12" STORAGE CABINET WITH HINGED DOOR


- SC2 - 28" high with 1 shelf.
- SC3 - 39.2" high with 2 shelves.
- SC4 - 53.6" high with 3 shelves.
- SC5 - 65.6" high with 4 shelves.
- Shelves are height adjustable.
- Lock is included.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
 12" Storage Cabinet with Hinged Door - 2 High (WS Supporting)	UUSC21G1830P	1257	28	18	30
	UUSC21G1836P	1399	28	18	36
	UUSC21G1842P	1524	28	18	42
 12" Storage Cabinet with Hinged Door - 3 High	UUSC31G1830P	1551	39.2	18	30
	UUSC31G1836P	1759	39.2	18	36
	UUSC31G1842P	1945	39.2	18	42
 12" Storage Cabinet with Hinged Door - 4 High	UUSC41H1830P	1872	53.6	18	30
	UUSC41H1836P	2090	53.6	18	36
	UUSC41H1842P	2314	53.6	18	42
 12" Storage Cabinet with Hinged Door - 5 High	UUSC51C1830P	2112	65.6	18	30
	UUSC51C1836P	2368	65.6	18	36
	UUSC51C1842P	2622	65.6	18	42



FRONT TO BACK FILE BARS

- Includes two bars
- Finish in eco-grey.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Cross File Bars	UULFA0718	34	1	17.3

HANGING FILE BARS

- One pair. Grey.
- Included in standard product.
- For 30", 36" or 42" widths.



DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Hanging File Bars	UULFA01	64	.275	.5
Pair	UULFA02	64	.33.5	.5	1.3
	UULFA03	64	.39.5	.5	1.3


PLATE DIVIDERS

- Three per package.
- For use with Prime series lateral files.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Plate Dividers, 18D	UULFA1018	67	.725	.2


HALF HEIGHT DIVIDER PLATES

- Three per package.
- For use with Prime series lateral files.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Half Height divider plates, 18D	UULFA2418	67	.395	.5

EDP ADAPTER

- One pair. Grey.
- Extends side height of lateral file drawers by 1"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EDP adapters	UULFA2018	65	.265	.15



ADDITIONAL KEY

- For Prime series files.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Additional Key	UUKY	19			

REPLACEMENT LOCK AND KEY

- For Prime series files.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Lock and Key	UUKC	55			


EXTRA CABINET SHELF, NON SLOTTED

- For Prime series files.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Cabinet Shelf - Non Slotted	UUSA11830	435	.8	16	28.4
		UUSA11836	488	.8	16	34.4
		UUSA11842	512	.8	16	40.4


EXTRA CABINET SHELF, SLOTTED

- For Prime series files.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
				H	D	W
	Cabinet Shelf - Slotted	UUSA21830	512	5.25	16	28.4
		UUSA21836	595	5.25	16	34.4
		UUSA21842	631	5.25	16	40.4

EVHPB - PEDESTAL BRACKET

- Attaches to back edge of a pedestal and connects a pedestal to panel connector.
- Available in standard paint colors.


	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES	
				H	
	Pedestal Bracket	EVHPB1	39	11	



STORAGE TOWERS W/CUPBOARD


- Storage tower with cupboard above FF or BBF and wardrobes will lock only the wardrobe and drawers
- Storage towers with wardrobe include a coat rod
- Locks are standard on all units and match pull finish

EVL2TWBBF2DL - STORAGE TOWER W/CUPBOARD, BOX/BOX/FILE, RIGHT & LEFT HAND

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Storage Tower w/Cupboard, Box/Box/File, Right Hand				
	EVL2TWBBF2DL4224	2772	42	24	24
	EVL2TWBBF2DL4824	2772	48	24	24
	EVL2TWBBF2DL5424	2867	54	24	24
	EVL2TWBBF2DL6624	3213	66	24	24
	EVL2TWBBF2DR4224	2772	42	24	24
	EVL2TWBBF2DR4824	2772	48	24	24
	EVL2TWBBF2DR5424	2867	54	24	24
	EVL2TWBBF2DR6624	3213	66	24	24

Right Hand Shown

EVL2TW2F2DL - STORAGE TOWER W/CUPBOARD, FILE/FILE, RIGHT & LEFT HAND

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	Storage Tower w/Cupboard, File/File, Right Hand				
	EVL2TW2F2DL4224	2668	42	24	24
	EVL2TW2F2DL4824	2668	48	24	24
	EVL2TW2F2DL5424	2741	54	24	24
	EVL2TW2F2DL6624	3072	66	24	24
	EVL2TW2F2DR4224	2668	42	24	24
	EVL2TW2F2DR4824	2668	48	24	24
	EVL2TW2F2DR5424	2741	54	24	24
	EVL2TW2F2DR6624	3072	66	24	24

Right Hand Shown

STORAGE TOWERS W/SIDE ACCESS

- Storage tower with cupboard above FF or BBF and wardrobes will lock only the wardrobe and drawers
- Storage towers with wardrobe include a coat rod
- Locks are standard on all units and match pull finish

EVL2TWBBFDOL - STORAGE TOWER W/SIDE ACCESS, BOX/BOX/FILE, RIGHT & LEFT HAND

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Storage Tower w/Side Access, Box/Box/File, Right Hand Shown	EVL2TWBBFDOL4224 EVL2TWBBFDOL4824 EVL2TWBBFDOL5424 EVL2TWBBFDOL6624	2551 2551 2618 2911	42 48 54 66	24	24
Storage Tower w/Side Access, Box/Box/File, Left Hand Shown	EVL2TWBBFDOR4224 EVL2TWBBFDOR4824 EVL2TWBBFDOR5424 EVL2TWBBFDOR6624	2551 2551 2618 2911	42 48 54 66	24	24

Right Hand Shown

EVL2TW2FDOL - STORAGE TOWER W/SIDE ACCESS, FILE/FILE, RIGHT & LEFT HAND

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Storage Tower w/Side Access, File/File, Right Hand Shown	EVL2TW2FDOL4224 EVL2TW2FDOL4824 EVL2TW2FDOL5424 EVL2TW2FDOL6624	2463 2463 2536 2831	42 48 54 66	24	24
Storage Tower w/Side Access, File/File, Left Hand Shown	EVL2TW2FDOR4224 EVL2TW2FDOR4824 EVL2TW2FDOR5424 EVL2TW2FDOR6624	2464 2464 2536 2831	42 48 54 66	24	24

Right Hand Shown




UUSLF - PRIME SERIES BOX/BOX/FILE STORAGE TOWER

- Wardrobe right side/right hand unit; wardrobe left side/left hand unit - indicated by last character of model number.
- Wardrobe section includes top shelf and coat bar.
- Hinged door compartment of 50"H and 54"H includes one adjustable shelf; 66"H includes two adjustable open shelves.

- Box-Box-File configuration.
- Wardrobe section includes top perforations for ventilation.
- Three locks included - wardrobe door, hinged door shelving compartment and drawers.
- Ships assembled one carton.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Prime Series Box/Box File Storage Tower - 50" High	UUSLF4G24BCPL	3420	49.6	24	24
	UUSLF4G24BCPR	3420	49.6	24	24
Prime Series Box/Box File Storage Tower - 54" High	UUSLF4H24BCPL	3420	53.6	24	24
	UUSLF4H24BCPR	3420	53.6	24	24
Prime Series Box/Box/File Storage Tower - 65 7/8" High	UUSLF5024BCPL	3341	65.6	24	24
	UUSLF5024BCPR	3341	65.6	24	24

**UUSLF - PRIME SERIES FILE/FILE STORAGE TOWER**

- Wardrobe right side/right hand unit; wardrobe left side/left hand unit - indicated by last character of model number.
- Wardrobe section includes top shelf and coat bar.
- Hinged door compartment of 50"H and 54"H includes one adjustable shelf; 66"H includes two adjustable open shelves.

- File-File drawer configuration.
- Wardrobe section includes top perforations for ventilation.
- Three locks included - wardrobe door, hinged door shelving compartment and drawers.
- Ships assembled one carton.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Prime Series File/ File Storage Tower - 50" High	UUSLF4G24FCPL	3420	49.6	24	24
	UUSLF4G24FCPR	3420	49.6	24	24
Prime Series File/File Storage Tower - 54" High	UUSLF4H24FCPL	3420	53.6	24	24
	UUSLF4H24FCPR	3420	53.6	24	24
Prime Series File/File Storage Tower - 65 7/8" High	UUSLF5024FCPL	3575	65.6	24	24
	UUSLF5024FCPR	3575	65.6	24	24



UUSLS - PRIME SERIES SIDE OPENING BOX/BOX/FILE STORAGE TOWER

- Wardrobe right side/right hand unit; wardrobe left side/left hand unit - indicated by last character of model number.
- Wardrobe section includes top shelf and coat bar.
- 50"H and 54"H include open side shelf with one adjustable shelf; 66"H includes open side shelf with two adjustable shelves.

- Box-box-file drawer configuration.
- Wardrobe section includes top perforations for ventilation.
- Two locks included - wardrobe door and drawers.
- Ships assembled one carton.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Prime Series Side Opening Box/Box/File Storage Tower - 50" High	UUSLS4G2424BOPL	3597	50	24	24
	UUSLS4G2424BOPR	3597	50	24	24
Prime Series Side Opening Box/Box/File Storage Tower - 54" High	UUSLS4H2424BOPL	3779	54	24	24
	UUSLS4H2424BOPR	3779	54	24	24
Prime Series Side Opening Box/Box/File Storage Tower - 65 7/8" High	UUSLS502424BOPL	3841	65.875	24	24
	UUSLS502424BOPR	3841	65.875	24	24

UUSLS - PRIME SERIES SIDE OPENING FILE/FILE STORAGE TOWER

- Wardrobe right side/right hand unit; wardrobe left side/left hand unit - indicated by last character of model number.
- Wardrobe section includes top shelf and coat bar.
- 50"H and 54"H include open side shelf with one adjustable shelf; 66"H includes open side shelf with two adjustable shelves.

- File-file drawer configuration.
- Wardrobe section includes top perforations for ventilation.
- Two locks included - wardrobe door and drawers.
- Ships assembled one carton.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Prime Series Side Opening File/File Storage Tower - 50" High	UUSLS4G2424FOPL	3757	50	24	24
	UUSLS4G2424FOPR	3757	50	24	24
Prime Series Side Opening File/File Storage Tower - 54" High	UUSLS4H2424FOPL	3779	54	24	24
	UUSLS4H2424FOPR	3779	54	24	24
Prime Series Side Opening File/File Storage Tower - 65 7/8" High	UUSLS502424FOPL	3841	65.875	24	24
	UUSLS502424FOPR	3841	65.875	24	24




CREDENZA, BOX/FILE AND OPEN

- All lateral files feature drawer interlocking system
- All file drawers come with adjustable rails for legal or letter size hanging folders
- Locks are standard on all units and match pull finish
- File drawers are mounted on full extension ball bearing slides


- B/F Drawer Width -- 24" w on 48" w unit, 30" w on 54" w and 60" w units, 36" w on 66" w and 72" w units
- Two credenza spacers may be installed between a worksurface and credenza for support

EVL2CRBFO - BOX/FILE/OPEN CREDENZA, 20"H

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Box/File/Open Credenza	EVL2CRBFO2048	2162	20	48	20
	EVL2CRBFO2054	2361	20	54	20
	EVL2CRBFO2060	2508	20	60	20
	EVL2CRBFO2066	2632	20	66	20
	EVL2CRBFO2072	2728	20	72	20

**EVL2CROBF - OPEN/BOX/FILE CREDENZA, 20"H**


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
Open/Box/File Credenza	EVL2CROBF2048	2162	20	48	20
	EVL2CROBF2054	2361	20	54	20
	EVL2CROBF2060	2508	20	60	20
	EVL2CROBF2066	2632	20	66	20
	EVL2CROBF2072	2728	20	72	20




CREDENZA, SLIDING GLASS DOOR

- Sliding Door Credenzas are split evenly so door may cover either side
- Sliding door credenzas do not lock
- Two credenza spacers may be installed between a worksurface and credenza for support

EVL2CRGSD - SLIDING GLASS DOOR CREDENZA, 20"H

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVL2CRGSD2048	2895	20	48	20
	EVL2CRGSD2060	3182	20	60	20
	EVL2CRGSD2072	3482	20	72	20

EVWSSL - CREDENZA TO WORKSURFACE SPACER

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVWSSL08	83	8	3	3



SO#	PO#	TAG#			DATE		
KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D	KEY#	SETS REQ'D
401		431		461		491	
402		432		462		492	
403		433		463		493	
404		434		464		494	
405		435		465		495	
406		436		466		496	
407		437		467		497	
408		438		468		498	
409		439		469		499	
410		440		470		500	
411		441		471		501	
412		442		472		502	
413		443		473		503	
414		444		474		504	
415		445		475		505	
416		446		476		506	
417		447		477		507	
418		448		478		508	
419		449		479		509	
420		450		480		510	
421		451		481		511	
422		452		482		512	
423		453		483		513	
424		454		484		514	
425		455		485		515	
426		456		486		516	
427		457		487		517	
428		458		488		518	
429		459		489		519	
430		460		490		520	
521		550					

401 - 430 =	431 - 460 =	461 - 490 =	491 - 520 =	521 - 550 =
-------------	-------------	-------------	-------------	-------------

Total:

NOTE : If Key Alike Instructions are not submitted to EVOLVE with the Customer's Purchase Order, all components will be keyed randomly.






accessories



EVHTVM - TV MOUNT

- Laminate panel with two mounting brackets to be installed on Evolve panels.
- TV Mount can be installed on panel of equal width or both brackets can be attached in middle for installing on single connector.
- TV frame not included, TV frame to be ordered separately.
- Holds up to 55" TV with a max load of 86 lbs.
- Note: TV frame must be securely attached to laminate panel. Care should be taken to attach TV frame using correct fasteners. Failure to do so may result in collapse of unit and subsequent possible injury.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	TV Mount				
	EVHTVM24	239	11	24	1
	EVHTVM30	256	11	30	1
	EVHTVM36	278	11	36	1
	EVHTVM42	299	11	42	1


EVATB - TACK BOARD

- Provide a tackable surface for notes and memos in a work area.
- Includes two pairs of panel-mounting brackets.
- Only fabric must be specified.
- 17" to be installed under EVSOF13 or EVSOF16
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.
- All tackboards are 0.25" in thickness.

DESCRIPTION	PRODUCT CODE	LIST PRICE Gr1	Gr2	DIMENSIONS/INCHES		
				H	W	D
	Tack Board - 17" High					
	EVATB1730	326	341	17	30	0.25
	EVATB1736	374	388	17	36	0.25
	EVATB1742	423	440	17	42	0.25
	EVATB1748	473	490	17	48	0.25
	EVATB1754	525	545	17	54	0.25
	EVATB1760	572	593	17	60	0.25
	Tack Board - 21" High					
	EVATB2124	301	318	21	24	0.25
	EVATB2130	326	343	21	30	0.25
	EVATB2136	374	388	21	36	0.25
	EVATB2142	423	443	21	42	0.25
	EVATB2148	476	494	21	48	0.25
	EVATB2154	523	546	21	54	0.25
	EVATB2160	572	599	21	60	0.25
	Tack Board - 24" High					
	EVATB2430	326	344	24	30	0.25
	EVATB2436	374	392	24	36	0.25
	EVATB2442	423	444	24	42	0.25
	EVATB2448	476	496	24	48	0.25
	EVATB2454	523	549	24	54	0.25
	EVATB2460	572	599	24	60	0.25

EVPDFXXXXWS - WORKSURFACE FELT DIVIDER

- Privacy felt divider integrated into an aluminum top trim.
- Attaches on top of a worksurface to add privacy or divide space.
- Must be used at connector location.
- Includes aluminum trim with channel, felt tile and brackets.
- 9 mm felt material is tackable and comes in 9 different colors. Please specify felt finish.
- Aluminum extrusion and brackets available in standard paint finishes.
- Felt tile and attachment hardware to ship separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Felt Divider				
	EVPDF1818WS	221	18	18	
	EVPDF1824WS	247	18	24	
	EVPDF1830WS	278	18	30	
	EVPDF1836WS	302	18	36	



ACCESSORIES

WHITE MARKER BOARD / LOAD BARS

EVAWB - WHITE MARKER BOARD

- Provides a writing surface within a work area.
- Includes two pairs of panel-mounting brackets.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
White Marker Board - 21" High	EVAWB2130	348	21	30	
	EVAWB2136	393	21	36	
	EVAWB2142	442	21	42	
	EVAWB2148	514	21	48	
White Marker Board - 24" High	EVAWB2430	348	24	30	
	EVAWB2436	393	24	36	
	EVAWB2442	442	24	42	
	EVAWB2448	514	24	48	

EVAMT - MARKER TRAY

- Provides a tray for storage of markers, erasers, etc.
- Attaches to the bottom of the White Marker Board.
- Standard in anodized aluminum finish.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Marker Tray	EVAMT12	23		12	

EVALB2 - LOAD BAR - TOP


- Enables accessory items to be hung from a panel.
- Includes end caps and mounting brackets.
- Can be panel mounted.
- Can connect to EVALB2-2 and/or EVALB2-3 Load Bars to create a multi-level load bar or "Slat Wall".
- Note: can be used on its own.
- Available in standard and premium paint selections. See Textiles and Finishes (page 278) for complete offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
Load Bar - Top	EVALB224	135	2.25	24	1
	EVALB230	141	2.25	30	1
	EVALB236	152	2.25	36	1
	EVALB242	161	2.25	42	1
	EVALB248	165	2.25	48	1
	EVALB254	172	2.25	54	1
	EVALB260	175	2.25	60	1




EVALB2-2 - LOAD BAR - MIDDLE

- Enables accessory items to be hung from a panel.
- Includes end caps and is to be used in conjunction with the Load Bar - Top (EVALB2). Mounting brackets NOT included.
- Can be panel mounted.
- Connects between EVALB2 and EVALB2-3 Load Bars to create a multi-level load bar or "Slat Wall"
- Note: Needs to be used in conjunction with both EVALB2 (as noted above) and EVALB2-3. Multiples of EVALB2-2 can be joined, one below the other, to create a "Slat Wall"

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Load Bar - Middle				
	EVALB2-224	97	2.25	24	1
	EVALB2-230	101	2.25	30	1
	EVALB2-236	109	2.25	36	1
	EVALB2-242	116	2.25	42	1
	EVALB2-248	122	2.25	48	1
	EVALB2-254	132	2.25	54	1
	EVALB2-260	136	2.25	60	1


EVALB2-3 - LOAD BAR - BOTTOM

- Enables accessory items to be hung from a panel.
- Includes end caps and mounting brackets.
- Can be panel mounted.
- Connects between EVALB2-2 and EVALB2-3 Load Bars to create a multi-level load bar or "Slat Wall"
- Note: Needs to be used in conjunction with an EVALB2 or a combination of EVALB2 and EVALB2-2

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Load Bar - Bottom				
	EVALB2-324	132	2.25	24	1
	EVALB2-330	136	2.25	30	1
	EVALB2-336	141	2.25	36	1
	EVALB2-342	152	2.25	42	1
	EVALB2-348	162	2.25	48	1
	EVALB2-354	170	2.25	54	1
	EVALB2-360	173	2.25	60	1


EVALB - LOAD BAR

- Enables accessory items to be hung from a panel.
- Includes end caps and mounting brackets.
- Can be panel or wall mounted.
- Must specify finish.
- Attachment slot dimensions = 0.115" W x 0.240" H.
- Slatwall mounted monitor arms will NOT hang on EVALB - load bar.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Load Bar				
	EVALB24	171	2.25	24	1
	EVALB30	188	2.25	30	1
	EVALB36	204	2.25	36	1
	EVALB42	236	2.25	42	1
	EVALB48	275	2.25	48	1
	EVALB54	289	2.25	54	1
	EVALB60	313	2.25	60	1

EVHOMB - OFF MODULE WORKSURFACE BRACKET


- Supports the worksurface in the work station corner in the case where an adjoining panel is wider than the worksurface.
- Enhances the stability of the worksurface.
- Can be used only in conjunction with the Top Load Bar EVALB2xx (xx being the panel width of adjoining panel).
- Available in black only.
- Top Load Bar EVALB2xx must be ordered separately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Bracket	EVHOMB1	32	1.6	3
					2.73




EVAFWMXXP - WIRE MANAGER

- PET Wire manager installed under worksurface
- Including attachment brackets
- Available in standard felt colors

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	PET Wire Manager				
	EVAFWM22P	137	3.375	22	4
	EVAFWM28P	158	3.375	28	4
	EVAFWM34P	174	3.375	34	4


EVAFWMXXPL - WIRE MANAGER FOR 90 DEGREE CORNER-LEFT

- PET Wire manager installed under worksurface
- Including attachment brackets
- Available in standard felt colors

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	PET Wire Manager				
90 Degree Corner - Left	EVAFWM26PL	151	3.375	26	4
	EVAFWM32PL	170	3.375	32	4
	EVAFWM38PL	185	3.375	38	4


EVAFWMXXPR - FELT WIRE MANAGER FOR 90 DEGREE CORNER-RIGHT

- Felt Wire manager installed under worksurface
- Including attachment brackets
- Available in standard felt colors

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	PET Wire Manager				
90 Degree Corner - Right	EVAFWM26PR	151	3.375	26	4
	EVAFWM32PR	170	3.375	32	4
	EVAFWM38PR	185	3.375	38	4


EVABB01 - BINDER BIN

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Binder Bin	EVABB01	88	9	4


EVALT01 - LETTER TRAY

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Letter Tray	EVALT01	70	2	13.5


EVALT02 - LEGAL TRAY

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Legal Tray	EVALT02	80	1.75	14.7

EVASS01 - SLANT SORTER

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	Slant Sorter	EVASS01L EVASS01R	57 57	9.5 9.5	5 5



EVAMB01 - MEDIA BIN

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.


- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Media Bin	EVAMB01	70	3	5.75	5.25

EVAUT01 - UTILITY TRAY

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.


- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Utility Tray	EVAUT01	48	1	8.5	3.75

EVAFS01 - FLIP SORTER

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Comes with nickel plated wire.


- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Flip Sorter	EVAFS01	66	9.25	2.75	9.25

EVAPP01 - MAIL BOX

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.


- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Mail Box	EVAPP01	112	9	12	2.75




EVATH01 - TELEPHONE HOLDER

- Must be ordered in conjunction with a load bar option.
- Can be used with slat wall module.
- Available in standard and premium paint selections. See Textiles and Finishes (page 240) for a complete list of offerings and conditions.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVATH01	106	2	9	10

EVANP02 - NAME PLATE

- Name Plate attached to 1" increment slots.
- Available in single sided (parallel to panel) or double sided (perpendicular to panel) for isle application displaying name on both sides.
- Injection molded frame and die cast base with black rubberized finish.
- Includes two slide-in name cards, steel brackets and fasteners.
- Available in black only.
- Free template for additional slide-in name cards are available at http://evolvefurnituregroup.com/PDFs/Name_Plate_Template.doc

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVANP02	161	3.30	5.3	1.25


EVACH03 - COAT HOOK

- Panel mounted coat hook.
- Available in standard and premium paint colors.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVACH03	75	3	.188	2.5

EVACH02 - PANEL COAT HOOK


- Panel mounted coat hook.
- Installed at panel top in grove between module and top trim.
- Available in standard and premium paint colors.
- Priced per six piece package.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVACH02	135	2.5	.625	



EVWAKM01 - SOFT TOUCH KEYBOARD SUPPORT MECHANISM


- Height range 6" (+1.0"/-5.0").
- Soft touch knob tilt adjustable range +15°/-15°.
- 360° base swivel.
- Soft touch knob for simultaneous height and tilt adjustment.
- Spring-assisted mechanism helps counter balance weight of keyboard and tray.
- Low profile design for maximum leg room.
- Includes 21.75" under worksurface glide track as standard. Optional 12" and 18" glide tracks are available at no upcharge. Contact Evolve Customer Support for details.
- Keyboard support mechanisms and trays available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVWAKM01	342			




EVWAKT01 - MDF TRAY WITH SLIDING MOUSE SUPPORT

- Formed MDF tray with textured finish and a foam anti-skid mat.
- Sliding retractable mouse support slides below tray for left or right mouse positioning.
- Extends 9.91" beyond the end of the keyboard tray.
- Keyboard support mechanisms and trays available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 MDF Tray with Sliding Mouse Support	EVWAKT01	345	21.3	10.5	


EVWAKT04 - 1/2" HDPE TRAY WITH HEIGHT ADJUSTABLE MOUSE SUPPORT

- 1/2" thick high density polyethylene with textured finish.
- HDPE includes removable plug-in, gel free foam palm rest and anti-skid straps.
- Height adjustable mouse support with ergonomic adjustment of tilt, swivel and height adjustment.
- Can mount left or right and includes mouse fence and cable manager.
- Keyboard support mechanisms and trays available in Black only.


DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 1/2 "HDPE Tray with Height Adjustable Mouse Support	EVWAKT04	534	23	11.5	




KEYBOARD COMBINATION CHART - PACKAGED CODES



EVWAKT01



EVWAKT04



EVWAKM01

EVWAKK101
681


EVWAKK104
870

MONITOR ARM SPECIFICATIONS (APPLIES TO ALL EVOLVE MONITOR ARMS LISTED BELOW):

- VESA mounting plate contains 75mm & 100mm mounting configuration.
- VESA plate head is fully adjustable with 180° of tilt, 180° of swivel and 360° of rotation for portrait to landscape viewing.
- Keyhole slots in VESA plate for quick mounting of display screen.
- Counterbalance spring mechanism does not contain gas cylinders (that are prone to leakage).
- Cable management provided on arm swivel joints.
- Arm components manufactured from 100% recyclable aluminum dye cast material, providing stability and durability.
- 13" arm height adjustment on 11" stainless steel pole.
- Pole support ring doubles as cable manager.
- 360° of arm swivel around pole.
- Desk clamp and grommet mounting options standard on pole applications.


EVLCD03 - MONITOR ARM - SINGLE SCREEN/SINGLE EXTENSION

- Display viewing - 180° of tilt, 180° of swivel and 360° of rotation.
- Quick-release VESA plate included.
- 9" pole adjustment.
- Available in White (WHT), Black (BLK) and Silver (SIL). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	D	W
	EVLCD03	577			
Monitor Arm - Single Screen Single Extension					


EVLCD04 - MONITOR ARM - SINGLE SCREEN/DUAL EXTENSION/HEIGHT ADJUSTABLE

- Frees up valuable worksurface space and supports a sit/stand working posture.
- Attaches to any standard worksurface with a flush edge, or through a grommet.
- Monitor arm adjusts from 3" to 12" above worksurface.
- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360° and tilts +/- 90° (180°).
- Double extension has 19" of back and forth movement to allow for different vocal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- Quick-release VESA plate included.
- Available in White (WHT), Black (BLK) and Silver (SIL). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVLCD04	824			
Monitor Arm - Single Screen Dual Extension/Height Adjustable					

EVLCD05 - MONITOR ARM - DUAL SCREEN/DUAL EXTENSION


- Frees up valuable worksurface space.
- Used for side-by-side or back-to-back applications.
- Attaches to any standard worksurface with flush edge or through a grommet.
- Monitor arm adjusts from 3" to 12" above worksurface.
- Monitor connecting extension has 19" of back and forth movement to allow for different vocal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- Quick-release VESA plate included.
- Available in White (WHT), Black (BLK) and Silver (SIL). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	EVLCD05	1211			
Monitor Arm - Dual Screen					




EVLCD06 - MONITOR ARM - DUAL SCREEN/DUAL EXTENSION/HEIGHT ADJUSTABLE

- Frees up valuable worksurface space and supports a sit/stand working posture.
- Used for side-by-side or back-to-back applications.
- Attaches to any standard worksurface with flush edge or through a grommet.
- Monitor arm adjusts from 3" to 12" above worksurface.
- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360° and tilts +/- 90° (180°).
- Double extension has 19" of back and forth movement to allow for different visual depths of viewing comfort.
- Built in cable clips on underside of extension arms and pole base allows organized cable management.
- Quick-release VESA plate included.
- Available in White (WHT), Black (BLK) and Silver (SIL).
- Accommodates flat screen monitors up to 32" in size.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Monitor Arm - Dual Screen Dual Extension/Height Adjustable	EVLCD06	1502			


EVLCD08 - MONITOR ARM - SINGLE SCREEN/DUAL EXTENSION

- 9 1/2" reach from center of pole to front of VESA plate.
- Display viewing - 180° of tilt, 180° of swivel and 360° of rotation.
- Quick-release VESA plate included.
- 9" pole adjustment.
- Available in White (WHT), Black (BLK) and Silver (SIL). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Monitor Arm - Single Screen Dual Extension	EVLCD08	687			

EVLCD09 - SINGLE SCREEN MONITOR ARM - FOR 5 TO 20LBS

- Adjustable counterbalance cylinder provides smooth 14 1/2" of height adjustment with fingertip control - counterbalances monitors from 5 lbs. to 20 lbs.
- Double extension arms provide a maximum of 26 3/4" extension from the rear edge of the mounting surface to the VESA Plate for greater monitor adjustment on deep or corner workstations.
- Arms fold back to a minimum dimension of 4 1/2" to provide maximum desk utilization.
- Weight gauge provided to allow for quick and easy counterbalance adjustment of the arm prior to installing the screen.
- Saves time and guesswork especially for multiple arm installations.
- Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability.
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from hitting walls.
- Comes with all tools and mounting hardware for quick and easy installation (Tool-free).
- Available in White (WHT), Black (BLK) and Silver Metallic (SIL). Post is chromed.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Single Screen Monitor Arm - For 5 to 20 lbs.	EVLCD09	769	38	6	8.5




EVCPU - CPU HOLDER

- CPU holder with soft touch knob.
- Vertical underside storage space.
- Maintains CPU at set height.
- Inside width adjustment 3.5" — 9.25"
- Inside vertical adjustment 12.25" — 22.25"
- Load rating: 85lbs.
- Available in black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
			H	W	D	
	CPU Holder	EVCPU01	372	14	8.25	7.75

EVCPU02 - CPU HOLDER ON GLIDE TRACK

- Accepts tower CPUs with a width range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.
- 12" glide track mounted and 360-degree swivel for easy access to rear of CPU.
- Manufactured from steel and engineered resin, providing rugged durability and support.
- Available in Black only.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
	CPU Holder on Glide Track	EVCPU02	393		



ACCESSORIES

EVATP - TOUCH-UP PAINT KIT

- Available in standard Evolve paint colors to facilitate easy touch-ups.
- 1/2 fl. ounce bottle (spray not available).
- Specify color.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
			H	W	D
 Touch-Up Paint Kit	EVATP01	55			



NOTES



textiles and finishes

Care and Cleaning

The following guide encompasses the Evolve System line.

The guide was compiled using information from our "raw" material suppliers and is relevant only to our standard offering finishes and textiles.

FABRICS

To extend the life of your upholstered panels, regularly dust the panel to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

PANEL FRAMES

The panel frames are manufactured out of sturdy aluminum with a powder coated enamel paint finish. To clean the frames of the panels, and all hardware associated with the Evolve line, simply utilize a clean, damp cloth. For stubborn stains on the panel frames, you may consider adding a mild detergent.

GLAZED PANELS

Cleaning of the glazing in panels should only be done with a damp lint-free cloth. A mild detergent can be used if necessary. Do not use paper towels in combination with a window cleaner-this may cause scratches to the glazing.

WORKSURFACES

The worksurfaces are manufactured using primarily Nevamar Brand laminates as the exposed surface. To properly clean these areas, it is best to use a clean, damp cloth and circular motion to prevent streaks. For stubborn stains, you are able to add a mild detergent to the water. Be certain not to use an ammonia-based solution. It will react with the PVC, or wood edge trim, causing permanent damage to the contacted areas.

ACCESSORIES

The accessories sold with the Evolve product line can be simply cleaned with a clean, damp cloth. If they are really dirty, a mild, non-abrasive solution may be added. Wipe with a damp cloth after the solution, and finally, a dry cloth.

LAMINATES – THERMALLY FUSED & HIGH PRESSURE

Absolute Acajou*	ACJ
Asian Night*	ASN
Avant Cherry	AWC
Avant Honey*	AWH
Black*	BLK
Blizzard*	BZD
Brushed Cobalt*	BRC
Clear Maple*	CMB
Custom Grey	CGY
Dark Espresso*	DES
Designer White*	DWT
Fashionista	FAS
First Class	FCL
Noce Biondo	(NBL)
Noce Grigio	(NGL)
Noce Leggero	(NEL)
Noce Medio	(NML)
Quartered Mahogany*	QTM
Sheer Beauty	SBY
Stone Dust	SDT
Storm Grey	SOG
Walnut Heights*	WHE
Winter Cherry*	WCR
White Chocolate*	WHC

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

* Matching Wood Grain PVC edge available.

* PVC panel and connector trims are discontinued. Effective 12/2014

* 1 1/8" Worksurfaces are discontinued. Effective December 2014

PVC EDGE TRIM

Absolute Acajou	AAE
Asian Night	ASE
Avant Cherry	ACE
Avant Honey	AHE
Black	BLK
Blizzard	BZD
Brushed Cobalt	BRC
Charcoal	CHR
Clear Maple	CME
Dark Espresso*	DES
Designer White	DWE
Fashionista	FAS
First Class	FCL
Nevada	NEV
Noce Biondo	(NBL)
Noce Grigio	(NGL)
Noce Leggero	(NEL)
Noce Medio	(NML)
Quartered Mahogany*	QTM
Sheer Beauty	SBY
Silver	SIL
Taupe	TPE
Tungsten	TUN
Walnut Heights	WHE
Winter Cherry*	WCR
White Chocolate*	CBE

* 1 7/16" HPW PVC Trim for Worksurfaces is not available in Dark Espresso (DES),

WOOD VENEER WORKSURFACES*

Almond Cherry	AMW
Amber Cherry	ACW
Biscotti	BTW
Cocoa Walnut	CAW
Coral	CRW
Dark Cherry	DCW
Dark Walnut	DWW
Espresso Walnut	EWW
Evening Oak	EVW
Grey on Oak	GRW
Hazlenut	HAW
Java	JAW
Latte Walnut	LTW
Mahogany on Walnut	MHW
Milestone	MTW
Natural Maple	MPW
Natural Walnut	NLW
Red Cherry	RCW
Umber Walnut	ULW
Vintage Cherry	VNW
Walnut	WLW
Warm Cherry	WCW
White Maple	WMW

All wood veneer worksurfaces are 1.38" thick.

*Note: Wood veneer options for worksurfaces are available at an up charge and with an extended lead time. Contact Evolve Customer Support for details.

STANDARD PAINT & FRAME COLORS

(for application to trim, steel components, PVC, vertical and horizontal members)

Black	BLK
Blizzard (Textured)	BZD
Charcoal	CHR
Designer White	DWT
Fog	FOG
Nevada	NEV
Silver	SIL
Stone Dust (Textured)	SDT
Taupe	TPE
Tungsten°	TUN

Additional paint and laminates may be available. Contact Evolve Customer Support for details.

°Tungsten paint is subject to 10% upcharge EXCEPT on Worksurfaces, PVC items, or when PVC trim components are ordered separately.

PREMIUM PAINT & FRAME COLORS

Black Coffee*	BKC
Bone*	BNE
Business Grey*	BGR
Claret*	CLT
Dark Chocolate*	DCH
Desert Putty*	DPT
Grey*	GRY
Ice*	ICE
Ivory*	IVR
Light Grey*	LGR
Metro*	MET
Mocha*	MCH
Moss*	MOS
Navy*	NVY
Oyster*	OYS
Sky*	SKY
Stone*	STN
Storm Grey	SGR
Tahiti Sand*	TSA
Willow*	WIL

*Premium paint selections are available on the following components: Panels (top trim and frame), Hardware, End-of run/Post Kits, and Accessories at a 22% upcharge. Storage with no upcharge.

*Please note all Double Wall Storage units must be ordered in a minimum quantity of 50 when ordering in a premium paint finish. Different model types can be combined to achieve the minimum quantity required. See pages 192-193 for affected models.

All special and premium paint match orders of 50 panels or less will incur a \$500 net setup fee. Panels, hardware, accessories and storage may be combined on orders to achieve minimum of 50 pieces or more and will not be subject to \$500 net set up fee. Add on orders will not have that charge for 90 days after the original order has shipped and must have the original PO# quoted otherwise they will not qualify for the program.

Global matte paint finishes are available on most Evolve Storage pieces without an up charge regardless of quantities.

All Mica and Metallic paint finishes will incur a minimum up charge of 10%.

All non-standard paint finishes must be approved by Evolve prior to placing an order.

ADA Overheads are not available in Evolve premium color paints. ADA Overheads are available in Evolve standard paint colors only.

Frames for all Open Panel models, all panel retainers, PVC components for panels and connectors are unavailable in premium or special/custom paint colors. They are available in standard Evolve paint colors only.



PANEL FABRICS – GRADE 1

Anchorage - 35% Post - consumer Recycled Polyester and 65% Pre - consumer Recycled Polyester

Birch **AN40**

Green Apple **AN41**

Lapis **AN42**

Straw **AN43**

Wolf **AN44**

Goose **AN45**

Angora **AN46**

Cumin **AN47**

Asteroid **AN48**

Geranium **AN49**

Thistle **AN50**

Graphite **AN51**

Slate **AN52**

Quarry Blue **AN53**

Onyx **AN54**

Pumpkin **AN55**

Red Delicious **AN56**

Sunshine **AN57**

Waterfall **AN59**

Vanilla **AN61**

Vanilla **AN61**

Cobalt **AN62**

Cloud **AN64**

Aurora - 100% Polyester, 80% minimum Post-Consumer Recycled Polyester

Cloud **AU20**

Seal **AU21**

Fog **AU22**

Pewter **AU23**

Granite **AU24**

Oat **AU25**

Coconut **AU26**

Latte **AU27**

Lake **AU28**

Frost **AU29**

Chance - 63% Virgin Polyester, 37% Post-Consumer Recycled Polyester

Mist **CN51**

Dill **CN52**

Island **CN53**

Plaza **CN54**

Tranquil **CN55**

Malt **CN56**

Navajo **CN57**

Prairie **CN58**

Cinder **CN59**

Oasis **CN66**

Linea - 100% Post Consumer Recycled Polyester

Queue **LN41**

Cord **LN42**

Twine **LN43**

Thread **LN44**

Contour **LN45**

Silhouette **LN46**

Cable **LN47**

Route **LN48**

Lisbon - 80% Polyester, 20% Post-Consumer Recycled Polyester

Gesso **LS11**

Dusk **LS12**

Grey **LS13**

Ivory **LS14**

Henna **LS15**

Nocturnal **LS16**

Moss **LS17**

Navy **LS18**

Buff **LS19**

Spa **LS20**

Loopy - 100% Recycled Polyester

Oyster **LP60**

Putty **LP61**

Marble **LP62**

Hazelnut **LP63**

Latte **LP64**

Bay **LP65**

Wild Rice **LP66**

Harbor **LP67**

Melody - 100% Recycled Polyester

Spray **ME40**

Pond **ME41**

Sand Bar **ME42**

Silt **ME43**

Pebble **ME44**

Lake **ME45**

Gravel **ME46**

Boulder **ME47**

Merge - 100% Polyester, 75% minimum Post-Consumer Recycled Polyester

Fawn **MG20**

Marshmallow **MG21**

Driftwood **MG22**

Dove **MG23**

Graphite **MG24**

Slate **MG25**

Eucalyptus **MG26**

Fire Engine **MG27**

Mediterranean **MG28**

Midnight **MG29**

Terrace - 100% Post-Consumer Recycled Polyester

Lotus **TC60**

Tigerlily **TC61**

Shadow **TC62**

Cobble **TC63**

Cherry Blossom **TC64**

Bluebell **TC65**

Apple **TC66**

Haze **TC67**

Cerise **TC68**

Twilight **TC69**

Wintergreen **TC70**

Ironwork **TC71**

Flirt **TC73**

Echo **TC74**

Glacier **TC75**

Pinpoint - 100% Post-Consumer Recycled Polyester

Bliss **PN11**

Delight **PN12**

Dune **PN13**

Infusion **PN14**

Ebony **PN15**

Fresh **PN16**

Carrot **PN17**

Splash **PN18**

Vibe **PN19**

Gala **PN20**

Streak - 100% Recycled Polyester

Beach **SR81**

Shade **SR86**

Stretch **SR88**

Sprint **SR89**

Roll **SR91**

Dart **SR92**

Zoom **SR93**

Splash **SR94**

Whiz **SR95**

Flash **SR96**

Tek - 100% Recycled Polyester

Finesse **TX60**

Grain **TX61**

Essence **TX62**

Warp **TX64**

Mesh **TX67**

Form **TX69**

Spice **TX71**

Glacier **TX72**

Spring **TX73**

Harmony **TX74**

Smoke **TX75**

Pebble **TX76**

PANEL FABRICS—GRADE 2

Cyclone - 56% post-consumer recycled polyester and 44% polyester.	
Stove Pipe	IM37
Stainless	IM40
Polished Pewter	IM41
Welded Steel	IM43
Etched Bronze	IM44
Fired Titanium	IM46
Chrome	IM49
Dark Annealed	IM50
Karat	IM54
Red Metal	IM55
Oxidized Bronze	IM56
Bright Ray	IM57
Bismuth Crystal	IM58
Gallium Blue	IM59

PET PANEL FABRICS

Amethyst	GPH
Apricot	APR
Black	BLK
Blue Smoke	BSK
Brick	BRI
Carnation	CNN
Denim	DEN
Emerald	EMD
Graphite	GPH
Harvest	HVT
Lapis	LAP
Mist	MTS
Navy	NVY
Pewter	PWT
Ruby	RBY
Shamrock	SHR
Sunflower	SFR
White	WHT

Dashing -100% Post-Consumer

Recycled Polyester

Classic Silver	DS21
Refined Marble	DS22
Antique Sage	DS23
Polished Slate	DS24
Genteel Beige	DS25
Bespoke Tan	DS26
Dapper Grey	DS27

Quadrille - 52.5% Polyester / 47.5%

Recycled Polyester

*Maximum panel width is 48'

Escapade	QU30
Shenanigan	QU31
Revelry	QU32
Spring	QU33
Regalia	QU34
Soiree	QU35
Zest	QU36
Gambol	QU37
Fair	QU39
Fiesta	QU40
Carnival	QU41
Opus	QU43
Jubilee	QU44
Masquerade	QU45
Cabarets	QU46



GRADE 1

Dobby - 96% Recycled Polyester / 4% Virgin Polyester

Snowcap	DB30
Bonsai	DB31
Cloud	DB32
Sand	DB33
Pewter	DB34
Sante Fe	DB35
Corfu	DB36
Medium Taupe	DB37
Charcoal	DB38
Berry	DB39
Royal	DB40
Titanium	DB41
Black	DB42

Fusion - 90% Virgin Polyester/ 10% Post-Consumer Recycled Polyester

Tangerine	FU71
Fresh	FU72
Moss	FU73
Tomato	FU74
Aqua	FU75
Sandstone	FU76
Granite	FU77
Poppy	FU78
Cadet	FU79
Oasis	FU80
Graphite	FU81
Viola	FU82
Cobalt	FU83
Flax	FU84
Carbon	FU85

Illusion - 100% Virgin Polyester

Cappuccino	II01
Paprika	II02
Tropic	II03
Wicker	II04
Hemp	II05
Cayenne	II06
Maui	II07
Dusk	II08
Smoke	II09
Currant	II10
Fiji	II11
Ozone	II12
Ebony	II13

Jenny - 100% Polyester

Midnite	JN01
Ebony	JN02
Slate	JN03
Vermilion	JN07
Admiral	JN08
Charcoal	JN11
Silver Lining	JN25
Oatmeal	JN26
Sunflower	JN27
Cascade	JN28
Harvest	JN29
Mellan	JN30
Berry	JN31
Green Grass	JN32
Roast	JN33

Trak - 100% Recycled Polyester

Taupe	TK40
Mustard	TK41
Latte	TK42
Cement	TK43
Silver	TK44
Copper	TK45
Teal	TK46
Apple	TK47
Steel	TK48
Merlot	TK49
Midnight Sky	TK50
Mocha	TK51
Carbon	TK52

GRADE 2 (FABRIC)

Imprint	- 100% Post-Consumer Polyester	
Almond		IM70
Cork		IM71
Sand		IM72
Currie		IM73
Candy Apple		IM74
Ocean		IM75
Navy		IM76
Green Tea		IM77
Celery		IM78
Oregano		IM79
Walnut		IM80
Paprika		IM81
Graphite		IM82
Slate		IM83
Licorice		IM84

Quilt - 100% Polyester

Black	QL10
Charcoal Grey	QL11
Navy	QL14
Wine	QL16
Silver	QL19
Feather	QL20
Dune	QL21
Meadow	QL22
Cadet	QL23
Geranium	QL24
Daisy	QL25
Quest	QL26
Punch	QL27
Tangerine	QL28
Cocoa	QL29

Waterfall - 60% Virgin Polyester/40% Post - Consumer Recycled Polyester

Trance	WA40
Tryst	WA41
Splash	WA42
Victoria	WA43
Imagine	WA44
Sky	WA45
Rainforest	WA46
Rumble	WA47
Prism	WA48
Tranquility	WA49
Grand	WA50
Rushing	WA51
Majestic	WA52
Pacific	WA53
Dance	WA54

Terrace - 100% Post-Consumer Recycled Polyester

Lotus	TC60
Tigerlily	TC61
Shadow	TC62
Cobble	TC63
Cherry Blossom	TC64
Bluebell	TC65
Apple	TC66
Haze	TC67
Cerise	TC68
Twilight	TC69
Wintergreen	TC70
Ironwork	TC71
Pine Cone	TC72
Flirt	TC73
Echo	TC74

Waterfall - 60% Virgin Polyester/40% Post - Consumer Recycled Polyester

Lime	WV01
Mint	WV02
Stone	WV03
Flame	WV04
Mykonos	WV05
Savannah	WV06
Mesa	WV07
Plasma	WV08
Cancun	WV09
Quartz	WV10
Moonrock	WV11
Rubine	WV12
Corfu	WV13
Bluejay	WV14

GRADE 2 (VINYL)

For availability of chair series in Vinyl, please contact a Global Sales Representative.

Allante FRee - 100% Vinyl Face /	
100% Polyester Backing	
Illusion	A01F
Bright White	A02F
White Crush	A03F
Ivory	A04F
Ice	A05F
Bleached Sand	A06F
Taupe Fawn	A07F
Warm Smoke	A08F
Autumn Rain	A09F
Cookie	A10F
Sierra Brick	A11F
Gibraltar	A12F
Chateau Grey	A13F
Golden Green	A14F
Oasis Green	A15F
Ink Black	A16F
Purple impulse	A17F
Italian Rose	A18F
Mountain Sky	A19F
Old Navy	A20F
Galaxy	A21F
Red Truffle	A22F
Chocolate Sundae	A23F
Province Blue	A24F
Eclipse	A25F



PANEL C.O.M REQUEST FOR APPLICATION TEST

SEND COMPLETED FORM AND FABRIC TO:

Evolve Furniture Group
555 Petrolia Road, Unit 2
Toronto, Ontario M3J2X8
Attn: Nahum Schneider

Requested By: _____

Phone #: _____

Fax #: _____

Project Name _____

Dealer/Specifier _____

Dealer Contact: _____

Evolve CSR: _____

Phone #: _____

Fax #: _____

FABRIC INFORMATION

Fabric Manufacturer: _____

Color Name: _____

Color #: _____

Pattern Name: _____

Pattern #: _____

Content: _____

Weight: _____

Width: _____

Repeat Horizontal: _____

Repeat Vertical: _____

Other Comments: _____

REQUEST FOR APPLICATION TEST (THIS REQUIRES 1 YARDS OF FABRIC)

Evolve Panel

Evolve Tackboard

Total Number of yards for testing: _____

Please Note:

Evolve is not responsible for the duty and brokerage fees for C.O.M. Fabric to clear customs. These charges will be billed to the dealer on a separate invoice.

PANEL FABRIC SPECIFICATION SHEET

SEND COMPLETED FORM TO:

EVOLVE Furniture Group
555 Petrolia Road, Unit 2
Toronto, Ontario M3J2X8
Attn: Nahum Schneider




SUPPLIER	REMARKS:	
PATTERN		
WIDTH		
CONTENT		
LIGHT FASTNESS	REMARKS:	
FLAMMABILITY		
TUNNER TEST		
CUT PRICE	REMARKS:	
1 - 3 ROLLS		
4 ROLLS		
DIRECTIONAL	REMARKS:	EASY HARD X-HARD
PANELS CORNERS		
RACEWAY COVER		
RACEWAY CORNERS		
STRETCH		
APPROVED <input type="checkbox"/>	NOT APPROVED <input type="checkbox"/>	CONDITIONAL APPROVAL <input type="checkbox"/>
REMARKS:		
<small>* This fabric is approved for upholster-ability only. The approval does not account for the durability of the fabric at the time of, and after installation of the product</small>		
SIGNATURE: _____	PRINT NAME: _____	DATE: _____



C.O.M AUTHORIZATION FORM FOR EVOLVE PEDESTAL AND LATERAL CUSHIONS

CUSTOMER INFORMATION

To be completed by the dealer/design firm. Use one form per textile. Incomplete information may delay or prevent approval.

A+D/Dealer/Company Name:	Contact:	Date:																												
Billing Address:	Phone:																													
City:	State:	Zip:																												
End-User/Project Name:	End-User/Project Registered?	YES NO If YES, The Evolve Quote#:																												
TEXTILE APPLICATION INFORMATION																														
MODEL NUMBER	QUANTITY	SPECIAL INSTRUCTIONS																												
Textile Name (Series/Style #):																														
Textile Color Name and Description:																														
Country of Origin:																														
Mill or Manufacturer's Name:																														
Textile Content (% Cotton, % Poly, % Wool, etc.):																														
Textile Width:	Pattern Repeat: VERTICAL HORIZONTAL	Rail Roaded? YES NO																												
<table border="1"> <thead> <tr> <th colspan="2">TEXTILE DIRECTION</th> <th>NEW TEXTILE</th> <th>PREVIOUSLY APPROVED TEXTILE</th> </tr> </thead> <tbody> <tr> <td colspan="2">  </td> <td> NEW TEXTILE Attached textile sample (Minimum 5"x 5" Max 12"x 12") In correct DIRECTION and SIDE. </td> <td> PREVIOUSLY APPROVED TEXTILE Fax completed form to: 856.596.5684 </td> </tr> <tr> <td colspan="4"> MAIL FORM AND TEXTILE SAMPLE ONLY TO: GLOBAL - COM Department 17 West Stow Road Marlton, NJ 08053 856.596.3390 </td> </tr> <tr> <td colspan="4"> Please contact your local EVOLVE CustomeCare representative for status of all COM requests. When textile is approved and an authorization number issued, a set of shipping instructions will be faxed or e-mailed to you. </td> </tr> <tr> <td colspan="4"> Approved textiles are to be shipped to the address that will be included with instructions. Do not ship textiles to the address on this form. Dealer is responsible for the shipping expenses. Brokerage fees will be paid for by Global. However, duties imposed by North American Governments related to textile materials, content and Country of Origin, additional fees may apply and will be billed separately. </td> </tr> <tr> <td colspan="4"> Please Note: C.O.M Textiles may not be shipped without shipping documents. GLOBAL is not responsible for any material shipped without the authorization number. </td> </tr> <tr> <td colspan="4"> Please be advised that Global has phased out the use of textiles that contain certain Phthalates, including but not limited to: DEHP (di (2-ethylhexyl) phthalate), DBP (di-n-butyl phthalate), BBP (butyl benzyl phthalate) and DINP (di-isobutyl phthalate) (collectively the "Listed Chemicals"). The Listed Chemicals are used in certain types of vinyls. Global cannot accept orders for textiles that contain the Listed Chemicals, if such orders are to be shipped to the U.S.A. or are intended for customer in the U.S.A. If you are not sure if the C.O.M you have selected contains the Listed Chemicals, please contact the manufacturer or supplier of the fabric to verify. </td> </tr> </tbody> </table>			TEXTILE DIRECTION		NEW TEXTILE	PREVIOUSLY APPROVED TEXTILE			NEW TEXTILE Attached textile sample (Minimum 5"x 5" Max 12"x 12") In correct DIRECTION and SIDE.	PREVIOUSLY APPROVED TEXTILE Fax completed form to: 856.596.5684	MAIL FORM AND TEXTILE SAMPLE ONLY TO: GLOBAL - COM Department 17 West Stow Road Marlton, NJ 08053 856.596.3390				Please contact your local EVOLVE CustomeCare representative for status of all COM requests. When textile is approved and an authorization number issued, a set of shipping instructions will be faxed or e-mailed to you.				Approved textiles are to be shipped to the address that will be included with instructions. Do not ship textiles to the address on this form. Dealer is responsible for the shipping expenses. Brokerage fees will be paid for by Global. However, duties imposed by North American Governments related to textile materials, content and Country of Origin, additional fees may apply and will be billed separately.				Please Note: C.O.M Textiles may not be shipped without shipping documents. GLOBAL is not responsible for any material shipped without the authorization number.				Please be advised that Global has phased out the use of textiles that contain certain Phthalates, including but not limited to: DEHP (di (2-ethylhexyl) phthalate), DBP (di-n-butyl phthalate), BBP (butyl benzyl phthalate) and DINP (di-isobutyl phthalate) (collectively the "Listed Chemicals"). The Listed Chemicals are used in certain types of vinyls. Global cannot accept orders for textiles that contain the Listed Chemicals, if such orders are to be shipped to the U.S.A. or are intended for customer in the U.S.A. If you are not sure if the C.O.M you have selected contains the Listed Chemicals, please contact the manufacturer or supplier of the fabric to verify.			
TEXTILE DIRECTION		NEW TEXTILE	PREVIOUSLY APPROVED TEXTILE																											
		NEW TEXTILE Attached textile sample (Minimum 5"x 5" Max 12"x 12") In correct DIRECTION and SIDE.	PREVIOUSLY APPROVED TEXTILE Fax completed form to: 856.596.5684																											
MAIL FORM AND TEXTILE SAMPLE ONLY TO: GLOBAL - COM Department 17 West Stow Road Marlton, NJ 08053 856.596.3390																														
Please contact your local EVOLVE CustomeCare representative for status of all COM requests. When textile is approved and an authorization number issued, a set of shipping instructions will be faxed or e-mailed to you.																														
Approved textiles are to be shipped to the address that will be included with instructions. Do not ship textiles to the address on this form. Dealer is responsible for the shipping expenses. Brokerage fees will be paid for by Global. However, duties imposed by North American Governments related to textile materials, content and Country of Origin, additional fees may apply and will be billed separately.																														
Please Note: C.O.M Textiles may not be shipped without shipping documents. GLOBAL is not responsible for any material shipped without the authorization number.																														
Please be advised that Global has phased out the use of textiles that contain certain Phthalates, including but not limited to: DEHP (di (2-ethylhexyl) phthalate), DBP (di-n-butyl phthalate), BBP (butyl benzyl phthalate) and DINP (di-isobutyl phthalate) (collectively the "Listed Chemicals"). The Listed Chemicals are used in certain types of vinyls. Global cannot accept orders for textiles that contain the Listed Chemicals, if such orders are to be shipped to the U.S.A. or are intended for customer in the U.S.A. If you are not sure if the C.O.M you have selected contains the Listed Chemicals, please contact the manufacturer or supplier of the fabric to verify.																														
EVOLVE AUTHORIZATION FORM (TO BE COMPLETED BY CUSTOMERCARE REP.)																														
CAN#:	TEXTILE YARDAGE (REQUIRED FOR THE ORDER):	GU CODE:																												
SIGNATURE: _____	PRINT NAME: _____	DATE: _____																												



PANEL FABRIC SAMPLE

TOP

**STAPLE
MINIMUM 6" X 6"
FABRIC SAMPLE HERE
IN THE DIRECTION IT IS TO BE
APPLIED TO THE PRODUCT**

BOTTOM



APPENDIX

The Evolve Furniture Group has partnered with the software vendors listed below to provide you with an online source for viewing the 2019 Evolve Electronic Catalog. Please visit their websites for additional information and download details.

2020 Technologies

www.2020technologies.com
5503 Mile Road NW
Grand Rapids, MI 49544
Phone: 800-638-6002

Ice Edge Business Solutions

www.ice-edge.com
4001 S 700 East, Suite 450
Salt Lake City, UT 84107
Phone: 801-747-0373

KISP

www.kisp.com
Customer Support: 416-499-2457
Cad Services Team: 416-499-2457 x3
Customer Service e-mail: tellmemore@kisp.com
CAD Services requests CadServices@kisptech.com

Project Matrix

www.projectmatrix.com
11655 Lebanon Rd.
Cincinnati, OH 45241
Tech Support Instant Messenger: projectmatrixtech@yahoo.com
Phone: 513.554.1665
Fax: 513.554.1255

Quintero-Smith Incorporated/Midnight Oil

www.midnight-oil.com
10469 Kinnard Avenue
Los Angeles, CA 90024
voice: 800-350-7434 (US Only)
international: 310-478-5140
fax: 310-478-4572
e-mail: jimsr@q-si.com



TERMS & CONDITIONS

APPLICATION OF STANDARD TERMS

Sales of Evolve products are made only on Evolve standard terms and conditions of sale which are contained in the Price Book and in Evolve's order acknowledgments. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Evolve's authorized personnel at its head office in Marlton, New Jersey. An offer by Purchaser of said terms and conditions shall not be binding until accepted by Evolve in writing.

All illustrations, specifications and prices in this Price List are based on the latest product information available at the time of publication. Evolve reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

PRICES AND PAYMENT

The prices shown in this Price List, as well as those quoted by Evolve, shall be in US dollars for orders shipped to destinations within the continental United States.

Prices listed herein are for standard product. Quotations for special product are available through Evolve Customer Support Department in Marlton, New Jersey.

If shipping date requested is more than 90 days from date of order Evolve shall use published list prices effective at the time of shipment.

Not included in the list price are special or export packing, unpacking and installation. Orders are invoiced at the time of shipment. The Customer agrees to pay a charge of 2% per month of invoices outstanding more than 30 days.

FOR PAYMENTS ONLY, MAIL TO:

Evolve Furniture Group, a division of:
Global Industries, Inc.
17 West Stow Road
P.O. Box 562
Marlton, New Jersey 08053

Any products sold shall remain the property of Evolve until fully paid for in cash. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Evolve until such time as the goods have been paid for in full.

Free freight applies to orders dock delivered to one commercial business location in the contiguous United States during normal business hours. Residential deliveries will incur additional delivery charges.

Please note exception below:

All showroom and mock-up orders will be subject to actual freight charges.

Evolve shall, in its sole discretion, determine the most appropriate method of shipment routing and carrier. Shipments of less than a full trailer load (ITL) shall ship via common carrier. **These LTL shipments are not subject to specific delivery days or times.** Full trailer loads will provide for dedicated delivery time and schedule. Purchaser may request special packaging or method of shipment at Purchaser's sole expense.

TAXES

All sales, use, excise and other applicable taxes and the collection and reporting thereof (excluding only taxes on the net income of Evolve) are the Purchaser's responsibility and will be invoiced to the Purchaser. If Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish an appropriate exemption certificate to Evolve.

ORDER INFORMATION

Evolve requires that **all orders be submitted in writing** to avoid errors and/or duplication. Orders will be acknowledged with Evolve's acknowledgement forms governing the transaction. The details appearing on the acknowledgement will describe the items to be shipped to Purchaser who must ascertain that they are correct. If not correct, Purchaser should notify Evolve immediately by telephone or fax followed by written confirmation. Acknowledgment shows approximate shipping date of items ordered. **Shipping dates are assigned to orders based on the item having the longest manufacturing lead time.** Orders with Customer's Own Material (C.O.M.), or missing or incorrect information (finish selections, fabric selections, etc.) will be scheduled for manufacturing upon receipt of COM or correct complete information. Purchaser must indicate if multiple shipping schedules are required including noting if the shipping date requested is longer than standard posted lead time. Each shipment will be invoiced at time of shipping and will be subject to payment terms described herein.

C.O.M. CUSTOMER'S OWN MATERIAL

Should Purchaser request a fabric, not standard to the Evolve upholstery line, Purchaser shall submit a sample of not less than two yards for approval. Evolve will determine whether fabric is suitable to manufacturing process and applicable UL or code requirements. Should Evolve be required to test such fabric, it shall so advise Purchaser, and Purchaser shall be responsible for all costs associated therewith. This includes all duty and brokerage fees.

Fabric yardage requirement will be determined by Evolve. An additional charge may be made to cover the cost of cutting, matching or sewing unusual or directional patterns. Evolve shall have no responsibility for condition, quality, performance, physical properties or any other aspect of C.O.M. For panels, price as if grade 1 fabric is used.

Evolve reserves the right to reject any C.O.M. deemed unsuitable.

Evolve reserves the right to cancel an order at any time if C.O.M. is, in the sole judgement of Evolve, inadequate for any reason.

CHANGES AND CANCELLATION

The order may not be changed or cancelled by Purchaser without the written consent of Evolve. This charge can be as much as 100% based upon proximity to scheduled shipment date. Special order items and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric has been cut.

DEPOSIT ON SPECIAL ORDERS

Orders for nonstandard products may, at Evolve's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

SUSPENSION

In the event that the Purchaser defaults in the payment of any sum due Evolve, or in the event the Purchaser's financial condition becomes unsatisfactory to Evolve, Evolve shall have the right at its option, upon written notice to the Purchaser, to cancel shipment of any goods, unless within ten (10) days of Purchaser's receipt of such notice Purchaser provides assurance of payment to Evolve in such form, content and/or amounts as Evolve, in its sole discretion, deems adequate.

COMBINED SHIPMENTS

Evolve will make every effort to combine shipments and orders on written request. However, acceptance of such request shall be with Evolve's sole discretion.

CODE RESTRICTIONS

Evolve portable furniture may be subject to local fire, electrical and/or building codes applicable to portable furniture. It shall be Purchaser's sole responsibility for the proper application of Evolve items within the limitations of such local codes, which may be different from area to area.

SERVICE

Service problems shall be handled by the authorized Evolve dealer. Where this cannot be accomplished on a local level, service problems should be referred to:
Evolve Furniture Group
Customer Support
17 West Stow Road
Marlton, New Jersey USA 08053
856-552-4000 888-827-2500
Attention: Evolve Operations Manager



TERMS & CONDITIONS

STORAGE

In the event Purchaser requests postponement of delivery beyond the acknowledged shipping date, Evolve may transfer the goods to storage on Purchaser's account and at Purchaser's risk and expense subject to a daily storage rate. Such transfer to storage shall be deemed shipment to Purchaser for all purposes, including invoicing and payment.

DELAYS

Evolve's order acknowledgement will state a shipping date which is Evolve's best estimate at the time the order is acknowledged. However, Evolve shall not incur any obligation or liability to Purchaser for failure to ship by a specified date. In addition, Evolve shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Evolve, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Evolve may, without causing any breach or incurring liability, allocate goods which are in short supply, regardless of the reasons therefore, among purchasers, in any manner which Evolve, in its sole discretion, deems advisable.

BACK CHARGES

Evolve will not accept charges for expense incurred by the Purchaser in expediting shipments or otherwise. Evolve will not accept charges for the repair of damage by others.

CLAIMS

All goods are sold F.O.B. Toronto, Canada, unless otherwise agreed to in writing by Evolve. Evolve is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Any claims made against Evolve for apparent defects, errors or shortages must be made by the Purchaser in writing, within fifteen (15) working days after any delivery. Failure by the Purchaser to make any claim against Evolve within the above-described fifteen days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

RETURNS

No returns of goods will be accepted without written consent and shipping instructions, including Evolve's Return Goods Authorization (R.G.A.) numbers, to Evolve. A minimum restocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Evolve in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items and fabric-covered items are in no event subject to return. All returns must be approved and authorized in writing by Evolve Customer Support, Marlton, New Jersey.

LIFETIME WARRANTY

Evolve warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser. This warranty is made by Evolve only to original customers acquiring the product directly from Evolve's authorized dealers. The customer's sole remedy pursuant to this warranty is limited to repair or replacement of parts or product at Evolve's option. Consent from Evolve must be obtained before any warranty work is performed. This warranty shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or "accident", shipping damage, or product use and installation other than in accordance with written instructions or warnings. It shall also not apply when product has been modified or altered, repaired or refurbished by someone other than Evolve or an authorized dealer or because of natural variations over which Evolve has no control. In the event of repair and/or replacement of any defective product, Evolve does not warrant matching color, grain, texture or dye lots. Evolve's warranty does not cover the cost of transportation or labor. Repair or replacement will be at Evolve's option. Evolve makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth in this Price List. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Evolve be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

This Lifetime Warranty is NOT applicable to customers who use Evolve products for rental purposes and is effective only for products, parts or components manufactured after January 1, 2011.

Exceptions to this warranty include:

- Global fabrics and wood veneers, which are warranted for five years from date of delivery.
- Electrical components, which are warranted for ten years from the date of delivery.
- Moving parts such as glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for five years from date of delivery.

- Fading on fabric and wood veneers can be caused by exposure to U.V. rays/sunlight. Natural wood veneer, being a natural material, will have shade differences between veneer sheers, the difference will be more apparent between dye lots.

Evolve does not warrant color fastness on Customer's Own Material.

Because of natural variations over which Evolve has no control, this warranty does not extend to color, grain or texture of wood, and Evolve does not warrant matching of color, grain or texture.

Evolve makes no warranties, including implied warranties of merchantability and fitness for a particular purpose, other than the express warranties contained herein.

LIMITATION OF REMEDY

Purchaser's sole and exclusive remedy (excluding the repair or replacement of goods for breach of the express warranty above) for any matter or claim arising under or relating to these terms and conditions, the goods covered hereby and any transaction involving or relating to such goods, whether in contract, tort (including negligence) or otherwise, shall be payment of the lesser of the cost to repair or replace said product or the purchase price for the goods to which the claim relates. In no event shall Evolve be liable for any special, indirect, consequential, or incidental damages, including without limitation, damages for loss of business profits, business interruptions, or loss of information.

EVOLVE'S WARRANTY DOES NOT APPLY (FOR ANY PRODUCT CATEGORY) TO THE FOLLOWING:

- Failures due to wear and tear
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Evolve's written instructions and warnings
- Modifications, attachments or repair methods not approved by Evolve
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Evolve's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.



showrooms and distribution centers throughout the united states

SHOWROOMS

Atlanta
10 10th Street
Suite 150
Atlanta, GA 30309
T 404.879.0998

Chicago
The Merchandise Mart
10th Floor, Suite 1035
Chicago, IL 60654
T 312.755.0843

Miami
112 NE 41st Street
6th floor
Miami, FL 33137

New York City
386 Park Avenue South,
7th floor
New York, NY 10016
T 212.545.9900

Phoenix
4675 East Cotton
Center Boulevard,
Suite 165
Phoenix, AZ 85040
T 602.426.0666

Boston
One Harbor Street,
Suite 104
Boston, MA 02210
T 617.406.5435

Irvine
18400 Von Karman Ave.
Suite 100
Irvine, CA 92618

New Jersey (Southern)
119 Greentree Road
Marlton, NJ 08053
T 856.596.3390

Philadelphia
1735 Market Street
38th Floor
Philadelphia PA, 19103
T 215.861.0963

Washington, DC
1130 Connecticut
Avenue
Washington, DC 20036
T 202.659.0230

SHOWROOMS + DISTRIBUTION CENTERS

Atlanta Area
6715 Maple Ave.
Suite 100
Buford, GA 30518
T 678.602.4130

Cincinnati Area
8712 LeSaint Drive
Fairfield, OH 45014
T 513.777.0009

Ft. Lauderdale Area
560 Sawgrass
Corporate Parkway
Sunrise, FL 33325
T 954.846.8888

Los Angeles Area
12320 Bloomfield
Avenue, Unit A
Santa Fe Springs, CA
90670
T 562.484.9686

Baltimore Area
Troy Hill Corporate
Center
7030 Troy Hill Drive
Elkridge, MD 21075
T 410.379.8021

Dallas Area
2025 W. Beltline Rd.,
#100
Carrollton, TX 75006
T 972.236.1366

Houston
7865 Northcourt Road,
Building D, Suite 200
Houston, TX 77040
T 713.695.5777

Seattle Area
Oakesdale Commerce
Center
820 Southwest 34th St.
Building W7, Suite A
Renton, WA 98057
T 425.291.9282

Chicago Area
27W501 North Avenue
West Chicago, IL 60185
T 630.681.2818

Denver Area
19080 E 38th Ave.,
#30
Aurora, CO 80011
T 303.340.1617

Kansas Area
11617 West 81st Street
Lenexa, KS 66214
T 913.310.9963

Tampa Area
10351 Windhorst Road
Tampa, FL 33619
T 813.621.6272

Global - USA Headquarters
17 West Stow Road P.O. Box 562
Marlton, New Jersey U.S.A. 08053
Tel (856) 596-3390 | (800) 220-1900
www.globalfurnituregroup.com

Global - Canada Headquarters
1350 Flint Road
Downsview, ON Canada M3J 2J1
Sales & Marketing: Tel (1-877) 446-2251
Customer Service: Fax (800) 361-3182
Government Customer Service: Fax (416) 739-6319



MEMBER
BIFMA

