



# POWER BEAM KITS / VERTICAL BASE INFEEED COVER W/LEG


## EVPBEP - POWER BEAM KIT WITH ELECTRICAL CUT OUT FOR PASS THROUGH CABINET

- Power beam with electrical cut out for base feed from pass though cabinet
  - Aluminum top trim included
  - 60" Power beam kit includes two 30" raceway covers per side
  - 72" Power beam kit includes two 36" raceway covers per side
  - 60" Power beam kit includes two 30" power distribution housing (EVE8PD30) and jumper cable (EVE8CP17)
- 72" Power beam kit includes two 36" power distribution housing (EVE8PD36) and jumper cable (EVE8CP17)
  - Provides four duplex receptacle per panel side
  - Power beam base feed to be ordered separately
  - Power Beam Storage cabinet with pass through be ordered separately (EVPBSCGDP or EVPBSCP)

| DESCRIPTION   | PRODUCT CODE  | LIST PRICE<br>LP | DIMENSIONS/INCHES |    |       |
|---|---------------|------------------|-------------------|----|-------|
|   |               |                  | H                 | W  | D     |
|  | EVPBEP60KIT01 | 986              | 6                 | 60 | 2 7/8 |
|  | EVPBEP72KIT01 | 1275             | 6                 | 72 | 2 7/8 |
| NOTE: To be used with cable pass through cabinet                                  |               |                  |                   |    |       |

## EVPBFCL - VERTICAL BASE INFEEED COVER INCLUDING SUPPORT LEG WITH FOOT


- Connects to Power Beam Kit with electrical cut out
  - Includes vertical cover and slotted connector support leg with foot
- Power Beam kit with electrical cut out ordered separately
  - Base infeed ordered separately

| DESCRIPTION   | PRODUCT CODE | LIST PRICE<br>LP | DIMENSIONS/INCHES |   |    |
|---|--------------|------------------|-------------------|---|----|
|   |              |                  | H                 | W | D  |
|  | EVPBFCL24    | 247              | 24                | 6 | 18 |
|   | EVPBFCL30    | 265              | 30                | 6 | 18 |
|   | EVPBFCL36    | 354              | 36                | 6 | 18 |

# VERTICAL BASE INFEED COVER W/LEG FOR NY POWER BOX ENTRY


## EVPBFCSL - VERTICAL BASE POWER FEED COVER WITH SINGLE LEG

- Connects to electrical cut out power beam
- Includes vertical covers and slotted connector with single leg
- For one sided Power beam application
- Laminate end panels must be attached to single leg at end of power beam run for stability
- Laminate end panels to be ordered separately
- End of run trim below power beam included
- Power beam with electrical cut out to be ordered separately

| DESCRIPTION   | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |    |   |
|---|--------------|------------|-------------------|----|---|
|   |              | LP         | H                 | W  | D |
|  | EVPBFCSL24   | 247        | 24                | 15 |   |
|   | EVPBFCSL30   | 266        | 30                | 15 |   |
|   | EVPBFCSL36   | 290        | 36                | 15 |   |


## EVPBFBG - VERTICAL BASE INFEED COVER INCLUDING SUPPORT LEG WITH GLIDE

- Connects to Power Beam Kit with electrical cut out
- Includes vertical cover and slotted connector support leg with glide
- Power Beam Kit with electrical cut out ordered separately
- Base infeed ordered separately

| DESCRIPTION   | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |       |
|---|--------------|------------|-------------------|---|-------|
|   |              | LP         | H                 | W | D     |
|  | EVPBFBG24    | 198        | 24                | 6 | 2 7/8 |
|   | EVPBFBG30    | 226        | 30                | 6 | 2 7/8 |
|   | EVPBFBG36    | 254        | 36                | 6 | 2 7/8 |

## EVPBFCLXXNY - VERTICAL COVER WITH LEG FOR NY BOX POWER ENTRY

- Connects to electrical cut out power beam
- Includes vertical covers and slotted connector with leg
- End of run trim below power beam included
- Power Beam with electrical cut out to be ordered separately


| DESCRIPTION   | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |   |    |
|---|--------------|------------|-------------------|---|----|
|   |              | LP         | H                 | W | D  |
|  | EVPBFCL24NY  | 247        | 24                | 6 | 21 |
|   | EVPBFCL30NY  | 265        | 30                | 6 | 21 |
|   | EVPBFCL36NY  | 354        | 36                | 6 | 21 |



# VERTICAL BASE INFEED COVER W/LEG FOR NY POWER BOX ENTRY / SUPPORT LEGS


## EVPBFBGXXNY - VERTICAL COVER WITH GLIDE FOR NY BOX POWER ENTRY

- Connects to Power Beam Kit with electrical cut out.
- Includes vertical covers and slotted connector with glide base.
- End of run trim below power beam included.
- Power Beam with electrical cut out to be ordered separately.

| DESCRIPTION   | PRODUCT CODE | LIST PRICE<br>LP | DIMENSIONS/INCHES |   |       |
|---|--------------|------------------|-------------------|---|-------|
|   |              |                  | H                 | W | D     |
|  | EVPBFCG24NY  | 198              | 24                | 6 | 2 7/8 |
|   | EVPBFCG30NY  | 226              | 30                | 6 | 2 7/8 |
|   | EVPBFCG36NY  | 254              | 36                | 6 | 2 7/8 |


## EVPBL - POWER BEAM CONNECTOR SUPPORT LEG WITH FOOT

- Connects two Power Beams in a straight run.
- 24'h -- 18" open to floor
- 30"h -- 24" open to floor
- 36"h -- 30" open to floor

| DESCRIPTION  | PRODUCT CODE | LIST PRICE<br>LP | DIMENSIONS/INCHES |    |   |
|--|--------------|------------------|-------------------|----|---|
|  |              |                  | H                 | W  | D |
|  | EVPBL24      | 117              | 24                | 18 |   |
|  | EVPBL30      | 122              | 30                | 18 |   |
|  | EVPBL36      | 161              | 36                | 18 |   |

## EVPBLFF - POWER BEAM LEG WITH FLAT FOOT

- Connects two Power Beams on equal height.
- Includes connector with flat foot, connecting hardware.
- Note: Leg has to be used next to Post legs with glides. When specifying please keep sequence post leg with glide, leg with flat foot, post leg with glide. Only post legs with glide provides adjustment for leveling power beams run.

| DESCRIPTION   | PRODUCT CODE | LIST PRICE<br>LP | DIMENSIONS/INCHES |    |   |
|---|--------------|------------------|-------------------|----|---|
|   |              |                  | H                 | W  | D |
|  | EVPBLFF24    | 139              | 24                | 21 |   |
|   | EVPBLFF30    | 146              | 30                | 21 |   |
|   | EVPBLFF36    | 156              | 36                | 21 |   |